INCANDESCENT

ELECTRICAL MATERIALS AND APPLIANCES

CATALOG NO 23



Digitized by



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA

INCANDESCENT SUPPLY CO.

SAN FRANCISCO

LOS ANGELES 726-730 Mission Street 825-833 East Third Street

Phone SUtter 4600

Phone VAndike 1371

FRESNO 814 Fulton Street

Phone 2-5197

OAKLAND 19-21 Grand Avenue

Phone Higate 4884

SHIPMENTS: All merchandise illustrated is regular stock merchandise. All orders on items out of stock will be held on back order file and shipped upon arrival when stock is replenished.

PRICES: Retail prices only printed in this catalog. All prices shown are affected by market conditions and subject to change without notice.

PACKING: ISCO material is packed as best suited for safe shipment by experienced packers according to the specifications as set down by the transportation companies. They are carefully inspected and packed before shipment.

CLAIMS: We have the transportation company's receipt for shipment in good order. When loss or damage occurs the carrier alone is therefore responsible. Should your shipment arrive damaged or incomplete, or should you find loss or damage inside of the package (concealed breakage or damage), notify the transportation company's agent at once and file claim for reimbursement. WE ARE NOT RESPONSIBLE FOR BREAKAGE OR DAMAGE IN TRANSIT. We will endeavor to render assistance to you in the collection of your claim but we cannot be responsible for or guarantee collection of the claim.

RETURNS: In case of error, return packing slip with full particulars promptly. Positively do not return goods without our consent and shipping instructions from us. Merchandise returned without our consent will not be accepted.

TERMS: 2% cash, 10th proximo to trade of established credit, with exceptions as noted below. All C. O. D. orders should be accompanied by at least 25% of the value of the order. To avoid delay, customers desiring credit who are not satisfactorily rated should send references with orders.

5% MATERIAL:

BOXES, Outlet and Switch CONDUIT, Flexible Steel and A.B.C. CONDUIT, Rigid CONDUIT, Steel Tube CONDULETS

FIXTURE STUDS, NIPPLES AND UNIONS

LOCKNUTS AND BUSHINGS LOOM LOOMWIRE

WIREMOLD

1% MATERIAL GLASSWARE **GUTH FIXTURES** 1/2 OF 1% MATERIAL: WIRE, Antenna WIRE, Telephone WIRE, Weatherproof

NET MATERIAL: EVERSTICK ANCHORS INSULATORS, Pin Type MOTOR CONTROL

F. O. B.: In general, all material is F. O. B. San Francisco, Fresno, Los Angeles, and Oakland, with freight equalized with recognized jobbing centers such as Sacramento, Stockton, San Jose and Santa Rosa. Such items as conduit, weatherproof wire, pole line hardware and steel strand have a freight addition for points outside San Francisco and Oakland. Rubber-covered wire, Flexsteel and A.B.C. cable and tape are F. O. B. destination in 100-lb. lots.

Note: In this Catalog we list only the more common items and make no attempt to catalog all the items we handle. Complete manufacturer's catalog will be supplied on any particular line on request.

Distributors and Jobbers For

Lighting Fixtures

LIGHTOLIER JOHN C. VIRDEN

EDWIN F. GUTH SMOOT HOLMAN

Illuminating Glassware:

GIII PHOENIX MACBETH-EVANS FOSTORIA ISCO PURE WHITE ROYAL-MONAX

Floor, Table and Desk Lamps

LIGHTOLIER GREIST ELECTROLITE

FARIES EMERALITE

Lamps

GENERAL ELECTRIC

JEWEL

Flood and Window Reflectors:

BENJAMIN S. & M.

CROUSE HINDS

Appliances:

ARMSTRONG CENTURY FANS DOMINION ELECTRAHOT EVERREADY GILBERT HAMMOND CLOCKS MELLOCHIMES MIXMASTER

PROGRESS CLEANER PRYNE FANS. Etc. ROBBINS & MYERS SAMSON SILEX SUNBEAM UNIVERSAL VULCAN WESIX

Supplies:

NESCO

ALLEN SOLDER PASTE AMERICAN AUTO **TELEPHONES** APPLETON BOXES & FITTINGS ARROW-HART & HEGEMAN WIRING DEVICES AUSTIN BOXES AND FITTINGS BRYANT WIRING DEVICES BENJAMIN REFLECTORS BUCKEYE CONDUIT CROUSE HINDS CONDULETS CUTLER HAMMER SWITCHES AND CONTROL DIAMOND EXPANSION BOLTS DOLPH'S INSULATING VARNISH DUTCH BRAND TAPE EAGLE SPECIALTIES **ECONOMY FUSES** EDWARDS SIGNALLING **DEVICES** FRETZ MOON CONDUIT GREENLEE TOOLS

HARTMAN FITTINGS HEINEMANN CUT-OUTS IDEAL JOSLYN POLE LINE HARDWARE KILLARK FITTINGS LEVITON WIRING DEVICES McGILL SWITCHES & GUARDS PARAGON SWITCHES PARANITE WIRES AND CABLES PIERCE RENEWABLE FUSES PRYNE HOUSE NUMBERS, Etc. SIMPLEX WIRE AND CABLES STEEL TUBES THOMAS & BETTS FITTINGS TIREX CORDS TRUMBULL SWITCHES AND **PANELS** VAN DORN ELECTRIC TOOLS WALKERDUCT CONDUIT WIREMOLD X-RAY REFLECTORS YAXLEY RADIO DEVICES


Incandescent Supply Co.

SAN FRANCISCO

OAKLAND

LOS ANGELES

FRESNO



OUR SILVER ANNIVERSARY

Established in San Francisco since 1913
Twenty-five years of continuous service to our Pacific Coast Customers.
Long recognized as the leading Lighting Fixture Company on the Pacific Coast, we offer also a complete line of Wiring and Construction Supplies for Contractor, Dealer, and Industrial, featuring the better-known quality lines. Let us help with your wiring material problems. We have, at each store, a staff trained in the Electrical Supply Business.

SAN FRANCISCO, 726-730 MISSION STREET

ILLUMINATION ENGINEERING SERVICE

Our Engineering Department will be pleased to furnish specifications or make recommendations for your lighting problems—residential, commercial or recreational.



LOS ANGELES, 825-833 EAST THIRD STREET

WE FEATURE AT ALL FOUR STORES

- —The most complete line of Electrical Supplies possible, including the great majority of better-known quality lines, for the Contractor, dealer, and Industrial.
- —The greatest selection of Lighting Fixtures (both residential and commercial) on the Pacific Coast.
- —A choice selection of rapid-selling, quality appliances for the dealer's store.

Also Floor and Table Lamps, Mazda Lamps, Fire Screens and Fire Sets, Fixture Parts, etc.



FRESNO, 814 FULTON STREET

Incandescent Supply Co.

SAN FRANCISCO

OAKLAND

LOS ANGELES

FRESNO

ESTABLISHED IN 1913—25 YEARS OF CONTINUOUS SERVICE



OUR OAKLAND STORE AT 19 GRAND AVENUE—A FEW STEPS EAST OF BROADWAY. ADEQUATE PARKING FACILITIES ADJACENT TO REAR ENTRANCE.

The success of the Incandescent organization has been founded largely on its desire to be of assistance to its various dealers—every sales help and dealer co-operation is available as part of the Incandescent Service.

A capable force of trained lighting fixture experts will help you select the correct and appropriate lighting for every need.

Lighting equipment is an important element in every home, office or store — important because good lighting makes for comfort and health — and correct lighting equipment is necessary to secure the most pleasing decorative effect.

OUR COMPLETE FIXTURE Catalog illustrates many types of commercial and residential lighting fixtures. If you do not have a copy, WRITE FOR IT. On the left is a view of our store located in the heart of Oakland at 19 Grand Avenue. Here, as in each of our other locations, we maintain complete warehouse stocks of electrical supplies, appliances, and lighting fixtures. Here, also, we have one of the most completely equipped lighting fixture showrooms on the West Coast, with six spacious showrooms displaying hundreds of fixtures from which you or your customer can select the lighting fixtures best suited to your needs.

Incandescent Supply Company Please Extend the Courtesy of your showrooms to our client: M...... DEALER...... ADDRESS...

(Our Courtesy Cards are available to our Dealers)



CRYSTAL AND COLONIAL ROOM—OAKLAND SHOWROOMS. JUST ONE OF FIVE DEVOTED EXCLUSIVELY TO HIGH-GRADE LIGHTING FIXTURES

THREADED CONDUIT AND FITTINGS

RIGID CONDUIT FRETZ-MOON—Hot Dipped WALKER—Sheradized



All sizes of conduit, elbows and couplings

and sizes of conduit, endows and couplings in both black and galvanized finish carried in stock, and may be assorted to make weight. Easy bending.

Price Per C Ft. F. O. B.
San Francisco, Oakland, Berkeley, Stockton; also Long Beach, San Pedro, San Plack

| Dieg | о. | | | | Віаск |
|----------|--------|---------|----------|---------|--------|
| | He | ot Dipp | ed Galva | nized 1 | Enamel |
| Size | Wt.per | Under | 1000- | 5000- | Under |
| In. | 100 | 1000# | 5000# | C.L. | 1000# |
| 1/2 | 85 | 11.70 | 11.25 | 10.65 | 10.95 |
| 3/4 1 | 113 | 15.10 | 14.55 | 13.80 | 14.15 |
| 1 | 168 | 21.90 | 21.15 | 20.00 | 20.45 |
| 11/4 | 228 | 29.65 | 28.60 | 27.05 | 27.70 |
| 11/2 | 273 | 35.50 | 34.25 | 32.40 | 33.15 |
| 2 | 367 | 47.80 | 46.15 | 43.60 | 44.60 |
| 21/2 | 581 | 75.60 | 72.90 | 68.95 | 70.60 |
| 3 | 761 | 98.80 | 95.35 | 90.15 | 92.30 |
| 31/2 | 920 | 117.15 | 113.05 | 106.85 | 109.30 |
| 4 | 1088 | 141.85 | 136.85 | 129.35 | 132.55 |
| | | FRET | Z-MOO | N | |


CONDUIT ELBOWS (90°) 45° Elbows may be obtained at same price Price per C.

| | | | | Pu | T TO CIT |
|------|--------|---------|----------|---------|----------|
| | | | Galvaniz | ed | Enamel |
| Size | Wt.pe: | r Under | 1000- | 5000- | Under |
| In. | 100 | 1000# | 5000# | C.L. | 1000# |
| 1/2 | 82 | 25.70 | 24.75 | 23.30 | 22.80 |
| 3/4 | 109 | 33.80 | 32.55 | 30.65 | 30.00 |
| 1 | 201 | 51.55 | 49.65 | 46.80 | 45.95 |
| 11/4 | 313 | 72.60 | 69.95 | 65.95 | 64.80 |
| 11/2 | 441 | 102.60 | 98.85 | 93.20 | 91.60 |
| 2 | 707 | 164.15 | 158.15 | 149.10 | 146.60 |
| 21/2 | 1411 | 295.95 | 285.20 | 269.00 | 264.90 |
| 3 | 1850 | 602.70 | 580.35 | 546.65 | 535.15 |
| 31/2 | 2979 | 1103.20 | 1062.05 | 1000.15 | 977.85 |
| 4 | 3528 | 1288.85 | 1240.85 | 1168.50 | 1142.55 |
| | | | | | |

FRETZ-MOON CONDUIT COUPLINGS

| | | Price per C | | | | | |
|----------|-------------------|-------------|----------|--------|--------|--|--|
| | Galvanized Enamel | | | | | | |
| Size V | Wt.per | Under | 1000- | 5000- | Under | | |
| In. | 100 | 1000# | 5000# | C.L. | 1000# | | |
| 1/2 | 11 | 9.95 | 9.60 | 9.00 | 9.10 | | |
| 3/4 1 | 20 | 14.40 | 13.85 | 13.00 | 13.15 | | |
| 1 | 34 | 19.00 | 18.30 | 17.20 | 17.35 | | |
| 11/4 | 53 | 26.85 | 25.85 | 24.35 | 24.80 | | |
| 11/2 | 74 | 33.50 | 32.25 | 30.35 | 30.90 | | |
| 2 | 120 | 45.40 | 43.70 | 41.15 | 41.95 | | |
| 21/2 | 172 | 64.90 | 62.45 | 58.80 | 59.85 | | |
| 3 | 249 | 97.05 | 93.45 | 87.95 | 89.50 | | |
| 31/2 | 424 | 132.40 | 127.50 | 120.10 | 122,40 | | |
| 4 | 474 | 163.65 | 157.60 | 148.40 | 151.20 | | |
| N.B. | Under | 1000#. | 1000-500 | 00#.50 | 00# to | | |
| C.L. | | | | | | | |

GALVANIZED CONDUIT NIPPLES



Galv. Conduit Nipples Finished inside—clean threads

| Price, per C | | | | | | |
|--------------|-------|------------------|--------|--------|---------|--|
| Length | Di | Diameter, Inches | | | | |
| 1/2 | 3/4 | 1 | 11/4 | 11/2 | 2 | |
| Close 4.55 | 5.70 | 7.40 | 9.65 | | | |
| Short 5.15 | 6.80 | 8.55 | 12.50 | 14.75 | 19.85 | |
| 2" 6.20 | | | | ****** | ******* | |
| 3" 7.40 | 7.95 | 11.40 | 14.75 | 17.10 | 22.70 | |
| 4" 8.55 | 10.20 | 13.65 | 17.10 | 21.60 | 28.40 | |
| 5" 9.65 | 12.50 | 15.90 | 21.05 | 25.55 | 34.10 | |
| 6" 11.40 | 14.75 | 19.35 | 24.95 | 29.55 | 39.80 | |
| 8" 14.75 | 18.20 | 23.85 | 31.80 | 36.90 | 50.00 | |
| N.B. 1-100, | 100 & | over a | asstd. | | | |

LOCKNUTS AND BUSHINGS





Bushing

| | | Std. | Price | per M |
|-----------|--------|---------|---------------|------------|
| Size | Ctn. | Pkg. | Locknuts | Bushings |
| 1/2" | 100 | 2500 | 15.65 | 23.90 |
| 3/4" | 100 | 1000 | 22.30 | 38.70 |
| 1" | 50 | 500 | 34.95 | 68.00 |
| 11/4" | 50 | 200 | 58.20 | 114.00 |
| 11/2" | 50 | 100 | 70.60 | 130.40 |
| | 25 | 50 | 119.35 | 175.50 |
| 21/2" | 10 | 30 | 276.30 | 291.20 |
| 3" | 5 | 25 | 413.00 | 472.40 |
| 3½" 4" | 5 | 25 | 628.60 | 869.20 |
| 4" | 5 | 25 | 768.30 | 1216.00 |
| N.B. | Broken | carton, | ctn., std. pk | g. & over. |


ONE-HOLE MALLEABLE STRAPS

Tabolite Galvanized Designed to fit the pipe

| | | | | 2 | |
|------|----------|--------|---------|----------|------------|
| T. & | B. | | | Std. | Price |
| No. | Si | | rton | Pkg. | Per C |
| 1275 | 3/8 | " | 50 | 100 | 3.50 |
| 1276 | 1/2 | " | 50 | 100 | 4.10 |
| 1277 | 3/4 | | 50 | 100 | 5.40 |
| 1278 | 1" | | 50 | 100 | 6.80 |
| 1279 | 11 | | 25 | 50 | 11.55 |
| 1280 | 11 | 2" | 25 | 50 | 16.10 |
| 1281 | 2" | | 10 | 25 | 35.90 |
| 1282 | 2½ 3″ | 2" | 10 | 25 | 64.35 |
| 1283 | | | 10 | 25 | 88.25 |
| 1284 | 31/4" | 2" | 5 | 10 | 132.00 |
| 1285 | 4" | | 5 | 10 | 193.05 |
| N.B. | Broken | carton | , ctn., | std. pkg | g. & over. |
| | | | | | |


PIPE STRAPS

1/4" to 2" Galvanized



Price, any quantity per cwt......13.50

GALVANIZED HANGER IRON



Bowers Mfg. Co.

(Plumber's Safety Tape)

3/4" wide, 22 gauge, in 10 ft. rolls Price, per C Ft.....

N.B. 10-100', 100-1000', 1000' & over.

ERICKSON COUPLINGS

Tabolite Galvanized



'You can always make both ends meet with a T & B Erickson Coup-

| T. & | В. | | Std. | Price |
|------|------------|------------|-----------|---------|
| No. | Size | Carton | Pkg. | Per C |
| 675 | 1/2" | 50 | 100 | 39.90 |
| 676 | 3/4" | 25 | 50 | 60.45 |
| 677 | ĺ" | 5 | 25 | 75.60 |
| 678 | 11/4" | 5 | 25 | 140.40 |
| 679 | 11/2" | 5 | 25 | 196.55 |
| 680 | 2" | 5 | 20 | 355.25 |
| N.B. | Broken car | ton, ctn., | std. pkg. | & over. |

CHASE NIPPLES



Where a "Chase" Nipple is used a box can be removed without disturbing the conduit.

| T. & No. 842 | B. Size | e Carton | Std. Pkg. 100 | Price Per C 6.90 |
|--------------------|----------------|--------------|---------------------|-------------------------|
| 843 844 | 3/4" 1" | 50 25 | 100 50 | 10.85 20.80 |
| 845 846 847 | 11/4' 11/2' | | 25 25 10 | 24.75 27.00 44.25 |
| | Broken o | arton, ctn., | | & over. |

REDUCING WASHERS



Price Size Per M 20,00 35.20 35.20 61.40 61.40 61.40 86.20 95.65

34" ctn. 100, S.P. 1000; 1" ctn. 50, S 1000; 114" to 2", ctn. 50, std. pkg. 500. N.B. Full carton, std. pkg. & over.

KNOCKOUT SEALS Std. Pkg Price Carton Per C 3.40 50 1000 1000 4.10 1000 4.80 50 500 500 5.90 50 6.65

FIXTURE STUDS





500

8.80

No Bolt style complete with Standard 4 prong
Standard male stud is threaded 3%" and tapped 1%".

No.

Ctn.

Std. pkg.

per M
3%" Standard 100 1000 57.15
3%" No Bolt 100 1000 80.25
Bolts only 100 100 6.00

N.B. Broken carton, ctn., std. pkg. & over.

CONDUIT BENDER T & B "Lakin" Hickey


33

| | | | Price |
|----|------|------|-------|
|). | Size | Pkg. | each |
| 5 | 1/2" | 10. | 2.70 |
| 5 | 3/4" | 10 | 3.50 |
| 7 | 1" | 2 | 5.00 |

N.B. Broken pkg., pkg. & over.

Steel Tubes & Fittings - Wiring Gutter - Misc. Fittings


OFFSET UTILITY NIPPLES



The Hartman Offset Utility Nipples make possible the mounting of switches, gutter, outlet boxes, etc. where the knockouts do not line up.


| No. | Description | Ctn | Per C |
|------|--------------------------|-------|-------|
| 1100 | 1/2" male to 1/2" male | 10 | |
| 1101 | 3/4" male to 3/4" male | 10 | 31.50 |
| 1103 | 1" male to 1" male | 10 | 31.50 |
| 1105 | 1¼" male to 1¼" male | 10 | 39.00 |
| N.B. | Broken carton, carton as | nd ov | er. |

REDUCING ADAPTERS




Hartman Reducing Adapters are adjustable to the Westinghouse meter socket. Nos. 904, 905 and 906 are offset type, making it possble to line up meter socket with switch, making a flush mounted job.

| No. | Description | Ctn. | Per C |
|------|----------------------------|-------|-------|
| 901 | 11/4"M. to 3/4"F. | 10 | 27.00 |
| 902 | 1¼"M. to 1"F. | 10 | 27.00 |
| 903 | 11/4"M. to 11/2"F. | 10 | 31.50 |
| 904 | 11/4" M. to 3/4" M. offset | 10 | 34.50 |
| 905 | 11/4"M. to 1"M. offset | 10 | 34.50 |
| 906 | 11/4"M. to 11/4"M. offset | 10 | 34.50 |
| N.B. | Broken carton, carton a | nd ov | er. |



CUTOUT CANS



| ***** | | | Std. | Price |
|-------------------------------|------------|----------------|------|-------|
| Width | Length | Depth | Pkg. | each |
| 4" | 6" | 3" | 10 | 1.15 |
| 41/2" 6" 8" 8" 8" | 9" | 31/2" | 10 | 1.23 |
| 6" | 8" | 3" 3" 3" | 10 | 1.41 |
| 8" | 8" | 3" | 10 | 2.22 |
| 8" | 10" | 3" | 10 | 2.26 |
| 8" | 10" | 4" | 10 | 2,26 |
| 8" | 12" | 4" | 10 | 2.88 |
| 10" | 12" | 4" | 10 | 2.88 |
| 12" 12" | 16" | 4" | 10 | 3.66 |
| 12" | 18" | 4" | 10 | 4.03 |
| N.B. 1-1 | .0, 10 and | over asstd. | | |

ELECTRUNITE STEEL TUBES

Threadless Conduit



Electrunite Steel tubes threadless conduit with the knurled inside finish shows by actual test a 30 per cent saving in the effort required in pulling cable. Use only Genuine Electrunite steel tubes.

| | | Pric | e per C' |
|-------|------------------|-----------|-------------|
| | Wt. | Under | 500'-25000' |
| Size | per C' | 500' | Asstd. |
| 1/2" | 32.1 | 8.50 | 7.65 |
| 1"4" | 48.8 | 10.80 | 9.80 |
| - | 71.1 | 15.55 | 14.05 |
| 11/4" | 98.5 | 18.20 | 16.45 |
| 11/2" | 114.1 | 21.55 | 19.45 |
| - | 147.0 | 29.35 | 26.55 |
| N.B. | Under 500', 500' | to 25000' | asstd. |


STEEL TUBE ELBOWS

| Size | Wt. per C | Price per C |
|----------|-----------|-------------|
| 1" | 100 | 28.75 |
| 11/4" | 150 | 48.25 |
| 11/2" | 200 | 63.35 |
| 2" | 275 | 117.70 |
| N.B. Any | quantity. | |

BENDERS

| | For | Steel | Tube |
|------|-----|-------|------|
| Cat. | No. | Size | Each |
| 4195 | | 1/2" | 3.10 |
| 4100 | | 0/11 | |

4197



STRAPS

| For | Steel | l Tube |
|-------|-------|---------|
| 1 hol | e ma | lleable |

| Cat. | No. Size | Ctn. | Std. pkg. | Per C |
|------|-----------|-------------|-----------|---------|
| 4176 | 1/2" | 50 | 100 | 4.10 |
| 4177 | 1,3/4" | 50 | 100 | 5.40 |
| 4178 | | 50 | 100 | 6.80 |
| 4179 | 11/4" | 25 | 50 | 11.55 |
| 4180 | 11/2" | 25 | 50 | 16.10 |
| 4181 | 2" | 10 | - 25 | 35.90 |
| N.B. | Broken ca | rton, ctn., | std. pkg. | & over. |

WIRING GUTTER



With Screw Cover

| Size | Each | Size | Each |
|------------|------|-------------|------|
| 3x3x12 | 1.02 | 4x4x12 | 1.18 |
| 3x3x24 | 2.05 | 4x4x24 | 2.36 |
| 3x3x36 | 3.07 | 4x4x36 | 3.54 |
| 3x3x48 | 4.10 | 4x4x48 | 4.72 |
| Connectors | .24 | Connectors | .33 |
| End Plates | .24 | End Plates | .33 |
| 4x6x36 | 4.68 | 6x6x36 | 6.15 |
| 4x6x48 | 6.24 | 6x6x48 | 8.20 |
| End Plates | .40 | End Plates | .57 |
| | | Did I lates | .37 |


N.B. Less than 10, 10 and over.

Above sizes are stock sizes. Special gutter-prices on application.

STEEL TUBE FITTINGS

CONNECTORS for STEEL TUBE


Watertight



COUPLINGS

for STEEL TUBE

Watertight



5620 2" 2 5 132.00 N.B. Broken carton, ctn., std. pkg. & over. Same sizes assortable in full cartons.

INDENTOR CONNECTORS

for

STEEL TUBE

Indentor Tools listed below

Ctn. Std. pkg. Cat. No. Size Per C 98T050 200 9.90 98T075 100 14.40 98T100 25.15

INDENTOR COUPLINGS for STEEL TUBE Cat. No. Size Ctn. Std. pkg. Per C 97T050 97T075 50 25 8.35 100 11.55 10 97T100 N.B. Broken carton, ctn., std. pkg. & over.


INDENTOR TOOLS

| Cat. | | Price. |
|------|-------------------------------|--------|
| No. | Description | each |
| | Court of the T/" to 1" nonman | 7.40 |
| 100 | Cutter with 1/2" to 1" reamer | |
| 1000 | Holder ½" to 1" | 1.85 |
| 600 | Indentor 1/2"—1" jaws incl. | 3.50 |
| 605 | Indentor 1/2" jaws | 2.00 |
| 6000 | 1/2" jaws only | 2.47 |
| 6001 | 34" jaws only 1" jaws only | 2.47 |
| 6002 | 1" jaws only | 2.47 |
| | Any quantity. | |

ADAPTERS

for STEEL TUBE


From threadless to threaded




CROUSE HIND CONDULETS

| A | | OUND orm 7 | CONDU | LETS I Retai |
|------------|----|--|--|---|
| CONDUCTO | А | | Cat. No. A17 A27 A37 A47 A57 A67 A77 A87 A97 | Price Per (35.25 45.55 63.20 91.10 117.60 244.00 617.40 735.00 1198.05 |
| 6 | В | 1/2 3/4 1 11/4 11/2 2 21/2 3 31/2 4 | B17 B27 B37 B47 B57 B67 B77 B87 B87 B97 B107 | 42.60 48.90 73.50 183.75 220.50 382.20 617.40 823.20 1029.00 1881.60 |
| A Lamagnos | С | 1/2 3/4 1 1 11/4 11/2 2 21/2 3 31/2 4 | C17 C27 C37 C47 C57 C67 C77 C87 C97 C107 | 52.90 60.25 88.70 138.15 179.30 357.20 705.60 911.40 1323.00 1617.00 |
| CC-tonier | E | 1/2 3/4 1 1 1 1/4 1 1/2 2 2 1/2 3 3 1/2 4 | E17 E27 E37 E47 E57 E67 E77 E87 E97 E107 | 42.60 51.45 73.50 117.60 152.85 314.55 617.40 735.00 1198.05 1323.00 |
| LINDON | LB | 1/2 3/4 1 11/4 11/2 2 21/2 3 31/2 4 | LB17 LB27 LB37 LB47 LB57 LB67 LB777 LB87 LB97 LB107 | 58.80 66.15 95.55 154.35 205.80 367.50 735.00 955.50 1543.50 1764.00 |
| | LL | 1/2 3/4 1 1 11/4 1 11/2 2 2 11/2 3 31/2 4 | LL17 LL27 LL37 LL47 LL57 LL67 LL777 LL87 LL97 | 58.80 66.15 95.55 154.35 205.80 367.50 735.00 955.50 1543.50 1764.00 |
| | LR | 1/2 3/4 1 1 1/4 1 1/2 2 2 1/2 3 3 1/2 4 | | 58.80 66.15 95.55 154.35 205.80 367.50 735.00 955.50 1543.50 1764.00 |

All Condulets are made of a special alloy known as "Feraloy." Cadmium galvanized finish.






TB77

735.00 TB87 1102.50

COVERS FOR FORM 7 CONDULETS



| | | - 11010 | OMOTO | | |
|--------------------|---------|---------|----------|---------|--|
| Blank Metal 1-Wire | | | | | |
| | | Retail | | Retail | |
| | Cat. | Price | Cat. | Price | |
| Size | No. | Per C | No. | Per C | |
| 1/2 | 170 | 11.75 | 171 | 14.70 | |
| 3/4 | 270 | 16.15 | 271 | 22.05 | |
| 1 | 370 | 33.80 | 371 | 36.75 | |
| 11/4 | 470 | 47.00 | 471 | 52.90 | |
| 11/2 | 570 | 47.00 | 571 | 52.90 | |
| 2 | 670 | 82.30 | 671 | | |
| 2½ or 3 | 870 | 110.25 | | 88.20 | |
| 27/2 01 3 | | | 871 | 117.60 | |
| 3½ or 4 | 970 | 117.60 | 971 | 132.30 | |
| | Wire | | 3-Wi | re | |
| 1/2 | 172 | 14.70 | 173 | 14.70 | |
| 3/4 | 272 | 22.05 | 273 | 22.05 | |
| 1 | 372 | 36.75 | 373 | 36.75 | |
| 11/4 | 472 | 52,90 | 473 | 52.90 | |
| 11/2 | 572 | 52.90 | 573 | 52.90 | |
| 2' | 672 | 88.20 | 673 | | |
| 2½ or 3 | 872 | 117.60 | | 88.20 | |
| 27/ 01 3 | | | 873 | 117.60 | |
| 3½ or 4 | 972 | 132.30 | 973 | 132.30 | |
| Note-4, 5 | | | s furnis | shed at | |
| same pri | ce as 3 | wire. | | | |
| MADOD | PICITA | CILITAG | TT COT | TTTT | |

VAPORTIGHT SWITCH COVERS



for Despard Switches 1766 195.80 2766 220.50

Type C Condulet with 1766 cover and Despard Switch.



Form 7 Composition — 2 pole attachment plug receipt. Double T slot.

Retail Price Cat. Type 15A 125 v Size No. Per C 1/2 3/4 1715 58.80 10A 250 v



Composition - 2 pole attachment plug receipt. Duplex Double T slot. 15A 125 v 1725 89.20 10A 250 v 3/4 2725 102.90



Composition Lamp Recepta-



Porcelain Lamp Receptacles with shadeholder groove.

1/2 3/4 660 Watt 1706 44.10 600 Volt 2706 51.45





G type with adjustable bar for round base wiring devices.

1/2 3/4 Form G151 80.85 G252 95.55



H type with adjustable bar for round base wiring devices.

Form H15 66.15 5 H25 80.85



Type C Condulet illustrated with No. 1755 (1/2") cover and Despard Switch.



1755 29.40 2755 44.10


For Despard Devices see page 38.




Type C Condu-let illustrated with No. 1755 (1/2") cover and Despard Receptacle.

CROUSE HINDS CONDULETS

FS SERIES CONDULETS



| | | | 5 |
|-------|-----------|----------------------|---------------------------|
| CON | Type Size | Cat. No. | Price Per C |
| DULET | FSA 3/4 | FSA1 FSA2 FSA3 | 95.55 110.25 124.95 |





COVERS FOR ABOVE

Double Push Button

Sheet Steel DS8 Surface 22.05 Flush DSS8 22.05



Square Handle Tumbler Switch

Sheet Steel

Surface DS32 22.05 DSS32 22.05



For Round Flush Receptacles

Sheet Steel

DS21 Surface 22.05 Flush DSS21 22.05



For Round Flush Receptacles With Spring Door Cast Feraloy

Surface DS10g Flush DS10g 183.75 183.75 with Gasket DS10HM2 220.50



For "Standard" Duplex Flush Receptacles Sheet Steel

DS23 Surface 22.05 Flush DSS23 22.05



For "Despard" or Bryant "IL" Wiring Devices

2 hole **DS72** 3 hole **DS73** 36.75

VAPORPROOF COVERS FOR FS SERIES



For external operation of Double Push Button Switches. Furnished with

| | Price |
|-----------|--------|
| | Per C |
| No. DS108 | 257.25 |
| | |



Lock Type for external operation of Double Push Button Switches. Furnished with Key.

| No | DS106 | | 257 | 25 |
|------|-------|------------|-----|-----|
| TAO. | DOILO | ********** | 431 | .43 |



For external operation of Tumbler Switches, or "Off."

No. DS128257.25



Blank Metal Cast Feralov.

No. DS100G36.75

FS Series 2 GANG CONDULETS



FS-2 Gang Price Size Per C Cat. No. FS12 176.40 1/2 FS22 191.10



FSC-2 Gang

| | | Price |
|------|----------|--------|
| Size | Cat. No. | Per C |
| 1/2 | FSC12 | 191.10 |
| 3/4 | FSC222 | 205.80 |

2 GANG COVERS FOR ABOVE



For external operation of Tumbler Switches, "On" or "Off." Vaporproof.

DS1282 2 Gang 441.00



For square handle Tumbler Switches.

S322 2 Gang 44.10

CONDULET UNIONS Type UNY



| | | Price |
|----------|----------|--------|
| Size | Cat. No. | Per C |
| 1/2 | UNY1 | 66.15 |
| 3/4 1 | UNY2 | 73.50 |
| 1 | UNY3 | 110.25 |
| 11/4 | UNY4 | 176.40 |

JUNCTION CONDULETS



with Threaded Hubs GUA Series-Explosion Proof and Dust Tight, Furnished complete with surface cover.

| | | Price |
|------|----------|--------|
| Size | Cat. No. | per C |
| 1/2 | GUA14 | 200.10 |
| 3/4 | GUA24 | 207.00 |
| 1 | GUA36 | 262.20 |
| | | |

Style GUAC



Price Size Cat. No. 1/2 GUAC14 3/4 GUAC24 per C 213.90 227.70 GUAC36 289.80



Style GUAL GUAL14 GUAL24 227.70 GUAL36 289.80



Style GUAT

1/2 GUAT14 227.70 GUAT24 GUAT37 248,40 483.00 11/4 GUAT49 1000.50

JUNCTION CONDULETS With Union Hubs Explosion Proof and Dust Tight



Furnished without nuts and sleeves

GUAG706 379.50

JUNCTION CONDULETS With Union Hubs Explosion Proof and Dust Tight



Furnished without nuts and sleeves GUAH706 407.10

UNION HUB NUTS AND SLEEVES

| | or above | |
|--------|----------------|-------------------------------|
| Sleeve | Cat. | |
| Size | No. | Per C |
| 1/2 | GUB215 | 62.10 |
| 1/2 | GUB315 | 89.70 |
| | Sleeve Size | Size No. 1/2 GUB215 |

EYS SEALING CONDULETS



| . نسال | vhiosion Tic | 100 |
|--------|--------------|--------|
| Fen | nale hub top | and |
| | bottom | Price |
| Size | Cat. No. | Per C |
| 1/2 | EYS1 | 89.70 |
| 3/4 | EYS2 | 110.40 |
| 1 | EYS3 | 144.90 |
| 11/4 | EYS4 | 179.40 |
| | | |

N.B. Less than \$15.00 list, \$15-\$50 list, \$50-\$100 list, \$100 list and over.

ENTRANCE FITTINGS - VAPORPROOF FITTINGS



ENTRANCE FITTINGS

Type F-Form 6 With composition cover for 2 or 3 wire service. Furnished for 4 wire when specified.

| C-H | Killark | | | Std. | Price |
|-------|---------|------|------|------|---------|
| No. | No. | Size | Ctn. | Pkg. | Per C |
| F163 | FB713 | 1/2 | 10 | 50 | 56.25 |
| F263 | FB723 | 3/4 | 5 | 50 | 72.60 |
| F363 | FB733 | 1 | 5 | 20 | 90.75 |
| F463 | FB743 | 11/4 | 1 | 10 | 106.35 |
| F563 | FB753 | 11/2 | 1 | 5 | 152.30 |
| F663 | FB763 | 2 | 1 | 5 | 369.20 |
| F763 | FB773 | 21/2 | 1 | 1 | 609.35 |
| F863 | FB783 | 3 | 1 | 1 | 1012.50 |
| F963 | FB793 | 31/2 | 1 | 1 | 1246.85 |
| F1063 | FB703 | 4 | 1 | ī | 2043.75 |
| | | | | | |

ENTRANCE FITTINGS



Type F-Form 7

| | | per C |
|-------|---------|---------|
| 3 | F87 | 1499.40 |
| 31/2 | F97 | 2497.80 |
| 4 | F107 | 3450.00 |
| Use | 3-wire | covers |
| liste | ed on p | age 6. |



Type FBA End Fittings For vertical conduit with composition cover for 2, 3 or 4 wire ser-

| C-H | Killark | | | Std. | Price |
|------|---------|------|------|------|--------|
| No. | No. | Size | Ctn. | Pkg. | Per C |
| FBA1 | KA1013 | 1/2 | 25 | 100 | 33.00 |
| FBA2 | KA1023 | 3/4 | 25 | 100 | 42.00 |
| FBA3 | KA1033 | 1 | 5 | 50 | 55.50 |
| FBA4 | KA1043 | 11/4 | 5 | 25 | 120.00 |
| | | , , | | | |



Type FBB End Fittings

For horizontal conduit with composition covers for 2, 3 or 4 wire service.

| C-H | Killark | | | Std. | Price |
|------|---------|------|------|------|--------|
| No. | No. | Size | Ctn. | Pkg. | Per C |
| FBB1 | KB1113 | 1/2 | 5 | 50 | 40.95 |
| FBB2 | KB1123 | 3/4 | 5 | 50 | 52.05 |
| FBB3 | KB1133 | 1 | 5 | 30 | 89.85 |
| FBB4 | KB1143 | 11/4 | 5 | 25 | 129.00 |



Type LBY Elbows

Complete with cast screw cover.

| Killark | | | Std. | · Price |
|---------|-----------------------------|--|---|--|
| No. | Size | Ctn. | Pkg. | Per C |
| Y1 | 1/2 | 5 | 50 | 58.50 |
| Y2 | 3/4 | 5 | 50 | 70.35 |
| Y3 | 1 | 5 | 25 | 105.45 |
| Y4 | 11/4 | 5 | 10 | 171.00 |
| Y5 | | 2 | 5 | 228.00 |
| | No. Y1 Y2 Y3 Y4 | No. Size Y1 ½ Y2 34 Y3 1 Y4 1¼ | No. Size Ctn. Y1 ½ 5 Y2 34 5 Y3 1 5 Y4 1½ 5 | No. Size Ctn. Pkg. Y1 ½ 5 50 Y2 34 5 50 Y3 1 5 25 Y4 1¼ 5 10 |

If you do not have a copy of the Crouse Hinds loose leaf catalog, let us know and we will have your name added to the mailing list.

ENTRANCE ELLS

Type LB Form 6 Complete with

| | cover. | | | | |
|-------|---------|------|------|------|--------|
| C-H | Killark | | | Std. | Price |
| No. | No. | Size | Ctn. | Pkg. | Per C |
| LB16 | SLB1 | 1/2 | 5 | 50 | 63.60 |
| LB26 | SLB2 | 3/4 | 5 | . 50 | 72.60 |
| LB36 | SLB3 | 1 | 5 | 25 | 98.00 |
| LB46 | SLB4 | 11/4 | 5 | 10 | 165.20 |
| LB56 | SLB5 | 11/2 | 1 | 3 | 243.20 |
| LB666 | SLB6 | 2 | 1 | 1 | 285.95 |
| | | | | | |





T & B ENTRANCE ELLS

Complete with Cover Galvanized

| | | | Std. | Price |
|------|-----------|------|------|--------|
| No. | Size Pipe | Ctn. | Pkg. | Per C |
| 1490 | 1/2" | 5 | 50 | 63.60 |
| 1491 | 3/4" | 5 | 50 | 72.60 |
| 1492 | 1" | 5 | 25 | 98.00 |
| 1493 | 11/4" | 5 | 10 | 165.20 |
| | , , | | | 100.20 |



T & B WEATHERPROOF JUNCTION BOX

Cast Iron-Unflanged Type Black Japan Finish

| | | | Price | |
|-------|-----------|------|-------|--------|
| - | | Box | Cover | Gasket |
| Cat. | | only | only | only |
| No. | Size | Each | Each | Each |
| 10861 | 4x4x2 | 1.00 | .34 | .22 |
| 10862 | 4x4x3 | 1.12 | .34 | .22 |
| 10703 | 4x6x4 | 2.47 | .56 | .34 |
| 10867 | 5x6x3 | 1.80 | .45 | .56 |
| 10868 | 6x6x4 | 2.92 | .79 | .56 |
| 10872 | 6x8x4 | 3.49 | .79 | .66 |
| 10878 | 6x10x4 | 6.07 | 1.46 | 1.00 |
| 10873 | 8x8x4 | 4.50 | 1.35 | .90 |
| Above | prices do | | | |

tapping, which are extra.

| COLLEGE | TO U | OTIVO |
|----------|------|-------|
| 3/4-1/2 | RE21 | 22.05 |
| 1 -1/2 | RE31 | 29.40 |
| 1- 3/4 | RE32 | 29.40 |
| 11/4-1/2 | RE41 | 44.10 |
| 11/4-3/4 | RE42 | 44.10 |
| 11/4-1 | RE43 | 44 10 |

Larger sizes available.

T & B REDUCING BUSHINGS

Designed to adapt an outlet to next smaller size.

| _ | | | Std. | Price |
|---------|------------------------|------|------|-------|
| Cat. No | | Ctn. | Pkg. | Per C |
| 1250 | 3/1" to 1/2" | 50 | 100 | 23.10 |
| 1251 | 1" to 3/4" | 25 | 50 | 30.50 |
| 1252 | 1" to 3/4" 11/4" to 1" | 25 | 50 | 46.20 |
| | | | | |



Clamp type guard, 100 watt size for V Series vaporproof condulets.

V 97264.60



Clear Globe for 100 watt sizes, V Series vaporproof condulets.

V 75117.60

V SERIES VAPORPROOF CONDU-LETS WITH CLAMP TYPE GUARD

100 Watt Size



Complete with Globe and Guard.

Type Size Cat. No. Per C

| | 1/2 3/4 | V189 V289 | 661.50 |
|---|------------|---------------------|--------------------------|
| V | 1/2 | Fitting V1 V2 | only 279.30 286.65 |



Complete with Globe and

| | 1/2 | VA189 | 661.50 |
|----|-----|-----------|----------------|
| | 3/4 | VA289 | 668.85 |
| VA | 1/2 | Fitting o | only 279,30 |



Complete with Globe and Guard.

VA2

286.65

| | 1/2 | VC1189 | 676.20 |
|----|-----|-----------|--------|
| | 3/4 | VC2289 | 690.90 |
| VC | | Fitting o | nlv |





Complete with Globe and Guard. VL1189 676.20

| | 74 | A 177703 | 090.90 |
|----|-----|-----------|--------|
| VL | | Fitting o | nlv |
| | 1/2 | VL11 | 294.00 |
| | 3/4 | VL22 | 308.70 |



Complete with Globe and Guard.

| 1/2 3/4 | VT11189 VT22289 | |
|------------|--------------------|--|
|------------|--------------------|--|

| VT | | Fitting | only |
|----|-----|---------|--------|
| | 1/2 | VT111 | |
| | 3/4 | VT222 | 330.75 |



Complete with Globe and Guard.

| 1/2 | VDA189 | 661.50 |
|-----|--------|--------|
| 3/4 | VDA289 | 668.85 |

VDA Fitting only 279.30 VDA1 VDA2 286.65



For 31/4" or 4" Outlet Boxes

Complete with Globe and Guard.

ARB43 602.70 Fitting only
ARB44 220.50 ARB

N.B. Items with carton quantities shown: broken ctn., ctn., standard pkg. Balance \$1-\$15 list, \$15-\$50 list, \$50-\$100 list, \$100 list & over. SPACE PERMITS ONLY A LIMITED LISTING OF THE EXTENSIVE CROUSE HINDS LINE, WHICH INCLUDES AIRPORT LIGHTING, TRAFFIC SIGNAL EQUIPMENT, ETC. WRITE FOR INFORMATION.

SCREWS - DIAMOND SPECIALTIES

"DIAMOND" HAMMER DRIVE ANCHORS



No. DHD

Used as a nail in concrete or stone. No special skill or tools needed, just drill hole, place shield through hardware and hammer nail in.

| | Average | | |
|-------------|-------------|---------|-------|
| Size of | Load | Working | Price |
| Anchor | Sustained | Loads | Per C |
| 3 "x 7/8" | 500 | 100 | 4.10 |
| 3 "x11/4" | 650 | 130 | 4.60 |
| 1/4"x1" | 1200 | 240 | 5.15 |
| 1/4"x11/4" | 1300 | 260 | 5.65 |
| 1/4"x11/2" | 1400 | 280 | 6.15 |
| 5 "x11/4" | 1450 | 290 | 7.20 |
| N.B. 1-100, | 100 and ove | r. | |
| | | | |

DIAMOND SUPER-GRIP EXPANSION BOLTS



| | Bolts are | included | |
|-------------|-----------|-----------------------|-------|
| | Price | | Price |
| Size | Per C | Size | Per C |
| 1/4"x2" | 6.33 | 5 "x21/2" | 9.70 |
| 1/4"x21/2" | 6.40 | 5 "x3" | 9.90 |
| 1/4"x3" | 6.50 | 3/8"x21/2" | 11.73 |
| 5 "x2" | 9,49 | 3/8"x21/2" 3/8"x3" | 12.15 |
| N.B. 1-100, | 100 and o | ver. | 12.10 |
| , | | | |

Price per C No. 5 Spring Toggle No Spring

| | | 140. 5 |
|-------------|---------------|-----------|
| Size | Spring Toggle | No Spring |
| 1/8"x3" | 7.55 | 5.85 |
| 1/8"x4" | 7.85 | 6.55 |
| 3 "x3" | 7.65 | 6.20 |
| 3 "x4" | 8.00 | 6.85 |
| N.B. 1-100, | 100 and over. | |
| | | |

DIAMOND MULTI-SIZE SCREW ANCHORS



(Patented)

| | Size |
|--------------------------------|-------------------------------------|
| Designating | For Wood of Price |
| Sizes | Screws Drill Per C |
| Nos. 6 to 8x 3/4" | Nos. 6 to 8 1/4" 3.10 |
| Nos. 6 to 8x1½" | Nos. 6 to 8 1/4" 3.50 |
| Nos. 10 to 14x 3/4" | Nos. 10 to 14 |
| Nos. 10 to 14x1" | Nos. 10 to 14 $\frac{5}{16}$ " 3.50 |
| Nos. 10 to $14x1\frac{1}{2}$ " | Nos. 10 to 14 $\frac{5}{16}$ " 5.00 |
| Nos. 16 to 18x1" | Nos. 16 to 18 5/8" 3.85 |
| Nos. 16 to $18x1\frac{1}{2}$ " | Nos. 16 to 18 3/8" 5.50 |
| Nos. 20 to $24 \times 13/4$ " | Nos. 20 to 24 $\frac{7}{16}$ 6.20 |
| N.B. 1-100, 100 and | l over. |

STEEL WOOD SCREWS List Prices per Gross 1/2 in. 5/8 in. 3/4 in. 1 in. 11/4 in. 2 in. 11/2 in. No. \$ No. \$ No. \$ No. \$ No.\$ No. \$ No. \$ *5 6 7 8 *5 6 7 8 9 .40 .44 .36 .84 5 *6 *7 8 .50 .42 5 .62 .70 .40 *6 .66 .46 .54 *8 *8 .75 .90 .44 10 11 12 .48 .58 .50 10 10 .86 1.10 1.20 .48 .52 .54 *8 .62 11 .84 11 .95 .52 .56 .58 10 .92 12 1.05 10 .56 10 .60 1.25 1.60 1.35

| | m | STEEL MACHI | | | Em S |
|---|--|--|--|--|---|
| Threads per Inch Common Less Common Diameter 1/2" 5/8" 3/4" 1" 11/4" 11/2" 2" | 32 40 6 .36 .40 .43 .50 .58 *.68 | 32 36 8 *.43 .47 *.49 *.57 .69 .82 1.08 | 24 32 10 .54 .58 .62 .70 .82 .95 | 24 28 12 .74 .82 .86 .98 1.10 1.24 1.60 | 20 28 4" .92 1.00 1.05 1.20 1.40 1.60 2.00 |

Note: Starred items are those most commonly used by electricians, and a substantial stock is carried on these sizes. N.B. Gross or more.



MACHINE SCREW NUTS

Square and Hexagon List Price per Gross

| | Thr | eads | · St | ee1 |
|------|--------|------|--------|------|
| Size | Coarse | Fine | Square | Hex. |
| 6 | .32 | 40 | *.33 | *.36 |
| 8 | 32 | 36 | *.35 | *.40 |
| 10 | 24 | 32 | .37 | .43 |
| 12 | 24 | 28 | .56 | .63 |
| 1/4 | 20 | 28 | .63 | .72 |

DIAMOND 4-POINT or STAR DRILLS



| Size | Length, 12" | - 1 |
|--------|------------------------------------|------|
| 1/2" | -Price, per Doz | 4.10 |
| 9 and | 5/8"—Price, per Doz | 4.95 |
| 11 and | 34"—Price, per Doz —Price, per Doz | 5.70 |
| 7/8" | -Price, per Doz | 6.60 |
| 1" | -Price, per Doz | 7.40 |
| | , | |

DIAMOND CALKING ANCHORS For use with Machine Screws



How to Use

1. Drill Hole—See schedule for correct size of drill.
2. Calk Anchor in Hole with tool provid-

3. Screw through material into anchor.

| Diameter | | | |
|-------------|------------|-----------|-------|
| of Bolt | Hole Size | Suggested | Price |
| or Screw | Diameter | Safe Load | |
| 6-32 | 1/4" | 80 | 3.75 |
| 8-32 | 5" | 90 | 4.45 |
| 10-24 | 3/8" | 175 | 4.90 |
| 12-24 | 16" | 320 | 6.45 |
| 1/4-20 | 1/2" | 400 | 7.10 |
| N.B. 1-100, | 100 and ox | er. | - |
| | | | |

DIAMOND RAM ANCHORS "Cinch" Type





Double type Single type
For securing Anchor Bolts

| | - 01 000 | aring rinc. | noi Doits | |
|------------|----------------|-------------|------------|---------|
| | | D | rice per (| • |
| | | I | rice per c | , |
| | Drill | Double | C:1- | T |
| | | Double | Single | Type |
| Size | Size | Type | D1-: 71 | 1 1 |
| | | туре | Plain Tl | ireaded |
| 3/2 | 1_3_" | 15.85 | 7.00 | 7 00 |
| 78 | $\frac{1}{16}$ | 13.03 | 7.90 | 7.90 |
| 3/8 1/2 | 1" | 25,90 | 10.00 | 1000 |
| 72 | 1 | 25.90 | 12.95 | 12.95 |
| 5/8 | 11/8" | 34.55 | 17 05 | 17 05 |
| 78 | 178 | 34.33 | 17.25 | 17.25 |
| 3/ | 13/8" | 50.40 | 25 20 | 25 20 |
| 74 | 1 9/8 | 30.40 | 25.20 | 25.20 |
| MR | 1 100 100 | and over. | | |
| AY.D. | 1-100, 100 | and over. | | |

DIAMOND N-Y LAG SCREW EXPANSION SHIELDS



| Dia. of Lag Screw 1/4" 5" 16" 1/2" 5/8" 3/4" | Outside Dia. and Drill Size | Length of Shield 1½" 134" 234" 3½" 3½" 3½" 3½" 3½" | Price Per C 8.10 9.70 13.50 20.50 24.30 35.10 |
|--|-----------------------------------|--|--|
| Ñ.B. 1-1 | 00, 100 and | over. | 33.10 |

DIAMOND TWIST DRILLS AND RUBBER GRIP (STYLE C) DRILL HOLDER



| | Length | Depth | Price |
|------------|-------------|---------|----------|
| Dia. | Overall | of Hole | Per Doz. |
| 3" | 25/8" | 11/4" | 6.45 |
| 1/4" | 31/8" | 11/2" | 6.45 |
| 5 " 16" | 37/8" | 2" | 7.65 |
| 3/8" | 51/8" | 31/4" | 8.85 |
| 1/2" | 51/2" | 31/2" | 11.25 |
| 9 " 16" | 51/2" | 31/2" | 13.65 |
| Style C | Drill Holde | r | 28.80 |

STYLE B DRILL HOLDER



OUTLET BOXES AND COVERS

GALVANIZED 3¼" OCTAGON BOXES AND COVERS







| No. | 24155 | No. | 24C1 |
|-----|-------|-----|------|

| | | 1 |
|---------|-----------|---|
| In 24C1 | No. 24151 | |

| No. | 24151 |
|------|-------|
| Std. | Price |

| | | Std. | Price |
|---------------|--|------|-------|
| No. | Description | Pkg. | Per C |
| 24151-1/2 | 3 1/4" Oct., 1 1/2" | | |
| | deep, 4—½" K. O. in sides, one in bot- | | |
| | tom | 100 | 10.55 |
| 24155 | 3 1/4" Oct., 1 1/2" | 100 | 10.55 |
| | deep, $4-\frac{1}{2}$ " and 4 | | |
| | loom K.O. in sides, | | |
| | 3—½" and 4 loom K. O. in bottom | 100 | 15.00 |
| 24155C | As No. 24155, with | 100 | 15.60 |
| | two loom clamps | 100 | 18.95 |
| 560L | 3 1/4" Oct., 1 1/2" | | |
| | deep, with spring | | |
| | clamps for loom | 100 | 21.05 |
| | wire | 100 | 21.95 |
| 2401 | COVERS | | |
| 24C1 24C12 | Flat, blank | 100 | 4.80 |
| 24012 | Raised, with 3/8" steel bushings | 100 | F 70 |
| 24C35 | Raised, for sign re- | 100 | 5.70 |
| 1200 | ceptacles | 100 | 6.30 |
| 24C6 | Flat, ½" K. O. in | | |
| | center | 100 | 6.30 |

EXTENSION RINGS For 3¼" and 4" Octagon, also 4" Square Boxes







No. 55151 No. 53151 No. 25151

| | | 140. | 20101 |
|-----------|---|------|-------|
| No. | Description | Pkg. | Per C |
| 25151-1/2 | 31/4" Oct., 11/2" deep, | Std. | Price |
| | $4-\frac{1}{2}$ " K.O. in sides | 100 | 26.10 |
| 25151-3/4 | 31/4" Oct., 11/2" deep, | 100 | 26.10 |
| 55151-1/2 | 4" Oct., 1½" deep, | 100 | 26.10 |
| | 4—½" K.O. in sides | 50 | 26.10 |
| 55151-3/4 | 4" Oct., 1½" deep, 4—34" K.O. in sides | 50 | 26.10 |
| 53151-1/2 | 4" Sq., 11/2" deep, 10 | 30 | 20.10 |
| | $-\frac{1}{2}$ " K.O. in sides | 50 | 27.65 |
| 33131-3/4 | 4" Sq., 1½" deep, 10 —34" K.O. in sides | 50 | 27.65 |
| | ,, | 00 | 05 |

GALVANIZED LOOM AND CONDUIT SHALLOW BOXES AND PLATES







| o. 5 | 67 | 12 | N | o. 3 | 6113 |
|------|----|----|---|------|------|
| | | | | | |

| No. | Description | | Price |
|-------|--|------|-------|
| 36115 | 3½" pancake box 1½" | rkg. | Per C |
| 30113 | deep—4 loom and 3— | | |
| | ½" K. O.'s | 100 | 12.50 |
| 36713 | 3 ¹ / ₄ " ceiling plate, 8 | 100 | 12.00 |
| | loom K. O.'s | 100 | 8.85 |
| 56115 | 4" pancake box, 1/2" | | |
| | deep-6 loom and 3- | | |
| | ½" K. O.'s | 100 | 10.55 |
| 56712 | 4" ceiling plate, 5— | | |
| | ½" K. O.'s | 100 | 8.85 |

GALVANIZED 4" OCTAGON BOXES AND COVERS








| No. 54 | 151 | No. 5 | 51L |
|-----------|---|-------|-------|
| | | Std. | Price |
| No. | Description | | Per C |
| 54151-1/2 | 4" Oct., 11/2" deep, | 6. | |
| | 4-1/2" K. O. in | | |
| | sides, 5— ¹ / ₂ " K. O. | | |
| | in bottom | 50 | 15.35 |
| 54151-3/4 | in bottom | | |
| | 1-3/4" K.O. in each | | |
| | side, $3-\frac{1}{2}''$ and $2-$ | | |
| | 3/1" K O in hottom | 50 | 17.75 |
| 54151 | 4" Oct., 11/2" deep. | | |
| Special | $2-\frac{1}{2}$ " and $2-\frac{3}{4}$ " | | |
| | K. O. in sides. 3— | | |
| | $\frac{1}{2}$ " and 2— $\frac{3}{4}$ " K.O. | | |
| | in bottom | 50 | 17.75 |
| 54155 | 4" Oct., 11/2" deep, | | |
| | 4-1/2" and 8 Loom | | |
| | K. O. in sides: 3— | | |
| | I/" and 6 I com W | | |
| | O. in bottom | 50 | 21.05 |
| 54171 | O. in bottom | | |
| | fullished with K. | | |
| | O.'s for 1/2", 3/4" or | | |
| | 1" conduit | 50 | 31.35 |
| 551L | 4" Oct., 1½" deep. | | |
| | 45/8" K. O., 2—1/2" | | |
| | K. O. on sides, 4— | | |
| | 5/8" K.O., 3—1/2" K. O. in bottom with | | |
| | O. in bottom with | | |
| FEST | bushed clamps | 50 | 27.15 |
| 561L | 4" Oct., 11/2" deep, | | |
| | with spring clamps | 50 | 27.15 |
| | | | |

for loom wire..... 50 27.15 COVERS FOR 4" OCTAGON BOXES



| No. | 54C3 | No. 54 | C2 |
|-------|--|--------|------|
| 54C2 | Raised, closed, 5/8" | | |
| 54C12 | high Raised, with 3/8" | 100 | 7.85 |
| | steel bushing | 100 | 7.65 |
| 54C1 | Flat, blank | 100 | 6.30 |
| 54C28 | Flat, spider with | | |
| 54C3 | Raised, 5/8" open, with ears $2\frac{23}{32}$ " cen- | 100 | 8.40 |
| 54C6 | ter to center | 100 | 9.95 |
| | center | 100 | 7.85 |
| | | | |

GALVANIZED HANDY BOXES



Nos. 4-SSL-1/2 and 4-SSL-3/4—Length, 4"; Width, 21/8"; Depth, 21/8"; furnished with three knockouts in each side, one in each end and two in bottom for 1/2" conduit. For 3/4" conduit, two knockouts in each side, one in each end and one in center of bottom. Standard Package 50 bottom.

Price, per C...

GALVANIZED 4" SQUARE BOXES AND COVERS



No. 52151

| No. | Description | | Price Per C |
|------------------|---|----|----------------|
| | 4" Sq., 1½" deep, 10 -½" K.O. in sides, 5 in bottom | 50 | 17.75 |
| 32131-94 | $-\frac{3}{4}$ " K. O. in each side; $3-\frac{1}{2}$ " and 2 $-\frac{3}{4}$ " K. O. in bot- | 50 | 21.35 |
| 52151 Special | tom 4" Sq., 1½" deep, 2—1½" and 1—3¼" K. O. in each side; | 30 | 21.33 |
| | 3—1/2" and 2—3/4" K. O. in bottom | 50 | 21.35 |


COVERS FOR 4" SOUARE BOXES



| | | - | 2 |
|-------|----------------------------|-------|-------|
| | 52C3 No. 52C13 | No. 5 | 2C18 |
| 52C3 | Raised Plaster Ring, | | |
| | ears $\frac{23}{32}$ " C-C | 100 | 12.00 |
| 52C1 | Flat Blank | 100 | 7.20 |
| 52C2 | Raised Blank | 100 | 10.40 |
| 52C62 | Raised 1/4" for sin- | | |
| | gle flush device | 50 | 10.55 |
| 52C13 | Raised 1/2" for sin- | | |
| | gle flush device | 50 | 10.55 |
| 52C14 | Raised 3/4" for sin- | | |
| | gle flush device | 50 | 13.55 |
| 52C17 | Raised 1/2" for two | | |
| | flush devices | 50 | 14.60 |
| 52C18 | Raised 3/4" for two | | |
| | flush devices | 50 | 15.60 |
| | | | |

| 140.8 | 495 No. 8500 | No. 8 | 493A |
|--------|----------------------------|-------|-------|
| 8491 | Raised for 1 Toggle | | |
| 8492 | Switch Raised for 1 Single | 25 | 22.95 |
| | Receptacle | 25 | 22.95 |
| 8493 | Raised for 1 Duplex | | |
| 8493A | Receptacle | 25 | 22.95 |
| 013011 | Receptacles | 25 | 34.05 |
| 8495 | Raised for 2 Toggle | | |
| 8498 | Switches | 25 | 34.05 |
| 0490 | Single Recentacle | 25 | 34.05 |
| 8500 | Comb. Switch and | | |
| | Duplex Receptacle | 25 | 34.05 |

COVERS FOR HANDY BOXES



| | | Std. | Price |
|------|---------------------|------|-------|
| No. | Description | Pkg. | Per C |
| 2510 | Duplex Receptacle | 20 | 12.50 |
| 2537 | Push Switch | 20 | 12.50 |
| 2539 | Single Receptacle | 20 | 12.50 |
| 2540 | Blank | 20 | 7.55 |
| 2594 | Toggle Switch | 20 | 12.50 |
| 2599 | For Despard Devices | | 28 70 |

10

GALVANIZED 411" SQUARE BOXES AND COVERS



72151-1/2

72171







73.10

| | Std. | Pric |
|---|------|-------|
| Description | Pkg. | Per (|
| Furnished with 2- | - | |
| 1/2" K. O. in 2 sides. | | |
| 1/2" K. O. in 2 sides, 3—1/2" K. O. in 2 | | |
| / | | |

| .1/2 | opposite sides, and combination of 3— ½" and 2—¾" K. O. in bottom | 50 |
|------|--|----|
| / 2 | 1/2" K. O. in 2 sides, | |
| | combination of 2— | |
| | $\frac{1}{2}$ " and 1— $\frac{3}{4}$ " K.O. | |
| | in 2 opposite sides, | |
| | and combination of | |
| | | |

| 72171-3/4 | 3—½" and 2—¾" K. O. in bottom Furnished with 2— | 25 | 87.65 |
|-----------|---|----|-------|
| /4 | 3/4" K.O. in 2 sides, | | |
| | combination of 1— | | |
| | 3/4" and 2-1/2" K.O. | | |
| | in 2 opposite sides, | | |

| 72171-1 | and combination of 2-34" and 3-12" K. O. in bottom Furnished with 2-1" K. O. in each | 25 | 87.65 |
|---------|--|----|-------|
| | side, and combination of 2—3/4" and 3 —1/2" K. O. in bot- | | |
| | tom | 25 | 87 65 |

| | -1/2" K. O. in bot- | | |
|-------|---------------------------------------|----|-------|
| | tom | 25 | 87.65 |
| | COVERS | | |
| 72C2 | Raised, Blank | 25 | 41.75 |
| 72C1 | Flat, Blank | 25 | 35.45 |
| 72C3 | Raised Plaster, ears | | 00110 |
| | 2 ²³ / ₃₂ " C-C | 25 | 44.45 |
| 72C14 | Raised 3/4" for sin- | 23 | тт.т. |
| 12014 | gle flush device | 25 | 44.45 |
| 72C18 | | 23 | 44.45 |
| 12C18 | Raised 3/4" for 2 | | |
| | flush devices | 25 | 57.45 |
| | | | |

COMBINATION HANGER SETS



Consisting of 31/4" or 4" Octagon Box with Ears—11/2" deep, with Adjustable Strap and 3/8" Male Stud—Ready for Use.

| Std. Price |
|--------------------------------------|
| No. Description Pkg. Per C |
| 34155 31/4" Box, Combina- |
| tion K. O.'s |
| BHD-551L-4" oct. 11/2" deep with |
| ears, 4 loom K.O.'s 3—1/2" K.O.'s, 2 |
| clamps deep hanger |
| BHS-560L-31/4" oct. 11/2" deep with |
| spring clamps for loom wire, shallow |
| hanger |
| BHD-561L-4" oct. 11/2" deep, with |
| spring clamps for loom wire, deep |
| hanger44.45 |
| |



Complete with 3/8" Stud

| Apple- | Jua | |
|---|------|-------|
| ton Bowers | Std. | Price |
| No. No. Description | Pkg. | Per C |
| SBH3/8 12B 18" straight bar | 100 | 14.60 |
| BHS3/8 20B Shallow offset | | |
| bar, $19\frac{1}{2}'' - \frac{1}{16}''$ | 50 | 17.15 |
| BHD3/8 2B Deep offset bar | | |
| 19½"—1116" | | 17.15 |
| Kruse Switch Box Supports | 25 | 18.00 |

GANGABLE LOOM BOX WITHOUT HANGER



No. 33 Black Enamel Knockouts Loom 2 each side, 2 each end 1/2" in bottom 50 to Standard Pk

| 44 | With Clamps | 21/4 | 3 | 2 | 16.85 |
|-------------|-------------|-------|---|----|-------------------------|
| Cat. No. | No Clamps | | | W. | Price Per C 15.95 |
| C . | | D. D. | | | |

GANGABLE LOOM BOX WITH HANGER AND LATH SUPPORT



No. 33B Black Enamel Knockouts—loom, 2 each side, 2 each corner; ½" in bottom 50 to Standard Pkg.

| Cat. No. 33B Standard 44B With Clamps | | L. | W. | Price Per C 23.75 24.60 |
|--|--|----|----|----------------------------------|
|--|--|----|----|----------------------------------|



UNION SOLID SWITCH BOX

Black Enamel Loom Knockouts No. SS-1-1-Gang 50 to Standard Pkg. Price, per C

No. SS-120.75

GALVANIZED OCTAGONAL CONCRETE RINGS WITH PLATES



Plate with Stud



No. 54521

| 4" Oct., | 4-1/2" | and 4-3/4" K. | O. in | sides. |
|----------|-----------|---------------|-------|--------|
| | | | | ithout |
| stud, as | | | Std. | Price |
| No. | Depth | Description | Pkg. | Per C |
| 54521 | 11/2" | Without Stud | 50 | 45.95 |
| 54521S | 11/2" | With Stud | 50 | 51.15 |
| 54531 | 2" | Without Stud | 50 | 53.75 |
| 54531S | 2" | With Stud | 50 | 59.00 |
| 54551 | 3" | Without Stud | 50 | 65.30 |
| 54551S | 3" | With Stud | 50 | 70.55 |
| 54561 | 31/2" | Without Stud | 20 | 75.80 |
| 54561S | 3½" 4" | With Stud | 20 | 81.00 |
| 54571 | 4" | Without Stud | 20 | 83.55 |
| 54571S | 4" | With Stud | 20 | 88.80 |
| | | | | |

SOLID GANG SWITCH BOXES

| | 13/4" | deep- | for co | onduit | |
|------|-------|-------|--------|--------|--------|
| Cat. | No. | No. | Std. | Price, | per C |
| Box | Cover | Gangs | Pkg. | Box | Cover |
| GSB2 | GSC2 | | 5 | 84.90 | 37.50 |
| GSB3 | GSC3 | 3 | 5 | 122.40 | 56.45 |
| GSB4 | GSC4 | 4 | 5 | 159.90 | 84.90 |
| GSB5 | GSC5 | 5 | 5 | 217.10 | 103.80 |
| GSB6 | GSC6 | 6 | 1 | 424.35 | 197.40 |
| | | | | | |

OFFSET BOX HANGER WITHOUT STUD (0.00....

| | | | - | |
|-----|---------|---------------|------|--------|
| App | le- | No. CBH | | |
| to | n Bower | 'S | Std. | Price |
| No | No. | Description | Pkg. | Per C |
| CBF | I 44B | Shallow 21"- | 0. | |
| | | 118" | 50 | 10,40 |
| CBF | I 44B | Deep 21"-111" | | 10.40 |
| | | -10 | | _ 3.10 |

GANGABLE CONDUIT BOX GALVANIZED





No. 333

No. 333B

No. 333-Without Bracket No. 333B—With Lath Support and Mounting Bracket

| Knock | outs- | - 1/2" | fo | r co | nduit—2 | in each |
|---------|-------|--------|-----|------|---------|---------|
| side, 1 | each | end, | 1 i | n bo | ottom. | |
| Cat. | | | | | Std. | Price |
| No. | | D. | L. | W. | Pkg. | Per C |
| 333 | | 23/4 | 3 | 2 | 50 | 19.65 |
| 333B | | 23/4 | 3 | 2 | 50 | 26.85 |

GANGABLE SWITCH BOXES With Clamps

For armored cable, non-metallic sheathed cable and loom.





No. 173F

No. 173FB

Black Enamel with Clamps No. 173F—Without Bracket. No. 173FB—With lath support and

| mounting bracket. | | | | | |
|-------------------|--------------------|------|-------|-------------|---------|
| Knockouts- | $-\frac{21}{32}''$ | 2 € | each | side, 2 ea | ch end. |
| 4 in bottom. | Also | 1/2' | " kno | ockout in 1 | oottom. |
| Cat. | Dim | ens | ions | Std. | Price |
| No. | D. | L. | W. | Pkg. | Per C |
| 173F | 21/2 | | | 50 | 19.65 |
| 173FB | 21/2 | 3 | 2 | 50 | 26.85 |

T & B FLOOR BOXES



Adjustable and Non-Adjustable



No. 1730 With Nozzle

No. 1763 Signal Box

Adjustment range on adjustable boxes, 5%" vertical and 10° angular.
Bell Nozzle not included in prices.

| Adjustable Type—Std. pkg. \$60 net as: | std. |
|--|------|
| Cat. No. | rice |
| Deep Shallow Description E | ach |
| | 5.15 |
| | 7.25 |
| 1733 1763 Adj. Tel or Signal | 5.50 |
| Non-Adjustable Type (Std. pkg. 25). | |
| Cat. No. | |
| 1700 Non-adj. with 2 wire rec | 4.20 |
| 1701 Nonadj. with 3 wire rec | 5.60 |
| 1702 Non-adj. with 3 wire Grd | 5.40 |
| 1703 Non-adj. Tel. or Signal | 2.70 |
| | .95 |
| Dimensions: | |

1730 series—37%" deep; dia. plate, 4". 1760 series—3" deep; dia. plate, 4". 1700 series—31%" deep; dia. plate, 334".

N.B. Broken package, standard package and over.

RUBBER BRAID BUILDING WIRES Solid-Single Condr.-Single Braid

BETTER THAN



CODE REQUIRES SERVICE ENTRANCE CABLE Type SE, Armored


RUBBER AND LEAD Building Wires and Cables



Tinned Copper Conductor. 2. Rubber insulation. 3. Rubber filled tape (cotton braid on small sizes). 4.

| 500' per coil. | | | | |
|---|---------|---------|-------------|--------|
| | Single | e Condu | ctor Solid | |
| | Approx. | | Price per M | |
| Size | OD | | Full Coil | 2500' |
| | inches | | 500' | asstd. |
| 14 | .25 | | 34.20 | 32.10 |
| 12 | .27 | | 39.60 | 37.50 |
| 10 | .32 | 77.70 | 61.20 | 57.60 |
| | | | onductor | |
| 14 | | | 54.30 | 51.30 |
| 12 | .30x.51 | 106.50 | 84.00 | 79.20 |
| 10 | .32x.55 | 126.30 | 99.90 | 93.90 |
| 8 | .38x.66 | | | 131.70 |
| | Solid | Three (| Conductor | |
| 14 | .56 | 177.00 | 138.60 | 131.70 |
| 12 | .60 | 205.50 | 160.50 | 153.00 |
| 10 | .64 | 238.50 | 186.00 | 177.00 |
| 8 | .77 | 310.50 | 244.50 | 229.50 |
| Larger sizes on application. | | | | |
| N.B. Cut coil, coil to 2500', 2500' and over. | | | | |

WEATHERPROOF WIRE



1. Solid or stranded copper conductor. 2. and 3. Cotton braid, saturated.
4. Cotton braid, weatherproofed and fin-

| Appro | oximately | 500 per | COII. | |
|-------|------------|-------------|-------------|----------|
| | | Pı | rice per cw | t. |
| | Wt. | under | 25 to | 100 to |
| Size | per M' | 25# | 100# | 200# |
| 14 | 25 | 53.55 | 46.05 | 40.05 |
| 12 | 35 | 50.85 | 43.35 | 37.35 |
| 10 | 53 | 47.25 | 39.75 | 33.75 |
| 8 | 75 | 45.45 | 37.95 | 31.95 |
| 6 | 112 | 44.55 | 37.05 | 31.05 |
| 4 | 164 | 44.10 | 36.60 | 30.60 |
| Price | s on large | r sizes, or | on double | |
| on ap | plication. | | | |
| N.B. | Under 2 | 25#. 25/ | 100#, 100 | /200#. |
| 200# | and over. | ., | ,, , , | , 5 11 , |
| | | | | |

PARKWAY CABLES



1. 2. 3. 4. 5. 6. 7. 8.
1. Tinned copper connectors. 2. Rubber insulation. 3. Rubber filled tape. 4. Fillers, taped. 5. Lead sheath. 6. Jute serving. 7. Flat steel tapes. 8. Impregnated jute serving, saturated and dust finish. For underground work, as airport lighting systems. Available in single, two, or three conductor, and 600 volt, 3000 volt. or 5000 volt. Prices on application.

TRENCHLAY CABLE Non Metallic Sheath (Paraseal)

Similar to Parkway, but with fibrous armor in place of metal tapes. Less rugged but less expensive than Parkway. For underground services. Available in same conductors and voltages as Parkway. Price on application.



1. 2. 3. 4. 5. 6. 7. 8.
1. Tinned copper conductors. 2. 30% rubber insulation. 3. Cotton braid, saturated.
4. Wrapping of tinned copper wires. 5.
Steel armor. 6. & 7. Rubber filled tapes. 8. Cotton braid, moisture resisting, flame retarding. For use from drop leads to entrance switch.

No. and size of conductors Dimensions Coil Price insulated bare inches per M' .42 .462x.600 1 No. 10 1 No. 10 126.90 2 No. 10 1 No. 10 187.50 2 No. 8 1 No. 8 .542x.755 250 237.00 2 No. 6 No. 6 .599x.856 150 286.50 2 No. 4 No. 4 .655x.960 372.00 150 2 No. 2 1 No. 2 .733x1.10


N.B. Cut coil, coil to 1000', 1000/10,000'. FITTINGS FOR ENTRANCE CABLE

100


510.00

| | | 11101 | CILDID | |
|---------|----------|-------|--------|--------|
| | | | Conne | ectors |
| Cable | Entrance | - 1 | | non |
| Size | Cap | Strap | water | water |
| 4 = 1 = | | | tight | tight |
| 10/2 | 5550 | 1341 | 2203 | 3100 |
| 10/3 | 5550 | 1344 | 2213 | 2007 |
| 8/3 | 5550 | 1344 | 2215 | 2007 |
| 6/3 | 5551 | 1344 | 2326 | 2008 |
| 4/3 | 5551 | 1345 | 2327 | 2009 |
| 2/3 | 5536 | 1345 | 2343 | 3920 |

ENTRANCE CAPS AND STRAPS (T & B)



CONNECTORS FOR ENTRANCE CABLE (T & B)



10

10

50

20

10

21.45

34.65

90.00

6/3 4/3 2/3

11/4"

N.B. Broken carton, carton, std. pkg.

2008

2009

3920

Tinned copper connectors,
Rubber insulation. 3. Single cotton 2. Rubber insulation. braid, flame retarding, in colors of black, white, red, green, blue or yellow. 500 feet per coil.

Price per M' per coil. Size Capacity AWG Amps. 14 Full Coil 500' Cut 2500' Coil 12.65 asstd. 9.90 12 20 17.00 13.50 12.85 10 25 24.45 19.50 18.40 35 40.65 32.10 30.40 N.B. Cut coil, coil to 2500 ft., 2500 ft. asstd. Stranded-Single Condr.-Double Braid



 Tinned copper conductors.
 Rubber insulation. 3. Cotton braid (rubber-filled tape size 6 and larger) 4. Cotton braid, flame retarding, black. Sizes 6 and 4 also available in white. 500 feet per coil. Price per M' 500-2500' Size Approx. AWG OD 6 .38 Coil asstd. 65.25 51.30 48.90 .45 86.55 68.25 64.95 .48 .51 111.00 87.60 83.25 126.60 99.90 94.80 .59 177.00 141.45 133.20 .63 213.00 168.00 160.50 2/0 3/0 .67 .73 .78 255.00 202.50 192.00 307.50 241.50 229.50 271.50 4/0 363.00 285.00 500' Approx. OD Mil. 100under & Size 100' 500' 250000 352.50 .86 447.00 336.00 300000 .92 402.00 510.00 382.50 350000 .97 577.50 454.50 433.50 400000 1.02

643.50 507.00 483.00 500000 1.10 796.50 627.00 597.00 Sizes larger than 500000CM, price on application.

Sizes 6 to 4/0 inclusive N.B. Cut coil, coil to 2500', 2500' asstd. circular mil sizes.

N.B. Under 100', 100/500', 500' & over. VARNISHED CAMBRIC CABLES



Solid or stranded, bare or tinned conductors.

Varnished cambric insulation.

3. Cotton braid, weatherproof or slowburning.



1. Solid or stranded, bare or tinned conductors.

2. Varnished cambric insulation.

Lead sheath. Varnish cambric insulated cables will carry 20% more current than the same size rubber insulated cables, will withstand higher operating temperatures, and better withstand oil and grease. Available in single or multiple conductors, 600 volt, 3000 volt, or 5000 volt. Prices on applica-

RUBBER CORDS AND LAMP CORDS

RUBBER POWER SUPPLY CORDS

Type S Dreadnaught (Tirex)



3. 4. 5. 6. 1. Flexible copper connectors. 2. Separator. 3. 40% rubber insulation. 4. Conduc-6. 60% rubber jacket.

Type S—250 ft. to spool

| Price per M' | | | | |
|--------------|---------------|-----------------|------------|--|
| Size | 2 condr. | 3 condr. | 4 condr. | |
| 18 | 132.00 | 171.00 | 204.00 | |
| 16 | 165.00 | 195.00 | 249.00 | |
| 14 | 249.00 | 294.00 | 348.00 | |
| 12 | 315.00 | 366.00 | 429.00 | |
| 10 | 369.00 | 444.00 | 537.00 | |
| N.B. un | der 250', 250 | 0-1000', 1000-5 | 5000' 5000 | |
| & over. | , , _ , | | , 5000 | |

Type S.J. Dreadnaught (Tirex)



1. Flexible copper conductors. 2. Separator. 3. 40% rubber insulation. 4. Conductors cabled with jute. 5. Skeleton braid.
6. 60% rubber jacket.

Type S.J.—250 ft. to spool

Price per M'

Size 2 condr. 3 condr. 4 condr. 18 93.00 135.00 165.00 114.00 162.00 195.00 N.B. under 250', 250-1000', 1000-5000', 5000 & over.

Type S.J. Vulcan



2. 3. 4. 5. 6. 1. Flexible copper conductors. 2. Separator. 3. 30% rubber insulation. 4. Cotton fillers. 5. Cotton braid. 6. 40% rubber jacket.

Vulcan Type S.J.—250 ft. to spool Price per M'

Size 18 Stranding 2 condr. 3 condr. 16x#30 26x#30 36.00 48.00 16 26x#30 43.6. N.B. Cut coil, coil and over. 45.00 60.00

ALL RUBBER CORD— NO FILLER

PARANITE 1. 2. 3. 4.

1. Flexible copper connectors. 2. Separator. 3. 20% rubber compound. 4. 30% rubber jacket.

All Rubber Cord, 2 condr.—250 ft. spools
Price
Size Stranding O.D. per M. Stranding 26x#30 16x#30 .380 16 34.50 23.25 N.B. Cut coil, coil and over.

OSCILLATING FAN CORD-3 Condr.



1. Extra flexible conductors. 2. Separator. 3. Code rubber insulation. 4. Cotton braid. 5. Cotton braid. 250 ft. per spool.

MOTION PICTURE CABLE

.43.05

FLEXIBLE LAMP CORDS Twisted Pair-Type C



3. 4.

1. Flexible copper conductors. 2. Separator. 3. Rubber insulation. 4. Cotton braid. Green and Yellow, Black, or Olive Green. 250 ft. per spool.

Parallel All Rubber-Type POSI



1. Extra flexible conductors. 2. Separator. 40% rubber compound insulation.

Parallel Silk-Type PO

1. 2. 3. 4. 5.

1. Flexible copper connectors. 2. Separator. 3. Code rubber insulation. 4. Cotton braid. 5. Rayon braid. Colors: Brown, old gold, maroon, olive green, grey, black, brush brass, ivory, or white. 250 ft. per

N.B. Cut coil, coil and over.

Reinforced Cord-Type P



1. 2. 3. 4. 5. 6:

1. Flexible copper conductors. 2. Separator. 3. Code rubber insulation. 4. Cotton braid. 5. Rubber jacket. 6. Cotton braid.

FLEXIBLE HEATER CORDS Braided-3000 Cycle-Type HPD



1. 2. 3. 4. 5.

1. Flexible copper conductors. 2. Separator. 3. Unyulcanized rubber insulation. 4. Asbestos covering. 5. Cotton braid over all. Color: black with gold stripe. 250 ft. per coil.

| | No. | | Price |
|------|----------------|------------|----------|
| Size | Conductors | Stranding | per M' |
| 18 | 2 | 41x#34 | 27.75 |
| 16 | 2 | 65x#34 | 33.75 |
| 14 | 2 | 104x#34 | 41.25 |
| 12 | 2 | 165x#34 | 65.25 |
| 10 | 2 | 261x#34 | 90.00 |
| 14 | 3 | 104x#34 | 61.85 |
| | Twisted-3000 | Cycle Type | HC 01.03 |
| | I WISCOUT-3000 | Cycle—Type | ne |



3. 4. 1. Flexible copper conductors. 2. Separator. 3. Unvulcanized rubber insulation. 4. Asbestos. 5. Cotton braid. Grey or Black. 250 ft. per coil.

FLEXIBLE FIXTURE WIRES Heat Resisting—Non Appearance— Type CF

DARAN PENNIN

4.

PARANITE

1. 2. 3. 4.
1. Flexible copper conductors. 2. Separator. 3. Code rubber insulation. 4. Cotton braid. Colors: Brown, black, tan or white, with or without marker. 1000 ft. per spool.

No. 18 & per M' 9.75

N.B. Cut coil, coil and over.

ANNUNCIATOR WIRE Single Conductor THE SEASON OF THE PROPERTY OF THE PARTY OF T

1. Solid copper conductor. 2. and 3. Cotton wraps, saturated with paraffin. All standard colors. No. 18, single conductor, 142 ft. per lb.

lb. spools, per cwt...................................51.35

Twisted Pair

DARBANICA ...

1. Solid copper conductors. 2. and 3. Cot-

Rubber Covered Bell Wire No. 18—Solid, 1000 ft. spools, per M....8.55 N.B. Cutspool, spool, 2500' asst.

ANTENNA WIRE

7 strands of No. 24.

| | Price | |
|---------------|------------|-----------|
| | Per | Per |
| Type Plain | 1000' reel | 100' coil |
| | | .39 |
| Tinned | | .45 |
| Enameled | 5.00 | .50 |
| TTTTTTTTTTTT | TTT | |

KITCHEN UNIT CORD Three Conductor-Braid Overall-Type CFPD



3. 4. 1. 2. 3. 4. 5. 1. Flexible copper conductors. 2. Separator. 3. and 4. Cotton braid, moisture-resisting, flame retarding. 5. Cotton braid over all. 250 ft. per coil.

No. 14—3 condr., 41x#30, per M.......82.50

N.B. Cut coil, coil and over.

RANGE OR STOVE WIRE WIRE

| *************************************** | |
|---|--------|
| Asbestos covered. 250 ft. to coil. | Solid. |
| No. 14—per M' | 41.10 |
| No. 12—per M' | 46.20 |
| No. 10—per M' | |
| No. 8—per M' | 65.10 |
| N.B. under 250', 250-500', 500-2000' | (Not |
| asst.). | (2.00 |

Loom Wire - BX & Fittings - Telephone Wire - Wire Connectors

LOOM (Non-Metallic Conduit)



Easy fishing, slick finish, highest quality.

Price per M'.

| | | | Coll |
|--------------|------------------|-----------|----------|
| Size | Coil | Cut Coil | and over |
| 7 " 32" | 250 | 20.60 | 15.00 |
| 1/4" | 250 | 33.95 | 25.50 |
| 1/4" 3/8" | 250 | 53.10 | 45.20 |
| 1/2" | 200 | 71.15 | 60.60 |
| N.B. C | Cut coil, coil a | and over. | |

PORTER LOOM LOCKS 100 to carton—1000 to std. pkg.


NON-METALLIC SHEATHED CABLE—Paraflex



1. 2. 3. 4. 5. 6.
1. Tinned copper conductors. 2. Code rubber insulation. 3. Paper twine and cotton braid. 4. Folded paper—treated—wrapped. 5. Jute filler. 6. Saturated cotton braid, moisture resisting, flame retarding.

| Size | Coil | Cut Coil Fu | ll Coil |
|-----------|-------|------------------------|---------|
| 14-2 | 250 | 45.00 | 36.30 |
| 12-2 | 200 | 72.00 | 57.60 |
| 10-2 | 200 | 93.00 | 74.55 |
| 8-2 | 125 | 154.50 | 134.40 |
| 14-3 | 200 | 78.00 | 62.40 |
| 12-3 | 200 | 106.50 | 85.35 |
| 10-3 | 200 | 127.50 | 102.60 |
| 8-3 | 125 | 192.00 | 166.50 |
| 6-3 | 125 | 279.00 | 243.00 |
| N.B. Cut | coil, | coil-1000', 1000-5000' | . 5000' |
| and over. | | | , |

STRAPS for PARAFLEX



No. 260

Packed in 5 lb. Cartons


No. Ctn. Std. pkg. Per C

260 50 500 .60

170 50 500 .60

N.B. Broken carton, carton, std. pkg.

CONNECTORS for PARAFLEX No. 3100—3/8" Tite-



| | No | , 2020 | ~ |
|------|----------------|--------------|-------|
| No. | Ctn. | Std. pkg. | Per M |
| 2020 | 100 | 1000 | 60.00 |
| 3100 | 100 | 1000 | 78.00 |
| N.B. | Broken carton, | carton, std. | pkg. |

INSULATED BELL WIRE STAPLES

100 to box, 1000 to carton.



A.B.C. ARMORED CABLE



1. 2. 3. 4. 5. 6.
1. Tinned copper conductors. 2. Code rubber insulation. 3. Cotton braid, moisture-resisting, flame-retarding. 4. Tough, saturated paper armor. 5. Anti-short

bushing. 6. Flexible steel armor.

Price per M' Cut Coil Coil 59.25 44,40 63.60 87.30 250 79.50 10-2 250 109.10 14-3 82.50 70.65 12-3 105.75 84.60 250 138.35 110.85 8-3 strd. 150 226.85 194.10 6-3 strd. 100 291.00 232.95 N.B. Cut coil, coil and over.

NOTE—WALKER NEW PROCESS CABLE ALSO AVAILABLE AT SAME PRICES AS ABOVE.

FLEXIBLE STEEL CONDUIT Single Strip



| | | Price per C' | |
|---------|--------------|--------------|-----------|
| Size | Coil | Cut Coil | Full Coil |
| 3/8" | 250 | 6.95 | 5.60 |
| 1/2" | 100 | 9.80 | 7.90 |
| 3/4 | 50 | 12.55 | 10.05 |
| 1" | 50 | 26.05 | 20.85 |
| 11/4 | 50 | 31.65 | 27.60 |
| 11/2 | 25 | 40.45 | 35.20 |
| NDC | 25 | 51.80 | 45.10 |
| N.B. Cu | t coil, coil | and over. | |

ARMORED CABLE FITTINGS



T & B
Tite-Bite



No. 301V straight type

Connectors
No. 321V
angle type

| | | | | Price |
|----------|--|--------|---------------|--------|
| No. | Size | Ctn. | Std. pkg. | per C |
| 300V | 3/8" | 100 | 1000 | 7.80 |
| 301 | 3/8A" | 50 | 100 | 14.85 |
| 302 | × / 11 | 50 | 100 | 14.85 |
| 304 | 1" 1" 1" 1" 1" 1" 1" 1" 1" 1" 1" 1" 1" 1 | 25 | 100 | 21.45 |
| 306 | 1"4 | 10 | 25 | |
| 308 | | | | 34.65 |
| | 11/4" | 5 5 | 10 | 49.50 |
| 310 | 11/2" | 5 | 10 | 70.95 |
| 312 | 2" | 5. | 10 | 105.60 |
| Angle ty | ype 90° | | | |
| 321 | 3/8" | 50 | 100 | 22.10 |
| 323 | 7 / 11 | 25 | 100 | 32.15 |
| 325 | 1" 1" 1" 1" 1" 1" 1" 1" 1" 1" 1" 1" 1" 1 | 50 | 50 | 54.45 |
| 326 | 1"4 | 10 | 25 | 82.50 |
| 327 | 11/4" | 5 | | |
| | 174 | 5 | 10 | 105.60 |
| Duplex | 2/11 | 05 | 100 | |
| 239 | 3/8" | 25 | 100 | 15.60 |
| N.B. Br | oken cart | on, ca | rton, std. pl | g. |
| | | | | |

B-X STAPLES



500 to Carton Price, per M......5.25

N.B. 1-100, 100-500, 500-2500, 2500 and over.

TELEPHONE WIRES Outside wires—weatherproof finish



1. Solid copper connectors. 2. Code rubber insulation. 3. Cotton braid, moisture-resisting, weatherproof.


| | | Price p | |
|------|---------------|------------|----------|
| Size | Description | 2 condr. | 3 condr. |
| 14 | Twisted | 36.90 | 55.35 |
| 16 | Twisted | 27.40 | 41.10 |
| 17 | Parallel | 23.70 | |
| 18 | Twisted | 22.50 | 33.75 |
| | Inside Wires- | -Dry Braid | 1 |



GALVANIZED IRON TELEPHONE WIRE

| | | Price pe | r Cwt. |
|------|-------------------|-------------|--------|
| Size | Wt. per Mile | E.B.B. | B.B. |
| 10 | 258 lbs. | 11.30 | 10.75 |
| 12 | 170 lbs. | 11.60 | 10.90 |
| 14 | 99 lbs. | 12.25 | 11.60 |
| N.B. | 1-1500 lbs., 1500 | -10000 lbs. | |

INSULATED WIRING NAILS



WIRE CONNECTORS Porcelain Screwon



Composition Wire Connectors



Solderless Composition

| | | _ | |
|---------|-------------|-----------------|-------|
| Carton | 100, stand | dard package | 1000. |
| Bryant | Ideal | Wire | Price |
| No. | No. | Capacity | Per C |
| 767 | 72 | 3 # 18 | 3.05 |
| 768A | 73 | 2 # 14 & 2 # : | 18 |
| | or | 4 # 16 | |
| | or | 5 #18 | 3.90 |
| N.B. 1- | 100, 100-10 | 000, 1000 and o | over. |

BARE COPPER WIRE

All sizes available—Prices on application SPECIAL WIRES and Cables of all descriptions are available. Complete information and quotations furnished on request.

PARANITE WIRE HANDBOOK—a complete listing containing many useful tables—yours for the asking.

GROUND CLAMPS - LUGS - SOLDERLESS CONNECTORS

GROUND CLAMPS T & B SOLDERLESS GROUND CLAMPS

16 gauge, copper

tinned finish. Underwriters approved. Size Price Std. Pkg. 1000 Per C g" to 1" 100 16.95 2951 2952 3/8" to 2" 3/8" to 3" 100 1000 24.80 2953 100 1000 37.50

T & B GROUND FITTINGS




Nos. 3800, 3801 and 3803 are used where ground wire is run in conduit. Nos. 3830 and 3831 have solder lug. No. 3840 for No. 4 bare

No. 3840 for No. 4 bare wire.


| Cat. | Size | Size | | Std. | Price |
|------|------------------|-------|------|------|--------|
| No. | Water Pipe | Cond. | Ctn. | Pkg. | Per C |
| 3800 | 1/2"- 3/4"-1" | | | | 103.55 |
| 3801 | 1/2"- 3/4"-1" | 3/4" | 5 | 25 | 189.75 |
| 3803 | 11/4"-11/2"-2" | 1/2" | 5 | 10 | 103.55 |
| 3830 | 1/2"- 3/4"-1" | lug | 5 | 10 | 41.40 |
| 3831 | 11/4"-11/2"-2" | lug | | 10 | 82.80 |
| 3840 | 1/2" - 3/4" - 1" | wire | 5 | 25 | 41.40 |
| N.B. | Broken carto | n ctn | std | nka | |

HARTMAN GROUND CLAMPS



No. Size Conduit Pkg. Each 704 3%" to 1" ½" 10 .60 700 3%" to 1" ½" S.T. 10 .60 N.B. Broken pkg., std. pkg. and over.

TERRY GROUND CLAMPS



| | Size of | Size | Std. | Price |
|------|----------------|--------------------|------|-------|
| No. | Water Pipe | Conduit | Pkg. | Each |
| 1 | 1/2"- 3/4"-1" | 1/2"-3/4" . | 10 | .55 |
| 3 | 11/4"-11/2"-2" | 1/2"-3/4" | 5 | 1.20 |
| 5 | 21/2"-3" | 1/2"-3/4"-1" | 5 | 2.90 |
| 7 | 31/2"-4" | 1/2"-3/4"-1" | 5 | 3.90 |
| 9 | 5" -6" | 1/2"-3/1"-1" | Š | 5.00 |
| 11 | 1/2"- 3/4" | Wire | 10 | .42 |
| N.B. | | standard package a | | . 72 |

COPPER SOLDERING LUGS Price Wire Std. Size Ctn. Pkg. Per M Amp. Size 250 200 26.10 10 50 40 30.75 200 50 70 40 25 47.40 125 53.10 90 125 20 100 72.45 20 100 93.90 2/0 20 100 120.75 225 4/0 11 10 50 208 N.B. Broken carton, ctn., std. 50 208.80

pkg. to 1000
T & B "WEDGE-ON" CONNECTORS

| | | | - | - Control |
|------------|-------------|--------|-------------|-----------|
| An effici | ient, econo | mical, | , solderles | s lug, |
| easy to in | nstall. | | | Price |
| Cat. No. | Wire Size | Ctn. | Std. Pkg. | Per C |
| 18L100 | 18-22 | 100 | 200 | 7.35 |
| 16L100 | 16 | 100 | 200 | 7.35 |
| 14L100 | 14 | 100 | 200 | 7.35 |
| 12L100 | · 12 | 100 | 200 | 8.75 |
| 10L100 | 10 | 100 | 200 | 10.20 |
| 8L100 | 8 | 50 | 200 | 13.05 |
| 6L100 | 6 | 50 | 200 | 13.65 |
| 4L100 | 4 | 50 | 200 | 14.55 |
| N.B. Bro | oken carton | ctn | std. pkg. | |
| | | , | 10. | |



Tool for Use with Wedge-On Terminals Note: One tool furnished free with initial order.

| Cat. | | | | Price |
|-------|-----------|------|-----------|-------|
| No. | Wire Size | Ctn. | Std. Pkg. | |
| 21000 | 8-16 | 1 | 10 | 1.50 |
| 21001 | 4-8 | 1 | 10 | 1.50 |
| | | | _ | |

PENN-UNION SOLDERLESS CONNECTORS




Solderless Service
Connectors
Cat. Max. Size Price
No. (2 wires) Pkg. per C
Commercial Brass—small
head

| Commicicia | 11 11 | a33- | - 2111 | all |
|--------------|-------|------|--------|-----|
| | head | | | |
| S6B | 6 | 100 | 20 | .50 |
| S4B | 4 | 100 | 25 | .65 |
| S2B | 2 | 100 | 39 | .00 |
| S1/0B | 1/0 | 50 | 52 | .30 |
| S2/0B | 2/0 | 25 | 73 | .85 |
| S4/0B | 4/0 | | 133 | .35 |
| Bronze | ., 0 | | | |
| | 0000 | 20 | 307 | .80 |
| S500H 50 | | 15 | 410 | |
| S750H 75 | | 10 | | |
| S1000H 100 | | 10 | 1026 | |
| N.B. Broke | | | | |
| 1000, 1000-5 | | 6.9 | | |
| 1000, 1000 | ,000. | | | |

GROUNDING BUSHINGS

| | T&B | | Std. | Price |
|-------------------|----------|---------|------|-------|
| Size | No. | Ctn. | Pkg. | Per C |
| [1/2" | 3850 | 50 | 100 | 16.35 |
| M 3/4" | 3851 | 50 | 100 | 19.65 |
| 1" | 3852 | 25 | 50 | 31.65 |
| 11/4" | 3853 | 25 | 50 | 36.00 |
| 11/2" | 3854 | 25 | 50 | 49.50 |
| 2" | 3855 | 10 | 25 | 72.00 |
| N.B. Broken carte | on, ctn. | ., std. | pkg. | |

T & B WEDGE-ON JOINTS



Max. wire combinations—3 No. 16, 5 No. 16, 2 No. 14, 3 No. 14, 4 No. 14, 1 No. 12 and 1 No. 16, 2 No. 12, 2 No. 12 and 1 No. 14, 1 No. 10 and 1 No. 14. Cat. No. Ctn. Std. Pkg. Price, per C Q4


Q4 100 200 6.35 No. 21001 Tool supplied free with initial order. N.B. Broken carton, ctn., std. pkg.

14.D. Broken carron, etn., std. pkg.

TITE BIND SOLDERLESS CONNECTORS



Lugs



Two-way Connectors



A complete line of mechanical lugs and connectors for wire cables and tubing in all sizes.

Cable Tap

| | Pr | ice, Per C | |
|------------|--------|------------|--------|
| Wire | | 2-Way | Cable |
| Size Strd. | Lugs | Connector | Tap |
| 6 | 35.00 | 57.00 | 85.00 |
| 4 | 35.00 | 57.00 | 85.00 |
| 2 | 50.00 | 71.00 | 106.00 |
| 1 | 50.00 | 71.00 | 106.00 |
| 1/0 | 64.00 | 85.50 | 128.00 |
| 2/0 | 78.00 | 106.00 | 156.00 |
| 3/0 | 106.00 | 128.00 | 192.00 |
| 4/0_ | 106.00 | 156.00 | 235.00 |

Larger sizes also carried in stock. N.B. Under \$100 list, \$100-\$500 list, \$500-\$1000 list.

TRUMBULL HANDI-LUG SOLDERLESS CONNECTORS

| | Cat. | Stamping | Price |
|----------------|-------------|------------|--------|
| | No. | Wire Size | Per C |
| | s S-1245 | 14 to 8 | 28.50 |
| THE PERSON NO. | S-1246 | 8 to 4 | 35.60 |
| | *S-1248 | 4 to 1 | 49.85 |
| T | S-12481/2 | 4 to 1/0 | 64.10 |
| | *S-1249 | 1/0 to 2/0 | 78.35 |
| | S-12491/2 | 1/0 to 4/0 | 106.85 |
| | S-1250 | 250,000 to | |
| | | 350,000 | 135.35 |
| | S-12501/2 | 400,000 to | |
| | /2 | 500,000 | 206.60 |
| | *S-1251 | 550,000 to | |
| S-12501 | | 600,000 | 256.50 |
| | S-12511/2 | 550,000 to | |
| | 001/2 | 750,000 | 356.25 |
| | S-1252 | 800,000 to | 230.20 |
| | 2 - 2 - 2 | 1,000,000 | 413.25 |
| *Inte | rmediate Lu | | 0 0 |
| | | | |

N.B. Less than 100, 100 to 500, 500 & over.

Socket Head Wrenches for use with

Handi-lugs Size No. 1, each .10; Size No. 2, each .15

EXTERNALLY OPERATED SWITCHES

TYPE "D" ENCLOSED SWITCHES

For General Duty-Not Horsepower Rated Single Throw-Non-interlocking SIDE OPERATED TYPE



Туре "D" Black Finish



| N | 0. | 25 | 33 | 22 |
|---|-----|----|----|----|
| | rii | | | |

| | | Hammer | | Trumbull | | |
|-------|-------------|---------------|----------|-----------------|--------------------|----------------|
| Amps. | Poles | Blades | Fuses | "T" Cat. No. | C-H Cat. No. | Price each |
| | | Side Oper | ated—Fus | sible—Plug Fus | es—125 Volt | |
| 30 | 2 | 1 2 | 1 2 | 24111 24211 | 4141H2 4141H1 | 1.44 1.53 |
| | 2 3 3 | 2 3 2 | 3 2 | 24311 23311 | 4141H3 4141H5 | 3.06 1.80 |
| 200 | Si | | | le—Cartridge F | | |
| 30 | 2 | 2 3 | 2 | 24221 | 4141H6 | 1.98 |
| | 3 3 | 3 2 | 3 2 | 24321 23321 | 4141H9 4141H11 | 3.69 3.06 |
| 60 . | 2 3 | 2 | 2 3 | 24222 24322 | 4141H13 4141H14 | 5.58 7.11 |
| | 3 | 3 2 | 2 | 23322 | 4141H16 | 5.58 |
| 100 | 2 3 | 2 | 2 3 | 24223 24323 | 4141H18 4141H19 | 13.50 14.85 |
| | _3 | 3 2 | 2 | 23323 | 4141H21 | 13.95 |
| 200 | 2 | 2 | 2 3 | 24224 24324 | 4141H71 4141H74 | 22.50 28.35 |
| | 3 | 3. | 2 | 23324 | 4141H82 | 24.75 |

FRONT OPERATED TYPE

24325 23325

24326 23326



400

Type "D" Black Finish



4141H75 4141H83

4141H76 4141H84

83.25 79.20

118.80 113.85

No. 231 SN Trumbull

No. 4140 H6 Cutler Hammer

| Amps. | Poles | Blades | Fuses | Cat. No. | Cat. No. | each |
|-------|-------|------------|-----------|---------------|---|-------|
| | 0. | Front Ope | rated—Fu | sible—Plug Fu | ses—125 Volt | |
| 30 - | 2 | 1 | 1 | 120SN | 4140H2 | 1.44 |
| | 2 | 2 | 2 | 120 | 4140H1 | 1.53 |
| | 3 | 3 | 3 | 130 | | 3.06 |
| | 3 | 2 | 2 | 130SN | 4140H3 | 1.80 |
| | Fr | ont Operat | ted—Fusib | le—Cartridge | Fuses—230 Volt | |
| 30 | 2 | 2 | 2 | 220 | 4140H4 | 1.98 |
| | 3 | 3 | 3 | 230 | | 3.69 |
| | 3 | 2 | 2 | 230SN | 4140H5 | 3.06 |
| 60 | 2 | 2 | 2 | 221 | 4140H7 | 5.58 |
| | 3 | 3 | 3 | 231 | | 7.11 |
| | 3 | 2 | 2 | 231SN | 4140H6 | 5.58 |
| 100 | 2 | 2 | 2 | 0222 | *************************************** | 13.50 |
| | 3 | 3 | 3 | 0232 | *********** | 14.85 |
| | 3 | 2 | 2 | 0232SN | *************************************** | 13.95 |
| 200 | 2 | 2 | 2 | 0224 | | 22.50 |
| | . 3 | 3 | 3 | 0234 | | 28.35 |
| | 3 | 2 | 2 | 0234SN | *********** | 24.75 |

TYPE "C" ENCLOSED SWITCHES

For Industrial Use-Horsepower Rated Single Throw—Quick Make & Break—Non-interlocking SIDE OPERATED TYPE

> Туре "C"

Black Finish



No. 4131 H15 Cutler Hammer

Trumbull No. 40322

| Amps. | Deles | II D. D. 41 | "T" | С-Н | Price |
|-------|-------|------------------|----------------|---|--------|
| Amps. | Poles | H.P. Rating | Cat. No. | Cat. No. | each |
| | | 230 Volt- | -Cartridge Fus | ed | |
| 30 | 2 | 2 | 13221 | 4131H2 | 4.05 |
| | 2 | 2 | 40221 | *************************************** | 6.30 |
| | 3 | 2 2 3 3 | 13321 | 4131H13 | 6.30 |
| | 3 | 3 | 40321 | *************************************** | 7.65 |
| 60 | 2 | 5 | 40222 | 4131H3 | 10.35 |
| | 3 | 71/2 | 40322 | 4131H14 | 11.25 |
| 100 | 2 | 10 | 40223 | 4131H4 | 18.00 |
| | 3 | 15 | 40323 | 4131H15 | 22.50 |
| 200 | 2 | 15 | 40224 | 4131H5 | 24.75 |
| | 3 | 30 | 40324 | 4131H16 | 32.85 |
| 400 | 3 | 50 | 40325 | 4131H17 | 83.25 |
| 600 | 3 | •••• | 40326 | 4131H79 | 118.80 |
| | | 575 Volt- | -Cartridge Fus | ed | |
| 30 | 3 | 71/2 | 40361 | 4131H24 | 12.15 |
| 60 | 3 | 20 | 40362 | 4131H25 | 15.30 |
| 100 | 3 | 30 | 40363 | 4131H26 | 31.50 |
| 200 | 3 | 50 | 40364 | 4131H27 | 47.25 |

FRONT OPERATED-TYPE "C"

| Amps. | Poles | H.P. Rating | "T" Cat. No. | Price each |
|------------------------|------------------|----------------------|--------------------------------------|----------------------------------|
| | 230 | Volt-Cart | ridge Fused | |
| 30 | 2 3 | 2 3 | 022550 023550 | 4.05 6.30 |
| 60 | 2 3 | 5 7½ | 022551 023551 | 10.35 11.25 |
| 100 | 3 | 15 | 023552 | 22.50 |
| 200 | 3 | 40 | 023554 | 32.85 |
| 400 | 3 | 50 | 023556 | 83.25 |
| 600 | 3 | **** | 023558 | 118.80 |
| | 575 | Volt-Cart | ridge Fused | |
| 30 60 100 200 | 3 3 3 3 | 7½ 20 30 50 | 043550 043551 043552 043554 | 12.15 15.30 31.50 47.25 |



No. 023551 Trumbull

RAINTIGHT-OUTDOOR SWITCHES



Cutler Hammer

Type "D" Side operated. Weatherproof, for outside mounting Aluminum finish



No. W23322 Trumbull

| Amps. | Poles | Blades | Size Nipple | Cat. No. | C-H Cat. No. | Price each |
|-------|-------|--------|----------------|------------------|------------------|---------------|
| 30 | 2 3 | 1 2 | %4" or 1" | W23111 W23311 | 4145H2 4145H3 | 4.05 4.55 |
| 60 | 3 | 2 | 11/4" or 11/2" | W23322 | 4145H5 | 9.80 |
| 100 | 3 | 2 | 1¼"or 1½" | W23323 | 4145H6 | 19.80 |
| 200 | 3 | 2 | 2" | W23324 | | 33.75 |

N.B. Less than \$100 list, \$100 list assorted and over.

Switches & Switch Combination Panels

TYPE A SAFETY SWITCHES



Heavy Duty Industrial Switches Quick make and Quick break Interlocking covers Horsepower rated

| No. | 72362 | "T" |
|-----|-------|-----|
| | | _ |

| "T" | С-Н | | | H.P. | Price |
|----------|---------|---------|-------------|-------------|---------|
| Cat. No. | | Amps. | Poles | | |
| Single | Throw- | Cartric | lge F | used- | -230 V. |
| 72221 | 4101H1 | 30 | 2 | 2 | 7.65 |
| 72222 | 4101H2 | 60 | | 5 | 15.30 |
| 72321 | 4101H13 | 30 | 3 | 2 5 3 | 10.35 |
| 72322 | 4101H14 | 60 | 3 3 | 71/2 | 20.25 |
| 72323 | 4101H15 | 100 | 3 | 15 | 30.60 |
| 72324 | 4101H16 | 200 | 3 | 30 | 45.45 |
| 72325 | 4101H17 | 400 | 3 3 3 | 50 | 92.80 |
| 72326 | 4101H18 | 600 | 3 | **** | 144.35 |
| 60327 | 4111H7 | 800 | 3 | | 278.85 |
| 60328 | 4111H8 | 1200 | 3 | | 358.05 |
| Q'1 | TD1 | | | | |
| Single | Throw— | Cartrid | ge F | used— | 575 V. |
| 72361 | 4101H25 | 30 | 3 | 71/2 | 22.50 |
| 72362 | 4101H26 | 60 | 3 | 20 | 23.40 |
| 72363 | 4101H27 | 100 | 3 | 30 | 35.55 |
| 72364 | 4101H28 | 200 | 3 | 50 | 58.95 |
| 72365 | 4101H29 | 400 | 3 | **** | 111.35 |
| 72366 | 4101H30 | 600 | 3 | **** | 186.00 |
| Double | Throw- | Cartri | i~~ E | boom | 220 37 |
| | | | | useu- | |
| 70221 | 4121H1 | 30 | 2 | **** | 19.35 |
| 70222 | 4121H2 | 60 | 2 | •••• | 24.30 |
| 70223 | 4121H3 | 100 | 2 2 3 3 | **** | 58.95 |
| 70321 | 4121H7 | 30 | 3 | **** | 23.40 |
| 70322 | 4121H8 | 60 | 3 | **** | 30.60 |
| 70323 | 4121H9 | 100 | 3 | **** | 71.10 |
| | | | | | |

SMF METER SEQUENCE SWITCHES



Switch. Meter, Fuse Sequence Switches

Listed in P. G. & E. specifications. Required in San Francisco on 30 to 100 amp. single phase

| Cutler Ha | mmer | | - 6 | Price |
|-----------|------|-------|--------|-------|
| Cat. No. | Amp. | Poles | Fuses | Each |
| 4326H3 | 30 | 2 | 1 plug | 5.40 |
| 4326H5 | 30 | 3 | 2 plug | 6.75 |
| 4326H1 | 60 | 3 | 2 cart | 11.25 |
| 4326H6 | 100 | 3 | 2 cart | 20.25 |

TRUMBULL NO-FUSE TUMBLER **SWITCHES**



For small motors - up to 2 H.P. 2, 3, and 4 pole rated at 30A.250V., 5A.600V. 3 way rated at 10A.125V., 5A.250V.

No. 2228

| | | | Sw. | |
|---------|----------|---------|---------------|---------|
| | Surface | Price | Unit | Price |
| Pole | No. | Each | Only | Each |
| 2 | 2228 | 2.43 | 2227S | 1.71 |
| 3 way | 2328 | 2.43 | 2328S | 1.71 |
| 3 | 2361 | 6.12 | 2361S | 4.32 |
| 4 | 2428 | 9.09 | ********* | ****** |
| N.B. | Above co | lumn-L. | Γ. \$100 list | . \$100 |
| list as | ssorted. | | | |

TRUMBULL TELEPHONE OR BATTERY SWITCHES



No. 707

No. 709

No. 711

Front Connections-Mounted Porcelain Base Cat Size, Inches Price Style S. P. S. T. S. P. D. T. D. P. S. T. D. P. D. T. 3 P. S. T. No. Lgth. Width Ctn. Per C $\begin{array}{c} 2\frac{7}{16} \times 1\frac{1}{4} \\ 3\frac{5}{8} \times 1\frac{5}{16} \\ 2\frac{7}{16} \times 2 \\ 3\frac{5}{8} \times 2 \end{array}$ 10 30.00 708 48.00 709 10 52.50 710 75.00 3 P. S. T. 3 P. D. T. 711 21 x31/4 84.00 712 35/8×31/4 135.00 N.B. Broken carton, carton and over.

LEVITON BATTERY KNIFE SWITCHES



Porcelain Base 10 to carton Std. Pkg. 100



No. 9912

No. 9914

No. 9912—Single Pole, Single Throw No. 9914—Single Pole, Double Throw



No. 9915

No. 9913—Double Pole, Single Throw No. 9915—Double Pole, Double Throw 10 to Carton-Std. Pkg. 100

| TO CO CUITOI | I Did. Ing. 100 | , |
|---------------------|------------------|----------|
| No. 9912-Price, p. | er C | 12.75 |
| No. 9913—Price, p. | er C | 25.65 |
| No. 9914—Price, p. | er C | 15.95 |
| No. 9915—Price, p. | er C | 30.35 |
| N.B. Bkn. ctn., ctr | 1., std. pkg. or | 30 ctns. |
| | | |



OPEN KNIFE **SWITCHES**

Single Throw 250 Volts—D.C. or A.C. For N. E. C. Fuses— High Fingers— Bottom Fused— Slate Base

| Cat. | | F | rice |
|---------|------|------|------|
| No. | Amp. | Pls. | Ea. |
| 4615H45 | 30 | 2 | 1.59 |
| 4615H46 | 60 | 2 | 2.70 |
| 4615H47 | 100 | 2 | 5.45 |
| 4615H49 | | 3 | 2.40 |
| 4615H50 | 50 | 3 | 4.05 |
| 4615H51 | 100 | 3 | 8.25 |

DOUBLE THROW OPEN KNIFE SWITCHES

Non-Fused

| _ | | | Price |
|---------------|---------|-------------|------------|
| Cat. No. | Amp. | Poles | Each |
| 3061 | 30 | 2 | 1.74 |
| 3063 | 60 | 2 2 | 3.00 |
| 3065 | 100 | 2 | 6.75 |
| 3101 | 30 | 3 | 2.70 |
| 3103 | 60 | 3 | 4.65 |
| 3105 | 100 | 3 | 10.35 |
| N.B. Knife | Switche | s-L.T. \$10 | list. \$10 |
| list assorted | 1. | - | , , , , |
| | | | |

FUSE-PULLER SWITCHES



Fuse-puller switches-60 amp. 3 pole solid neutral Main and range 125-250 volts. Branch circuits-

30 amp.—solid neutral—single plug fused—125 volt.
ranch Surface Price Flush Price ircuits No. Each No. Each 0 2924-0 9.00 2925-0 10.35 Branch Circuits 02 2924-2 11.25 2925-2 13.50 2924-4 8.10 2925-4 9.25 2924-6 14.20 2925-6 2924-8 18.90 2925-8 20.25

COMBINATION SERVICE SWITCH

RANGE SWITCH AND FUSE PANEL

Meter-Switch Sequence Fuseless Toggle Type Main— Pullout type Range Switch 60 amp. 3 pole 2 blade-4 plug fused branch circuits



COMBINATION RANGE SERVICE PANEL

and Main Switch-100 amp. Complete combination—1-60 amp. Complete combination—1-60 amp. pullout No. HP10RHL—Complete comb......25.20 No. WHP10RHL—as above, wpf.....28.35

COMBINATION SERVICE SWITCH AND LIGHTING PANEL



Meter sequence— Meter-Switch-Fuse Single Fuse— Main Switch-2 blade 2 fuse Transformer space Flush Mounting standard Surface Mounting available

| | | Amps. | | | |
|------------|----------|--------|---------|----------|-------|
| "T" | C-H | Main | Poles | Branch | Price |
| Cat. No. | Cat. No. | Switch | Main | Cir. | Each |
| HP202C | 4332H | 1 30 | 2 | 2 | 5.75 |
| HP304C | 4332H | 2 30 | 3 | 4 | 7.00 |
| HP606C | 4332H | 3 60 | 3 | 6 | 13.60 |
| HP608C | 4332H | 4 60 | 3 | 8 | 16.90 |
| HP6010C | 4332H | 5 60 | 3 | 10 | 20.20 |
| HP6012C | | | 3 | 12 | 23.50 |
| N.B. Abo | ove col | umn—L | .T. \$1 | 00 list. | \$100 |
| list assor | ted. | | | , | 7-00 |

PANELS AND FUSES

PANELETTES



Flush or Surface mounting. Arranged for single or double fusing. Furnished with: Lath supports, Loom & ½" K.O.'s, Molded blocks, Mounting screws, Aluminum fronts.

| No. | C-H | "T" | Price |
|------------------|--------------|------------|-------|
| Circuits | Cat. No. | Cat. No. | Each |
| | FLUSH | TYPE | |
| 2 | 4355H25 | C2N | 1.98 |
| | 4355H26 | C4N | 2.61 |
| 4 | 4355H27 | C6N | 4.36 |
| 8 | 4355H28 | C8N | 6.57 |
| 10 | 4355H29 | C10N | 9.63 |
| 12 | 4355H30 | C12N | 13.10 |
| | SURFAC | E TYPE | |
| 2 | 4355H31 | S2N | 1.98 |
| 2 4 6 8 | 4355H32 | S4N | 2.61 |
| 6 | 4355H33 | S6N | 4.36 |
| 8 | 4355H34 | S8N | 6.57 |
| 10 | 4355H35 | S10N | 9.63 |
| 12 | 4355H36 | S12N | 13.10 |
| 14 and 16 | circuit also | available. | |
| N.B. An | y quantity. | | |
| | | | |

SWITCH PANELETTES



KO.'s for Switches (Switches not included) Grey finish Flush type Standard

| "T" | Killark | No. Circuits | Price |
|----------|-----------|--------------|-------|
| Cat. No. | Cat. No. | Single Fused | Each |
| SC4N | CWF4 | 4 | 5.67 |
| SC6N | CWF6 | 6 | 7.83 |
| SC8N | CWF8 | 8 | 10.48 |
| SC10N | CWF10 | 10 | 13.09 |
| SC12N | CWF12 | 12 | 15.70 |
| N.B. Anv | quantity. | | |

TYPE NTP PANELBOARDS



Trumbull 3-wire mains 2-wire branches 125-250 Volt Single Door Mains—Lugs only
Branches—S. P. 30 amp.
Tumbler Switches—Plug
Fused

| | No. | Сар | 70.1 |
|----------|-----------|-------|--------|
| | Branch | Mains | Price |
| Cat. No. | Circuits | Amps | Each |
| NTP304L | 4 | 30 | 30.60 |
| NTP308L | 8 | 60 | 36.00 |
| NTP312L | 12 | 60 | 45.00 |
| NTP316L | 16 | 100 | 66.60 |
| NTP320L | 20 | 100 | 75.60 |
| NTP324L | 24 | 100 | 84.60 |
| NTP328L | 28 | 100 | 93.60 |
| NTP332L | 32 | 100 | 102.60 |
| N.B. Any | quantity. | | |

SPECIAL SWITCHBOARDS - Circuit breaker panel boards, Convertifuse panel boards, control boards, etc. Price on application.

PLUG FUSES









Glass-Type PYX

Clearsite Drop out link

Blue Ribbon Pe PYX type Brass Top (una All types are packed 5 to small carton, 100 to master carton.

Eagle Bakelite (unapproved)

| | | Price, per | hundred | |
|---|-------|------------|-------------|----------------|
| Amperages | Glass | Clearsite | Blue Ribbon | Eagle Bakelite |
| 3- 5- 6- 8 | 4.95 | 4.95 | 4.50 | |
| 10-15-20-30 | 4.50 | 4.50 | 3.75 | 2.85 |
| N.B.—Plug Fuses—any quantity except bakelite—100 lots only. | | | | |

SHAWMUT THERM-A-TRIPS Plug Type—125 volt—Edison serew base—Similar to plug Fusetrons. For protecting small motors with high starting currents.

Amp. Sizes—1, 1.25, 1.6, 2, 2.5, 3.2, 4, 4.5, 5, 5.6, 6.25, 8, 10, 12, 15, 20, 25, and 30.

Sizes less than 15 amp., per C, 15.00; 15 amp. and larger, per C, 7.50.

N.B. Less than \$5.00 list, \$5-\$15 list, \$15 list assorted.

NON-RENEWABLE CARTRIDGE FUSES

Approved by Underwriters



| 250 Volt Fuses | (Std. | Sizes) | |
|--------------------------|---------|---------|------------|
| 3, 6, 10, 15, 20, 25, 30 | 10 | 100 | 6.95 |
| 35 40, 45, 50, 60 | 10 | 100 | 13.95 |
| 70, 80, 90, 100 | 5 | 50 | 62.10 |
| 110, 125, 150, 175, 200 | 5 | 25 | 138.00 |
| 225, 250, 300, 350, 400 | 2 | 10 | 248.40 |
| 450, 500, 600 | 1 | 5 | 379.50 |
| 600 Volt Fuses | (Std. | Sizes) | |
| 3, 6, 10, 15, 20, 25, 30 | 10 | 100 | 34.50 |
| 35, 40, 45, 50, 60 | 10 | 100 | 55.20 |
| 70 80, 90, 100 | 5 | 50 | 124.20 |
| 110, 125, 150, 175, 200 | 5 | 25 | 241.50 |
| 225, 250, 300, 350, 400 | 2 | 10 | 483.00 |
| 450, 500, 600 | 1 | 5 | 615.00 |
| N.B. Less than \$10 li | st, \$: | 10-\$50 | list, \$50 |
| list assorted. | , , | | |
| FIICE PET | TICI | PR | |



| Ideal Fuse Reducer | | | | |
|--------------------|--------------|-------|----------|-------|
| | 250V. | Price | 600V. | Price |
| Ampere | Cat. No. | Each | Cat. No. | Each |
| 60- 30 | FR263 | .81 | FR663 | .90 |
| 100- 60 | FR216 | 1.35 | FR616 | 1.55 |
| 200-100 | FR221 | 3.15 | FR621 | 4.05 |
| 400-200 | FR242 | 7.20 | FR642 | 8.10 |
| N.B. Ar | ly quantity. | | | |



FUSE CLIP CLAMPS Ideal Fuse clip clamps insure perfect contact. For Ferrule or Knife-

| bla | ade type. | |
|-----|------------------|------|
| 1 | 30A250V | 51 |
| 2 | 30A. 600V., 60A. | |
| | 250V | 76 |
| 4 | 60A., 600V: | 1.08 |
| 5 | 100-200A., 250- | |
| | 600V | 95 |
| 7 | 400-600A., 250- | |
| | 600V | 2.20 |

N.B. LT \$10 list, \$10-24 list, \$24-\$100 list, \$100 list.

RENEWABLE CARTRIDGE FUSES



O-30 Amp. Ferrule Type


D.: - -



Knife Blade Type 250 Volt Renewable Fuses

| | | File |
|--------------------------|-------|---------|
| | arton | Per C |
| 3, 6, 10, 15, 20, 25, 30 | 10 | 45.60 |
| 35, 40, 45, 50, 60 | | 91.20 |
| 70, 80, 90, 100 | 5 | 205.20 |
| 110, 125, 150, 175, 200 | 1 | 456.00 |
| 225, 250, 300, 350, 400 | 1 | 820.80 |
| 450, 500, 600 | 1 | 1138.50 |
| 600 Volt Renewable | Fuces | |
| Job Voit Renewable | TROCO | |

114.00 182.40 410.40 798.00 1449.00 450, 500, 600 2070 00





250 Volt Renewal Links

| | | Price |
|--------------------------|--------|-------|
| | Carton | Per C |
| 3, 6, 10, 15, 20, 25, 30 | 100 | 2.28 |
| 35, 40, 45, 50, 60 | 100 | 4.56 |
| 70, 80, 90, 100 | 50 | 10.26 |
| 110, 125, 150, 175, 200 | 25 | 22.80 |
| 225, 250, 300, 350, 400 | . 25 | 41.04 |
| 450, 500, 600 | 10 | 62,70 |
| | | |

600 Volt Renewal Links

| | Price |
|-------------------------------------|------------|
| Amps Carton | Per C |
| 3, 6, 10, 15, 20, 25, 30 | 5.70 |
| 35, 40, 45, 50, 60 100 | 9.12 |
| 70, 80, 90, 100 50 | 20.52 |
| 110, 125, 150, 175, 200 | 39.90 |
| 225, 250, 300, 350, 400 | 79.80 |
| 450, 500, 600 | 114.00 |
| N.B. Less than \$10 list, \$10-\$50 | list, \$50 |
| list assorted. | |

Multibreakers - Meter Sockets & Trough - Pull Boxes

Trumbull

MULTIBREAKERS Load Centers

Service Equipment

Cutler Hammer

For Residences, Small Stores, Individual Apartments, Farm Buildings and Similar Structures

Multi-breakers are for A.C. only-115/230 volts.

Mains are 70 ampere capacity.

Box Size—1 to 8 Poles: 65%" W. x 3\frac{9}{16}" D. x 11\frac{11}{8}" L.

Prices are based on 15-, 20-, 25- and 35-Ampere Circuits.

For each 50-Ampere Single Pole Circuit substituted for each 15-, 20-, 25- or 35-Ampere Single Pole Circuit, add \$0.56 each.

For each 50-Ampere Double Pole Circuit substituted for a 15-, 20-, 25- or 35-Ampere Double Pole Circuit, add \$1.12 each.

For tap off for mains extension add "X" to catalog number and \$1.12 to price.

Flush Mounting - Gray Enamel Finish Surface Mounting - Black Enamel Finish

Shipping Weight (2-4 circuits) 10 lbs.—(5-8 circuits) 11 lbs.

Following is a partial listing only, of more common combinations. Write for complete Multibreaker Bulletin "T" 148



3 WIRE GROUNDED SOLID NEUTRAL

| | Didition Officells | | | | |
|-------------------------|---|-----------------------|----------------------|------------------------|---------------|
| | 3 Wire S/N 2 Wire S/N 115/230 115 Volts Volts | | SOLID | MAINS | |
| ranch ircuit oles | 2 Pole 1 Pole Breaker Breaker & Neutral & Neutral | Max. Amp. Mains | Cat. No. Flush | Cat. No. Surface | Price Each |
| | 3-15 1-20 | 70 | 73044-F | 73044-S | 10.10 |
| | 2-15 2-20 | 70 | 73046-F | 73046-S | 10.10 |
| | 1-35 2-15 | 70 | 73121-F | 73121-S | 10.10 |
| | 6-15 | 70 | 73061-F | 73061-S | 12.35 |
| | 4-15 2-20 | 70 | 73066-F | 73066-S | 12.35 |
| | 1-35 4-15 | 70 | 73141-F | 73141-S | 12.35 |
| 1-3 | 5 1-20 4-15 | 70 | 73441-F | 73441-S | 15.15 |

3 WIRE INSULATED SOLID NEUTRAL

All orders must show ampere ratings of each circuit.

| Branch Circuit Poles | Circuit Arrangement | Cat. No. Flush | Cat. No. Surface | List |
|----------------------------|------------------------|-------------------|---------------------|-------|
| 2 | 2 SP | 5002-F | 5002-S | 9.55 |
| 4 | 4 SP | 5004-F | 5004-S | 10.65 |
| 4 | 2 SP 1 DP | 5102-F | 5102-S | 11.25 |
| 6 | 6 SP | 5006-F | 5006-S | 12.90 |
| 6 | 2 SP 2 DP | 5202-F | 5202-S | 14.05 |
| 8 | 8 SP | 5008-F | 5008-S | 15.15 |
| 8 | 4 SP 2 DP | 5204-F | 5204-S | 16.30 |

branch circuits; 4. Single or double pole branch circuits; 5. Amperage of branch circuits.

Note—Grounded Solid Neutral Type is approved as service equipment (San Francisco regulations require insulated solid neutral).


Insulated Solid Neutral Type for branch service.

Larger sizes available up to 16 circuit single pole branch circuits in insulated solid neutral type. For Raintight Multibreakers use suffix "W.P." Price on application.

N.B. Less than \$50 list, \$50 list assorted and over.

METER SOCKETS

BRANCH CIRCUITS



| Vertical Types | | | | | |
|---------------------------------|-----------|--|--|--|--|
| Type S-With 2 threaded outle | ts. | | | | |
| Size | Price | | | | |
| Pipe Style No. | Each | | | | |
| 3¼" 821-559 1" 821-560 | 4.65 | | | | |
| | 4.50 | | | | |
| 11/4" 821-561 | 4.65 | | | | |
| With 3 threaded outlets and br | eakout in | | | | |
| back (T-type). | | | | | |
| 34" 839-453 1" 839-454 | 5.90 | | | | |
| 1" 839-454 | 5.75 | | | | |
| 11/4" 839-458 | 5.90 | | | | |
| Type S5—Three phase—with 2 | threaded | | | | |
| outlets. | | | | | |
| 934-315 1" 934-316 | 6.20 | | | | |
| 1" 934-316 | 6.05 | | | | |
| 11/4" 934-317 | 6.20 | | | | |
| Type S5 "T" type also available | | | | | |
| Also available in Horizontal ty | pes. | | | | |
| N.B. Any quantity | | | | | |

TRUMBULL METER TROUGH
For Socket Type Meters
Specify Horizontal or Vertical Type

| | | | - J - | | |
|--------|----------------------|-------------------|---------------|-------------|--|
| No. of | | r Type | Outdoor Type | | |
| Meters | Cat. No. Price, each | | Cat. No. | | |
| Trough | only, with end | walls and cover, | but no meter | sockets or | |
| | | terminal blocks | | | |
| 1 | IT1BCS | 2.70 | OT1S | 3.80 | |
| 2 | IT2BCS | 4.85 | OT2S | 6.00 | |
| 3 | IT3BCS | 6.90 | OT3S | 9.45 | |
| 4 | IT4BCS | 9.00 | OT4S | 11.90 | |
| Trough | only, with term | ninal blocks, end | walls and cov | ver, but no | |
| | | meter sockets | • | | |
| 1 | 58511 | 4.10 | 58811 | 4.60 | |
| | | | | | |

58512 58513 11.25 58813 58514

N.B. Under \$100 list, \$100 list asstd.

"T" EXIT BOXES




letters-steel front-Box 121/2"x6"x4" Two receptacles. Green glass standard.

| Red glass at | allable. | |
|--------------|------------------------|-------------|
| Cat. No. | Mounting | Price, each |
| F612G | Flush | 5.85 |
| S612G | Surface | 5.85 |
| N.B. Under | \$100 list, \$100 list | assorted. |



13.20



| 12x16x6 | 1½ to 2½ 4.70 |
|-----------------------------|-------------------------------|
| | rrent Transformer Boxes Price |
| Size | Use Each |
| | Northern California |
| 9x30x10 | Sgl. phase 200-400 amp12.75 |
| 1x36x10 | Sgl. phase 600-800 amp15.75 |
| $8\frac{1}{2}$ x 30 x 1 | |
| | Southern California |
| 8x18x 9 | 200A. San Diego 7.85 |

20x30x11 0-300 amp. Old style 200 amp..... 20x36x10 .12.75 N.B. Any quantity.

TLER HAMMER CONTROL APPARATUS

A.C. MANUAL STARTERS For Fractional H.P. Motors



Up to 3/4 H.P. 110-220V. A.C. Single phase. Bulletin 9101 - Single pole. Thermal overload protection.

Dimensions-height 43/8", width 25%, depth $2\frac{10}{16}$. No. 9101H60, each.....3.80

FOR SMALL MOTORS



Up to 1½ H.P. 110V. 2 H.P. 220-440V. A.C. Single phase. Bulletin 9103 Two Pole. Thermal overload protection.

Dimensions - height 47%", width 47%", depth 2%".
No. 9103H2, enclosed, each......7.90

FOR POLYPHASE MOTORS



Maximum H.P. Ratings. Single phase Size 110V. 220V. 440V. Small 1½ 1½ 2 Large 3 phase 2 5 Small 2 7½ Large 3 Thermal overload protection. .Across the line starter.

Dimensions: Width Height Size Depth $8\frac{9}{16}$ " $10\frac{9}{16}$ " Small 37/8" 37/8" Large Cat. No. 9115H25 Size Price, each Small 9.25 9115H26 Large 11.85

PUSH BUTTON STATION Three Wire Control No. 10250H56—Standard Price, each2.65



REVERSING STARTERS

Across the line type Three pole Twin break Contacts

> No. 9441

Maximum H.P. Rating Three phase V. 220V. 44 Max. Price 440V. Size 110V. Amps. Each 3/4 2 5 5.25 7.90 3/4 0 15.80

A.C. AUTOMATIC STARTERS Across the Line Type FOR POLYPHASE MOTORS





No. 9586H621 Reset in cover Size AAA3


No. 9586H597 Start and Stop button in cover Size AAA3

Thermal Overload and No-Voltage Protection
Maximum H.P. Ratings—3 Phase

| | | | | Price |
|-------|-----------|---------|-----------|---------|
| Type | 110 V. | 220V. | 440V. | Each |
| AAA | 3 | 5 | 71/2 | *21.00 |
| AA | 71/2 | 15 | 25 | 39.60 |
| В | 15 | 30 | 50 | 66.00 |
| C | 20 | 50 | 100 | 147.00 |
| *With | reset bu | tton on | ly in cov | er. For |
| | nd stop b | | | |

| Dimensions | | | | | |
|------------|--------|-------|-------|--|--|
| Type | Height | Width | Depth | | |
| AAA | 81/2 | 71/2 | 41/2 | | |
| AA | 143/4 | 10 | 71/2 | | |
| В | 181/4 | 143/4 | 73/4 | | |
| C | 271/2 | 173/4 | 101/4 | | |

FOR SINGLE PHASE MOTORS



Dimensions — Height $8\frac{3}{16}$ ", width $5\frac{7}{16}$ ", No. 9584—with P. B. in cover...........21.10

MAGNETIC CONTACTORS



for continuous duty. Two Pole—for single phase Three Polefor 3 phase

Thermal

overload

and

No-


voltage

440 V.

No. 9592

| | | 7 | Pri | ce, Each |
|-----|------|----------|--------------|--------------|
| Amp | s. | Volts | 2 pole encl. | 3 pole encl. |
| 25 | | 110 | 15.85 | 14.50 |
| 50 | 1 42 | to | 30.35 | 26.40 |
| 100 | | 550 | 52.80 | 43.55 |
| 150 | | | 126.70 | 106.90 |

A.C. AUTOMATIC RELAY



Single pole Double break Normally open 2 wire separate control Volts — 6, 12, 24, 110, 220 Amp. rating—30A., except 220V., 15 amp.

PRESSURE SWITCHES FOR SMALL PUMPS

and Compressors

with overload protection. Max. H.P. rating Single pole—1 H.P. 110 or 220 V. single phase Double pole— 1 H.P. 110 or 220V. single phase



Maximum pressure 80 lbs. Standard setting 20-40

Each No. 10016H16—single pole..... No. 10016H15—double pole..... 5.75

Double pole without overload. Max. H.P. rating Single phase: 1½ H.P. 110V. H.P. 220V. Three phase: 2 H.P. 110V. 5 H.P. 220V. 3 H.P. 440V



Max. Description F Without unloader Pressure Each No. 10007H1 100 6.60 10007H2 With unloader 200 9.90 10007H3 Without unloader 200 7.90

FLOAT SWITCHES

Two Pole Max. H.P. rating Single phase— 2 H.P. 110 Volt 4 H.P. 220 Volt 5 H.P. 440 Volt No. 10036H17with rod and float38.25 No. 10036H22 with chain and float ..54.10 No. 10036D1for chain



for small theatres, lodge rooms, schools, etc. For continuous service. Available in 2 or 3 wire. 110 or 220V. up to 5280 watts.



| 2 wire 110 v | off type | |
|--------------|---|---|
| | | Price |
| Cat. No. | Steps | Each |
| 11311H1 | 24 | 15.60 |
| 11311H2 | 24 | 15.60 |
| 11311H3 | 24 | 16.80 |
| 11311H4 | 40 | 19.20 |
| 11311H5 | 40 | 21.60 |
| 11311H7 | 60 | 24.00 |
| 11311H23 | | 33.60 |
| 11311H24 | 60 | 39.60 |
| | | -5.00 |
| | Cat. No. 11311H1 11311H2 11311H3 11311H4 11311H5 11311H7 11311H7 11311H23 | 11311H1 24 11311H2 24 11311H3 24 11311H4 40 11311H5 40 11311H7 60 11311H23 60 |

GREENLEE KNOCKOUT PUNCH



Saves from several minutes to an hour on each hole cut in metal boxes. Cuts holes in metal up to 10 gauge or 1/8" thick. Operates simply. A common wrench drives the nut which in turn forces the punch through the metal into the die. Cuts holes for ½", ¾", 1" and 1¼" conduit.

GREENLEE KNOCKOUT CUTTER



This tool will c u t through metal up to 10 gauge or 18" thickness in 1½ minutes or less per hole. Operates simply.

feed and drive action of two wheel cutters. Cuts holes for 1½", 2", 2½" and 3" conduit. conduit. No. 740-Mfrs. List, each......15.00

GREENLEE JOIST BORER



Continuous round-link chain. Will drive bits up to 11/4" in diameter. Complete with 11" bit.

No. 750-Mfrs. List, Each.....15.00

IDEAL FUSE PULLER



| Lac | ,11 |
|--|-----|
| "Midget," 5" long. for small fuses | 50 |
| "Pocket Size," 71/2" long, for 0-200A. | |
| fuses | 50 |
| "Giant Size," 12" long, for 100 to | |
| 600A. fuses4. | 50 |
| 000A. 1uses | JU |
| | |

WIGGINTON VOLTAGE TESTER

The only real voltage tester on the market. Indicates positively whether 110, 220 or 440 Volts, AC or DC.

No. 5000—Price, each......11.50



ELECTRICIANS' BITS



No. 31-11 Greenlee Double Lip Bit.

GREENLEE BIT EXTENSIONS

Ballet Ballet Contract

Price, Each

VICTOR HACK SAW BLADES

| | Tungst | en Spe | ecial F | lexibl | le I | Price |
|------|---------|--------|---------|--------|---------|-------|
| Cat. | No. L | ength | Teeth | to In | ich Pe | r Dz. |
| 1218 | 3 | 12" | | 18 | | 1.00 |
| 1224 | 1 | 12" | | - 24 | | 1.00 |
| 1232 | 2 | 12" | | 32 | | 1.00 |
| 1 | 0" Hack | Saw F | Blades | also | availab | le. |

FISH STEEL

100, 150 or 200 Foot

| Len | |
|------------------------|-----------|
| | Price |
| Size | Per C Ft. |
| 1/8"x.060" | 3.60 |
| $\frac{3}{16}$ "x.060" | 4.55 |
| ½"x.030" | 2.45 |

IDEAL FISH TAPE REELS




Saves Tape breaking.

Acts as handle, giving firm grip.

No. 1 Reel-Complete with 100' 1/8"x.060" fish steel7.50


EAGLE TROUBLE LAMPS



Description 12 ft. 20 ft. 25 ft. 50 ft. Cat. No. 427 reflector1.25 1.55 1.75 EAGLE DETECTOLITES

Tests any current from 110 to 550 volts. Indicates voltage by intensity, detects live and grounded wires, indicates A.C. or D.C., etc. No. 910—Each1.50

VAN DORN DRILLS



1/3" Junior Drill
The most popular sized drill in the shop.
Another quality drill in the low priced field. Plenty of power, oil-less bearings.
A finished product. 110 volt, A. C. or D. C. Mfrs. List, each.....



This practical, handy drill is a quality drill in the low priced field. Powerful motor, oil-less bearings. Van Dorn quality throughout. 110 volt, A. C. or D. C. The Junior Drill—Mfrs. List, each......19.50

VAN DORN BENCH GRINDERS



6" Jr. Bench Grinder
A portable Bench Grinder with two 6"
grinding wheels. Adjustable tool rest,
wheel guards, toggle switch. 110 volt.
A.C. only.
Mfrs Lief




HEAVY DUTY CORD SETS

Paranite

Rubber Cord, plug, and handle socket. Heavy reflector guard.

Cat. Price No. Length Each 15' 25' 2515 1.15 2525 1.50 2550 2.50

HEAVY DUTY LAMP GUARD



No. 7000-Rubber Handle Keyless Portable Lamp Guard, each......2.40

KNOBS - TUBES - CUTOUTS

SPLIT KNOBS

Unglazed, high quality assembled knobs.

100 to Carton 2800 to Barrel

Price, per M

| Barrels (2800) | 16.50 |
|-------------------|---------|
| Cartons (100) | |
| Less than 100 | 27.60 |
| N.B. L.T. 100 | |
| to bbl., bbl. and | l over. |

EMILY KNOBS Joslyn Porcelain

| | Length | Dia. | Price |
|-----|-------------|-----------|--------|
| No. | Screw | Knob | Per C |
| 425 | 21/2" | 11/8" | 4.50 |
| 430 | 6" | 11/8" | 5.25 |
| 94J | 2" | 11/8" | 19.50 |
| N.B | . 1-100, 10 | 00-500, 5 | 00 and |

PORCELAIN TUBES

Best Quality

| A1 | 1 size | s in b | arrels | or c | artons | of 100 |
|---------------------------|--------|--------|---------|-------|---------|----------|
| | | | Le | SS | | Price |
| | A | op. Bb | | an | Cartor | is Per M |
| Size | | Qty. | 10 | 00 | 100 | Bbls |
| $3''x_{16}$ | | 4500 | 12. | 00 | 9.00 | 7.80 |
| $4'' \times \frac{5}{16}$ | | 3600 | 14. | 75 | 11.00 | 9.80 |
| $5'' \times \frac{5}{16}$ | | 2900 | 18.9 | | 14.25 | 12.45 |
| $6''x\frac{5}{16}$ | | 2000 | 24.0 | | 18.45 | 16.35 |
| N.B. | L.T. | 100, | 100-500 | 0, 50 | 0-bbl., | bbl. and |
| over. | | | | | | |

WIRE HOLDERS Brown Glazed Joslyn 50 to Carton, Std. Pkg. 100

| | | Dia. | Price |
|----------|------------|---------|-------|
| No. | Height | Knob | Per C |
| J1940 | 21/4" | 11/2" | 17.10 |
| J1955 | 27/8" | 17/8" | 27.30 |
| J1950 | 3" | 21/8" | 34.70 |
| N.B. 1-1 | 100, 100 a | nd over | |

EDISON PLUG CUTOUTS-30 AMP. 125 VOLTS



over.

1 wire Main 2 wire Main

No. 8719 2 wire main (Trade No. 2965)

9574

8719

8721 8716

9161

8401 8400

8402 8403



No. 8721 2 wire single branch (Trade No. 1935)

Description

2 wire single branch 2 wire double branch

3 to 2 wire double branch

2 wire Main solid neutral

2 wire single branch solid neutral 2 wire double branch solid neutral

3 to 2 wire double branch solid neu

N.B. Broken carton, carton, std. pkg. or 30 cartons assorted.

Double pole entrance switch



No. 8716 2 wire double branch (Trade No. 2587)



No. 8717 3 to 2 wire double branch (Trade No. 2199)

H.E.CC

No. 3087-O

| | | | Price |
|---|------|-----------|-------|
| Dimensions | Ctn. | Std. Pkg. | Per C |
| 2½"x2¼" | 10 | 150 | 21.20 |
| $3'' \times 2\frac{19}{32}''$ | 10 | 150 | 28.30 |
| $3\frac{15}{32}$ " x $2\frac{15}{16}$ " | 10 | 100 | 30.95 |
| 5½"x3" | 5 | 50 | 54.90 |
| $6\frac{3}{16}$ "x3" | 5 | 50 | 60.20 |
| 45/8"x3" | 2 | 100 | 66.40 |
| | | | |

SOLID NEUTRAL PLUG CUTOUTS-30 AMP. 125 VOLTS









| | No. 8403 | - 2 | No. 91 | 61 |
|------|---------------|------|-----------|----------|
| | 3 to 2 wire | | Double 1 | Pole |
| do | ouble branch | E | ntrance S | witch |
| (Tra | de No. 2199-O |) | | Price |
| | Dimensions | Ctn. | Std. Pks | g. Per C |
| | 2½"x23/8" | 10 | 150 | 28.30 |
| | 35/8"x21/3" | 5 | 100 | 30.95 |
| | 5½"x2½" | 5 | 50 | 54.90 |
| tral | 6½"x2½" | 5 | 50 | 60.20 |
| | | | | |

DEAD FRONT PLUG CUTOUTS



No. 3082

Cat. No. 3082 3084 3085 3086 3084-O 3085-O 3086-O



| - | 95.0 | B | BE /N | 1 |
|--------------|-------|---|-------|---|
| 7 | 1 0 | | 1 1 | 1 |
| The state of | | 1 | | 7 |
| 100 | 5 0 | | | |
| | | | | |
| 37 0 | | 7 | | |
| No. 3 | 086-O | | | |
| ~ . | | | | |

| THE STATE OF | |
|--------------|---|
| 200 55 | |
| No. 3086-O | 1 |
| Description | |

| Description | Carton | Std. Pkg. | Price, per C |
|---|--------|-----------|--------------|
| 2 wire main line double fused | 10 | 50 | 62.95 |
| 2 wire single branch double fused | 10 | 50 | 79.20 |
| 2 wire double branch double fused | 10 | 50 | 123.30 |
| 3 to 2 wire double branch double fused | 10 | 50 | 128.55 |
| 2 wire single branch solid neutral | 10 | 50 | 79.20 |
| 2 wire double branch solid neutral | 10 | 50 | 123.30 |
| 3 to 2 wire double branch solid neutral | 10 | 50 | 128.55 |
| 3 or 2 wire—4 circuit | 5 | 25 | 150.85 |

PORCELAIN CLEATS



Two and Three Wire

| | | Price per M Pr. | | |
|-----------|---------------|-----------------|-------|--|
| | Less than | Ctns. | Boxes | |
| Size | 100 | 500 | 500 | |
| 2 wire | 43.00 | 34.50 | 33.15 | |
| 3 wire | 45.00 | 36.15 | 34.95 | |
| N.B. L.T. | 100, 100-500, | 500-bbl. | | |



FEDERAL BUSHINGS PORCELAIN INSULATING

BUSHINGS

| | | Wire | | Std. | Price |
|-------|--------|---------|---------|---------|--------|
| No. | KO | Size | Ctn. | Pkg. | Per C |
| A1 | Loom | 10 | 100 | 500 | 6.75 |
| A11/2 | 1/2" | 10 | 50 | 250 | 8.15 |
| A2 | 1/2" | 8 | 50 | 250 | 8.15 |
| A3 | 1" | 3 | 50 | 250 | 10.80 |
| A4 | 1" | 2/0 | 25 | 125 | 14.40 |
| A5 | 11/4" | 450,000 | 25 | 125 | 19.40 |
| A6 | 2" 1,0 | 000,000 | 12 | 60 | 34.85 |
| N.B. | Broken | carton, | carton, | std. pk | g. and |
| over | | , | | | _ |

RADIO INSULATORS





| | Glass | | I | Porcelair | 1 |
|------|-----------|-------|---------|-----------|-------|
| Cat. | | | | Cart. | Price |
| No. | Descript | | Dia. | Otv. | Per C |
| 247 | Glass | 31/4' | 'x11/8" | 100 | 6.00 |
| 257 | Glass | 3" | x1" | 100 | 4.50 |
| 3 | Porc. | 21/1' | 'x 7/8" | 100 | 3.90 |
| N.B. | 1-100, 10 | | | | |

250 VOLT CARTRIDGE FUSE TYPE MAIN LINE AND BRANCH BLOCKS



Main Line Blocks

| | | | Cart. | Price |
|---------|-------|--------|-------|--------|
| No. | Poles | Amp. | Qty. | Per C |
| 296530 | 2 | 3-30 | 5 | 52.85 |
| 296560 | 2 | 31-60 | 1 | 111.50 |
| 2965100 | 2 | 61-100 | 1 | 223.00 |
| 216530 | 3 | 3-30 | 5 | 76.50 |
| 216560 | 3 | 31-60 | 1 | 159.70 |
| 2165100 | 3 | 61-100 | 2 | 318.45 |
| | | | | |

| | Double | Branch B | locks | |
|--------|----------|-----------|-------|--------|
| | | | Cart. | Price |
| No. | Poles | Amp. | Qty. | Per C |
| 258730 | 2 | 3-30 | 1 | 103.95 |
| 258760 | 2 | 31-60 | 1 | 278.75 |
| | Single I | Branch Bl | ocks | |
| | | | Cart. | Price |
| No. | Poles | Amp. | Qty. | Per C |
| 193530 | 2 | 3-30 | 5 | 67.50 |
| 193560 | 2 | 31-60 | 1 | 139.85 |
| | | | | |

Tape - Test Clips - Solder - Guards - Insulating Varnish




Size Ro 8 oz. 8 oz. 4 oz. 2 oz. 8 oz. 8 oz. 8 oz.

8 oz. 8 oz.

8 oz. 8 oz. N.B. Okoni

10-500 rolls,





| 1 | | |
|-----|---------------------------|--------------|
| | | |
| oll | Brand | Ft. per Roll |
| | Paranite | 60' |
| | Dutch Brand | 68' |
| | Dutch Brand | 34' |
| | Dutch Brand | 17' |
| | D.B. Jumbo (10 roll cyl.) | 68' |
| | Manson | |
| | Plymouth Special A.S.T.M | . 82½' |



| Packing Price, | per C Rolls |
|-----------------|---------------|
| Foil & Carton | 28.50 |
| Foil & Carton | 29.25 |
| Foil & Carton | 15.00 |
| Foil & Carton | 8.60 |
| Foil & Cylinder | 2.70 per cyl. |
| Can | 61.85 |
| Foil & Carton | 32.25 |
| | |



| Style | Price, pe | r cwt. |
|--------------------------|--------------|--------|
| | 1# can 5. | # can |
| 30/70 Electricians Wire | | 51.75 |
| 50/50 Wire | | 65.25 |
| 50/50 Bar | | 63.75 |
| Acid or Rosin | Core | |
| Acid Core | 105.00 | 88.50 |
| Rosin Core | 105.00 | 88.50 |
| N.B. Acid or Rosin, 1-5# | 5-20#, 20: | # and |
| over. Wire and Bar, 1- | -5#, $5-50#$ | £, 50- |
| 100#, 100-500#. | | |

SOLDERING PASTE

BURNLEY'S PASTE

"The Best"



| | Std. | Price |
|-------|-------|--------|
| Size | Pkg. | Per C |
| 2-oz. | 36 | 22.50 |
| 4-oz. | 24 | 37.50 |
| 8-oz. | 12 | 75.00 |
| 1-lb. | 6 | 135.00 |
| ND | Broke | n nlea |

N.B. Broken pkg., std. pkg. & over.

OUALITY RUBBER TAPE







| Brand | Packing | Price, per C Rolls |
|--|----------------------|----------------------|
| Paranite 4 | Foil & Carton | 32.25 |
| Dutch Brand | Foil & Carton | 32.25 |
| Okonite | Can | 71.25 |
| P & B Weatherproof | Foil & Carton | 55 50 |
| ite & Manson, 1-20 rolls, 20-200 rolls, 20 | 0 rolls & over P & | B Tape 1-10 rolls |
| , 500-1000 rolls; All others, under 50 l | bs., 50-250 lbs., 25 | 0-500 lbs. assorted. |

LAMP GUARDS

LOXON PROTECTOR-O GRIPON LAMP LAMP GUARDS LAMP GUARDS



| No. 1425 | No. 1427-A | No. 1429 | N |
|----------|------------|----------|----|
| No. 1426 | No. 1428-A | No. 1432 | 14 |
| | | | |

o. 1600 12 to Carton

| 12 to Carton | | | | | |
|----------------------------------|-----|----------|--------|-------------|-------|
| Cat. | | | | | Price |
| No. | | Watts | Socket | Style | Per C |
| 1425 | | 50-60 | Brass | Loxon | 52.50 |
| 1426 | | 100 | Brass | Loxon | 60.00 |
| 1427- | A | 50-60 | W.P. | Loxon | 52.50 |
| 1428- | A | 100 | W.P. | Loxon | 60.00 |
| 1429 | | 25-60 | Brass | Protector-o | 37.50 |
| 1432 | | 25-60 | W. P. | Protector-o | 37.50 |
| 1600 | | 50-75 | Brass | Gripon | 37.50 |
| 1602- | A | 50-75 | W.P. | Gripon | 37.50 |
| 1601 | | 100 | Brass | Gripon | 45.00 |
| 1603- | A | 100 | W.P. | | 45.00 |
| 1605 | | 200 | Brass | Gripon | 67.50 |
| 1606- | A | 200 | W.P. | Gripon | 67.50 |
| Extra | a I | Keys for | Loxon | Guards | 7.40 |
| One Key included with each Dozen | | | | | |
| Loxon Guards. | | | | | |
| Lond. Oddi do. | | | | | |

N.B. 1-12, 12-72, 72-144, 144 & over.

UNIVERSAL TEST CLIPS



| | | | | Price |
|-----|---------|-------------------|--------|-------|
| No. | Amp. | Spread | Length | Per C |
| 85 | 5 | 1/2" | 23/8" | 10.50 |
| 45 | battery | 3/8" | 11/2" | 7.50 |
| 48B | battery | 9 " 16 " 1" | 13/4" | 7.50 |
| 27 | 10 | 9" | 21/4" | 15.00 |
| 24A | 15 | * | 21/2" | 15.00 |
| 21A | 35 | 11/2" | 37/8" | 24.00 |
| 11A | 100 | 11/4" | 57/8" | 75.00 |
| | | | | |

RUBBER INSULATORS

| | | Price |
|-----|--------------------------|-------|
| No. | Fits Clip No. | Per C |
| 87 | 85 | 7.50 |
| 47 | 45 | 12.00 |
| 49 | 48B | 15.00 |
| 29 | 27 | 18.00 |
| 26 | 24A | 30.00 |
| 23 | 21A | 51.00 |
| 13 | 11A | 94.50 |
| D1 | 1 5 Dad and 5 Dia -1. 4. | |

Packed 5 Red and 5 Black to Carton 10 to Carton—Standard Pkg. 100 N.B. Broken ctn., ctn., std. pkg., 5 std. pkgs.

DOLPH'S INSULATING VARNISHES



The ideal insulation for motor maintenance. Offers maximum protection against water, acids, and lubricating oils. Enhances the general appearance of the treated motor.

| Addo 1 | P | rice |
|--------------------------------|-------------|--------|
| 1 | Gal. | 5 Gal. |
| | Can | Can |
| No. Pe | r Gal. Pe | r Gal. |
| 1-Coil black, air drying. | 2.55 | 2.10 |
| 2—Coil black, baking | 3.05 | 2.60 |
| 3—Black finishing, | | |
| air drying | 2.40 | 1.95 |
| 5—Clear coil, air drying | 3.80 | 3.35 |
| 6—Clear coil, baking | 3.35 | 2.90 |
| 7—Chinalak, black baking | 3.45 | 3.00 |
| 8—Electric lacquer | 4.80 | 4.35 |
| 44—Special black baking | 2.55 | 2.10 |
| 71—Chinalak, clear baking | 3.65 | 3.20 |
| | er Pt. Pe | er Qt. |
| 81—Red oil proof enamel | | 3.20 |
| N.B. 1-6 val., 6-12 gal., 5 ga | 1. cans, 5. | 5 gal. |
| drums. | | |

#2 P & B PAINT Pints42 each 1/2 gals.1.17 each Quarts64 each 1 gals.2.10 each


MUELLER CLAMPIPE

A ground clamp for use in grounding a radio or other apparatus to water pipe, etc. C a d m i u m plated.



ed. CLAMPIPE
No. 58—3%" to 13%" jaw spread.
10 to Carton—Standard Pkg. 100 Price, per C.....12.00

WIREMOLD



No. 19

| | 1101 | 1118 |
|---|---------------|------------------|
| | 1101 A | 1123 |
| | 1104 | 1123 (Q)-5 |
| | 1108 | 1124 |
| _ | 展 [] | 1126 |
| | 1108 0 0 A | 1126 A |
| | 1108 B | 1126 B |
| | | 1127 |
| | 1110 | 1127 A 1127 B |
| | 1110 OF | 1127 E |
| | 1110 2/5 B | 1128 |
| | 1113 | 1173 |
| | 1114 | 1174 |
| | 1117 | 1181 |


Std. Pkg. Cat. Price No. Cart. Per C 1100B 100' 1000' 16.50 1100C 100' 1000' 8.40 1101 5 5 10 23.75 1101A 8.10 7.85 1104 1108 86.55 1108A 22.80 1108B 55.10 1110 19.20 1110A 33.00 1110B 1113 51.45 1114 27.95 32.15 1114A 1115 1117 37.70 1118 37.70 39.95 39.95 39.95 1123 1123A 1124 1126 46.25 1126A 48.80 85.70 No. 200 WIREMOLD AND FITTINGS



5 Ft. Lengths 100 Ft. to Carton

Wire Capacity, Single Conductor 2 No. 14, 4 No. 16, or 4 No. 18 Twisted Pair

2 No. 16, 2 No. 18, or 2 No. 19




| Cal. | | Sta. | Price |
|------|--|-------|--------|
| No. | Cart. | Pkg. | Per C |
| 200 | 100′ | 1000' | 8.25 |
| 200F | 1 | 10 | 68.55 |
| 201 | 10 | 50 | 1.35 |
| 203 | 10 | 50 | 1.70 |
| 205 | 10 | 50 | 1.25 |
| 206 | | 50 | 1.25 |
| 211 | - 5 | 50 | 14.10 |
| 211L | 5 | 20. | 30.00 |
| 211R | 5 % | 20: | 30.00 |
| 214 | 10 5 5 5 5 5 1 5 1 | 20 | 15.00 |
| 217 | 5 | 50 | 17.45 |
| 218 | 5 | 50 | 15.00 |
| 220 | 1 | 20 | 41.55 |
| 228 | 5 | 20 | 33.00 |
| 240 | 1 | 20 | 75.00 |
| 242 | 1 | 20 | 36.45 |
| 243 | | 20 | 56.25 |
| 243A | 1 | 20 | 127.25 |
| 251 | 1 | 20 | 40.70 |
| 289 | 5 | 20 | 13.70 |
| 289A | 10 | 50 | 2.00 |
| | | | |
| 1100 | | 20 | |

| 1127 | 1 | 20 | 40.70 |
|-------|------------------|------------|--------|
| 1127A | 1 | 20 | 47.40 |
| 1127B | in in the second | 20 | 53.90 |
| 1127C | 1 | | |
| | 1 | 20 | 38.55 |
| 1127D | 1 | 20 | 38.55 |
| 1128 | 1 | 10 | 77.15 |
| 1173 | 1 | 10 | 31.50 |
| 1174 | 1 | 10 | 27.45 |
| 1181A | <u>\$</u> | 20 | 39.95 |
| | | - 20 | |
| REFLE | ECTORS (ctn. | 5, std. pk | g. 20) |
| 1191 | Steel chrome | 12" | 125.00 |
| 1191A | Aluminum | 12" | 114.00 |
| 1192 | Steel chrome | 18" | 162.50 |
| 1192A | Aluminum | 18" | |
| | | | 152.00 |
| 1193A | Aluminum | 12" | 105.00 |
| 1194A | Aluminum | 18" | 141.95 |
| | | | |

No. 500 WIREMOLD AND FITTINGS

10 Ft. Lengths 100 Ft. to Carton



CAPACITY SINGLE CONDUCTOR No. 14 3 No. 16 6 No. 18 TWISTED PAIR No. 16 2 No. 18 2 No. 19 3

| | CAT. No. | ARTICLE | CAT No. | ARTICLE |
|---|-------------|----------------------------------|------------|-----------------------|
| | 502 | BUSHING | 523 | FIXTURE |
| | 504 | STRAP | | ROSETTE |
| | 506 | CONNECTION | 524 | COMBINATION |
| | 511 | NON SPLICE TYPE | 525 | RECEPTACLE BASE |
| - | 512 | NONSPLICE TYPE 45° FLAT ELBOW | 526 | KEYLESS RECEPTACLE |
| | 515 | 711 | 527 | PLUG RECEPTACLE |
| | 516 | CROSS | 532 | 21/2" OUTLET BOX |
| | 517 | INTERNAL ELBOW | 533 | 3" OUTLET BOX |
| | 518 | EXTERNAL ELBOW | 588 | OPEN WORK |
| | 519 | CORNER BOX | | COUPLING |
| | 521 | ROSETTE | 599 | MOULDING CONNECTOR |

| Cat. | 1 | | C+1 | ъ. |
|------|---------|-------------------------|-------------|--------|
| No. | to fare | Canh | Std. | Price |
| | | Cart. | Pkg. | Per C |
| 500 | | 100' | 1000′ | 10.20 |
| 500F | , | 1 | 10 | 72.00 |
| 502 | | 50 | 200 | 1.80 |
| 504 | | 50 | 500 | 1.25 |
| 506 | | 50 | 200 | 1.25 |
| 511 | | 5 | 50 | 14.75 |
| 512 | | 5 | 20 | 16.80 |
| 515 | | 5 | 50 | 21.65 |
| 516 | | 5 | 20 | 27.25 |
| 517 | | 5 | 50 | 15.95 |
| 518 | | 5 | 50 | 15.95 |
| 519 | | 5 | 20 | 40.25 |
| 521 | | 5 | 50 | 36.20 |
| 523 | | 5 | 50 | 77.45 |
| 524 | | 5 | 50 | 55.25 |
| 525 | | 5 | 50 | 80.00 |
| 526 | | 5 | 50 | 60.00 |
| 527 | | 5 | 50 | 81.35 |
| 532 | | 5 | 20 | 45.00 |
| 533 | | 5 | 20 | 45.00 |
| 588 | | 50555555555555555555554 | 20 | 31.50 |
| 599 | | 4 | 20 | 3.75 |
| 1 | | | 20 | 3.73 |
| 600 | Dandan | E- C | 200 500 700 | 200.00 |

600 Bender For 200-500-700 300.00 600M Bender Adapter furnished on request


Wiremold Enamel, 1 pt. cans

1126B

75.00

WIREMOLD

No. 1500 WIREMOLD AND FITTINGS



TWISTED PAIR No. 18 4 No. 22

| 1502 | 4 | |
|-------|---|--|
| 1517 | | |
| 1517A | | |
| 1524 | | |
| 1542 | | |
| 1543 | | |

| ~ | | | |
|--------|--|--------|----------------|
| Cat. | | Std. | Price |
| No. | Cart. | Pkg. | Per C |
| 1500 | 100' | 1000' | 30.00 |
| 1502 | | 50 | 3.95 |
| 1511 | ŤŠ | 20 | 24.00 |
| 1517 | ž | 20 | 24.00 |
| 1517A | 5 | 20 | 24.00 |
| 1518 | 5 | 20 | 27.95 |
| 1524 | 10 5 5 5 1 1 5 5 1 | 20 | 24.00 85.70 |
| 1524 A | 1 | 10 | 85.70 |
| 1524A | 1 | 10 | 85.70 |
| 1542 | 5 | 20 | 39.95 |
| 1542A | 5 | 20 | 33.95 |
| 1543 | 1 | 10 | 94.25 |
| 1543A | 1 | 10 | 240.00 |
| 27 / | | | |
| No. | 700 WIREMOI | D FITT | INGS |
| 700 | 100' | 1000' | 11.70 |
| 700F | 1 | 10 | 73.70 |
| 702 | 50 | 200 | 2.02 |
| 5703 | 50 | 500 | 2.02 |
| 704 | 50 | 500 | 2.02 |
| 706 | 50 | 200 | 2.02 |
| 5709 | 20 | | 1.27 |
| 5711 | 5 | 20 | 8.75 |
| 5711T | 10 | 100 | 19.35 |
| 5711L | 5 5 5 5 | 20 | 30.00 |
| 5711R | 5 | 20 | 30.00 |
| 5712 | 5 | 20 | 22.50 |
| 5715 | 5 | 50 | 27.50 |
| 717 | 10 | 100 | 17.00 |
| 5717 | 10 | 100 | 21.95 |
| 5717A | 1 | 10 | 42.80 |
| 718 | 10 | 100 | 17.00 |
| 5718 | 10 | 100 | 21.95 |
| 5719 | 5 | 20 | 45.90 |
| 5719A | 5 5 5 | 20 | 39.95 |
| 5720 | 5 | 50 | 47.85 |
| | | | |

No. 700

WIREMOLD AND FITTINGS 10 Ft. Lengths




| No. 16 4 No. 18 4 | N.T | 10 | |
|-------------------|------------|-------|---|
| | | 1810 | |
| No. 10 2 No. 12 4 | UCT No. | OR 14 | 4 |

| CAT | ARTICLE | GAT NO | ARTICLE | CAT. | ARTICLE |
|-----------|-----------------------|-----------|--|-------------------|--|
| 570 | COUPLING | 5728 | UTILITY BOX | 5745 | |
| 70: | BUSHING | 5729 | COMMUNIT TYPE UTILITY BOX | 5747 | |
| 570 | CLIP | 5730 | CONTACT BLOCK | 5748 | SMALLOW SURFACE SWITCH & RECEPT BOX |
| 704 | ONE OR TWO HOLE STRAI | 5731 | COVER FOR MS5753-32 | | SUMMACY TYPE SWITCHBOD |
| 706 | CONNECTION COVER | 5732 | | 5748 8 | SHALLOW SURFACE RECEPTACLE BOX |
| 570 | MULTIPLE STRAP | 5733 | 2% OUTLET BOX | 5749 | |
| 570 | FIXTURE HOOK | 5734 | S'OUTLET BOS | 5750 | |
| 570 | GROUND CLAMP | | CLOSED EXTENSION BOX | 5751 | PUSIN SWITCH BOX |
| 571 | 90' FLAT ELBOW | 5735 | popularius pos | | THE PARTIES |
| 571 | 2 STELAT ELBOW | 5736 | BLANK COVERS For Buy 5797-38-39-394 | 5760 | BLAND ENTERSION BOY |
| 571 | | 5737 | 4 N EXTENSION BOX | 5761 | THIN RECEPTACIA BOX |
| 5717 | INTERNALELBOW | 5738 | Abe FESTIVEY BOS | 5762 | RICEPTAGES BOA |
| 5717 A | ELBOW PULL BOX | 5738 D | "DIPLE" THRU MOOR CONNECTOR | 5780 | Check Service |
| 5718 | EXTERNAL ELBOW | 5738 E | HOOR CONNECTOR | 5781 5781 A | In 800 CONNECTOR |
| 571 | 一门 | 5739 | OF THE PERSON LANDER | 5782 | 12° PIPE LOURINGS |
| 5720 | CORNER BOX | 5739 | 6 to fixture BOX | 5782 A | ha birt courties |
| 5720 | PITTING | 5740 | 6% EXTENSION BOX | 5783 5784 | BOI CONNECTOR |
| A | SHOW CASE | 5741 | SINGLE POLE SWITCH | 5785 | COMPANY CONNUNC |
| 5721 | ROUND UTILITY BOX | | SW-7C+ BOS | | COMBUNATION CONNECTOR |
| 5724 | LONGINATION ROSETY | 5742 | JUNCTION BOX STRAGET UNE SITTING | 5786 | ADJUSTABLE OFFICE COMMECTOR |
| 572 | RECEPTACLE BASE | 5742 A | DUREABLE ANOTHON BOR | 5787 5788 | G-B |
| 5726 | 0 | 5743 | DIPLIA DICEPTACE | 5790 | WORK CONSEPTOR |


PLUGMOLD AND FITTINGS

The Continuous Outlet System

No. 2100 B channel No. 2100 C cover 30 inch Lengths



CAPACITY SINGLE CONDUCTOR
........ 6 No. 1618
No. 1820 TWISTED PAIR No. 18 8 No. 22 ..



| | | | _ |
|-------|-------|-------|-------|
| Cat. | Cart. | Std. | Price |
| No. | | Pkg. | Per C |
| 2100B | 100' | 1000′ | 15.00 |
| 2100C | 100′ | 1000′ | 9.75 |
| 2101 | | 20 | 4.70 |
| 2110A | 5 | 20 | 18.50 |
| 2110B | 5 | | 8.70 |
| 2111 | 5 | 20 | 27.95 |
| 2117 | | 20 | 29.30 |
| 2118 | 5 5 | 20 | 23.75 |
| 2127 | | 20 | 30.00 |
| 2121 | | | 00.00 |

No. 700 WIREMOLD FITTINGS

| 5726 | 5 | 50 | 60.00 |
|---------------|---|--|------------------|
| 5727 | 5 | 50 50 50 10 | 81.35 |
| 5728 | 10 | 50 | 39.95 |
| 5728A | 100 | 10 | 45.75 |
| 5728B | î | 10 | 82.80 |
| 5730 | Ŝ | 20 | 20.00 |
| 5730A | 10 | 50 | 39.95 |
| 5731A | 5 | 50 - | 11 70 |
| 5731 5732 | 2 | 50 | 11.70 39.95 |
| 5733 . | 5 | 50 | 41.15 |
| 5/33 . | 5 | 20 | 65.00 |
| 5734 | 5 | 20 | 62.45 |
| 5734A | 3 | 20 | 76.05 |
| 5735 | 1 | 20 | 76.05 |
| 5736 | 5 | 50 | 16.25 |
| 5737 | 5 | 50 | 65.00 |
| 5737A 5738 | 5 | 50 | 65.00 |
| 5738 | 5 | 50 | 59.00 |
| 5738A | 5 | 50 | 62.00 |
| 5739 | 5 | 20 | 72.80 |
| 5739A | 5 | 20 | 84.00 87.80 |
| 5740 | 1 | 20 | 87.80 |
| 5741 | 1 | 20 | 61.05 |
| 5742 | 5 | 20 | 56.70 |
| 5742A | 5 | 20 | 78.75 |
| 5743 | 5 | 20 | 88.80 |
| 5744 | ĭ | 10 20 50 50 50 50 20 20 20 50 50 50 50 20 20 20 20 20 20 20 20 20 20 20 20 20 | 83.55 |
| 5745 | î | 20 | 60.65 |
| 5747 | î | 20 | 57.80 |
| 5747-2 | i | 10 | 109.25 |
| 5747-3 | 1 | 10 | 130.70 |
| 5748 | 1 | 20 | 61.50 |
| 5748-2 | 1 | 20 10 | 113.55 |
| 57400 | 1 | 20 | 54.00 |
| 5748S | 1 | 20 | 90.05 |
| 5749 | 1 | 20 20 20 10 | |
| 5751 | 1 | 20 | 57.80 |
| 5752 | 1 | 10 | 123.20 147.80 |
| 5753 | 1 | 10 20 | 147.80 |
| 5760 | 1 | 20 | 57.15 |
| 5780 | 5 | 50 | 14.00 |
| 5781 | 5 | 50 | 22.05 32.45 |
| 5781A | 5 | 20 | 32.45 |
| 5782 | 5 | 50 20 50 | 26.40 |
| 5782A | 5 | 20 20 | 35.00 |
| 5783 | 5 | 20 | 36.20 |
| 5784 | 5 | 20 50 | 36.20 |
| 5785 | 5 | 50 | 23.15 |
| 5786 | 5 | 20 | 52.50 |
| 5788 | 5 | 20 | 35.40 |
| 5790A | 550111505555555555555555555555555555555 | 50 | 9.95 |
| | | | |

5720A 5720B 5721 5724

5725

No. 700 WIREMOLD FITTINGS

20 50 50

20 50

54.95 47.85 34.95 48.95

80.00

SMALL BELLS AND BUZZERS Standard Quality Line



Two-Coil Nonadjustable Cadmium plated Edwards



| - | | | |
|----------|-------------|------|--------|
| No. 740 | | No. | 741 |
| Cat. No. | Description | Pkg. | Per C |
| 740 | 2½" Bell | 10 | 42.75 |
| 741 | Buzzer | 10 | 40.50 |
| 742 | Combination | 10 | 78.75 |
| 743 | 3" Bell | 5 | 60.75 |
| 744 | 4" Bell | 5 | 83.25 |
| 745 | Cowbell | 5 | 121.50 |
| 746 | Sleighbell | 5 | 121.50 |
| | 1 | | |

Competitive Quality Line



Single Coil Nonadjustable Gray finish Edwards



| No. 728 | | N | o. 729 |
|---------|-----------------------------|------------------|-------------------------|
| 28 21/2 | scription " Bell zzer | Pkg. 10 10 | Per C 38.25 36.00 |
| "Cadet" | Highest Q | uality Lin | 1e |



Black finish Descrip-Cat. Pkg. Per C No. tion 21/2" Bell 50 710 93.60 Bell 712 10 106.20 Bell 137.70 714 715 Buzzer 91.80

Two Magnet

adjustable

LUNGEN BUZZERS



Best quality small Buzzers. Double ad-justment. Pure hard drawn silver con-

8-10V. A.C. 6-8V. D.C. Std. Pkg. 10 assorted

| | Price |
|--------------------------------------|---|
| Size | Each |
| 15/8"x11/8" | 2.10 |
| $2\frac{1}{8}$ " x $1\frac{5}{16}$ " | 2.00 |
| $2\frac{9}{13}$ "x13/4" | 2.10 |
| 3" x2" | 2.25 |
| 3½"x2¼" | 3.00 |
| | 15/8"x11/8" 21/8"x1\frac{5}{6}" 2\frac{9}{2}"x13/4" 3" x2" |

GAYNOR BELLS AND BUZZERS



No. 265 Cat. No. 265 275 285

Round Type Outside diameter 31/2" Ivory gong

| | Polished N | ickel Skirt |
|---|-------------|-------------|
| Γ | Description | Price, each |
| В | ell | .45 |
| В | uzzer | .45 |
| C | ombination | .821/2 |

FLUSHCALL LINE BELLS AND BUZZERS

Flush mountingfor std. boxes and plates



| | 140.000 | 140.001 | 140.002 |
|----|---------|---|---------|
| 60 | 50 Ri | Std. package 20 Description ngcall—bell | |
| | | | |
| | | icall—Combination | |
| 6 | 53 M | elocall—single note. | 1.08 |
| 60 | | gelpush-button | |
| 61 | 56 Pc | wacall-transformer | 1.00 |
| | | | |
| O | 00 V a | ricall—adj. buzzer . | 90 |
| | | 1 | |

BENJAMIN HOWLERS

No. 666



No. 663

Heavy Duty Weatherproof Vibrating type

No. 668

| Cat. | | | |
|-------|--------------|-------------------|-------|
| No. | Connection | Voltage | Each |
| 8346H | 1/2" conduit | 110V. 60 cy. A.C. | 11.25 |
| 8326H | ½" conduit | 110V. D.C. | 13.10 |

Non-Weatherproof Howlers



No. 8326A with bell type projector. Open wiring... 110V. D.C Each .. 11.25



No. 8152L with conical projector. Open wiring. 110V. 60 cycle A.C. Each8.40

Type

A

Motor

Driven

Siren

Other voltages on application.

FEDERAL SIREN



LARGE BELLS

The Adaptabel—Edwards Vibrating Type

Vibrating or single stroke types for all A. C. or D. C. volt-ages. Monitor type. Fits standard boxes.



No. 560-Vibrating type Price, each Size 12-30V. 110V. A.C. A.C 4" 6" 8" 11.30 14.15 14.15 17.95 17.95 21.70 10" 28.35 33.05



GENERAL PURPOSE BELLS

No. 55-A.C. or D.C. Bell Single Magnet Black Enamel Finish Non-Weatherproof Competitive

| 8-10 | V. A.C | . 6-81 | 7. D.C. |
|------|--------|--------|---------|
| No. | 55-4" | , each | 3.54 |
| No. | 55-6" | , each | 4.45 |
| No | 55-8" | each | 7 50 |



EDWARDS INDUSTRIAL HORNS

No. 311 Flat type for indoor use. No. 310 similar to No. 311 illustrated but with projector horn.





Weatherproof and non-weatherproof horns, single and double projector type. Very powerful and dependable signal horn. No. 312 is single projector type for outdoor use. No. 313 is double projector type for two direction sound carry. Specify voltage 12-30V., or 120V.

| Cat. | | | |
|------|------------|----------------|-------|
| No. | Type | Dimensions | Each |
| 310 | Non-w. pf. | 6" x6" x103/4" | 11.80 |
| 311 | Non-w. pf. | 5½"x5½"x3" | 10.60 |
| 312 | W. pf. | 6" x6" x113/4" | 14.15 |
| 313 | W. pf. | 6" x20" x63/4" | 18.90 |



FIRE ALARM SYSTEMS

Edwards Complete Fire Alarm Equipment. Submit your problem to us for recommendations and prices.

Pushes - Burglar Alarm Devices - Transformers

PUSH BUTTONS

All Metal One-Piece Types







No. 600 Round

No. 606

Vameplate

| Oval | | | T |
|------|-------|--------|---|
| DlC | Brass | Finish | |

| Cat. No. | Description | Std. pkg. | Per C |
|----------|------------------|-----------|-------|
| 600 | 21/4" round | 50 | 13.00 |
| 603 | 13/4" round | 50 | 13.00 |
| 606 | 13/8"x23/8" oval | . 20 | 22.00 |
| 609 | 2"x4½" oval | 20 | 36.00 |
| 607 | Nameplate | 50 | 22.00 |
| | | | |

Bakelite Bell Buttons



No. 615 Edwards No. 9700



| Cat. No. | Description | C4.1 -1 | D. C |
|----------|-------------------|-----------|-------|
| | | Std. pkg. | Per |
| 615 | Edwards square | 100 | 15.00 |
| 9700 | | | |
| | Leviton square | 100 | 14.15 |
| 165 | Eagle 13/4" round | 25 | 12.75 |
| 144 | E-1. M | . 23 | |
| 144 | Eagle Nameplate | 25 | 21.00 |



No. 144 Nameplate



No. 165

Pearl Center Pushes Nickel Finish



No. 620-for 5/8" hole. No. 59-for 3/4" hole. Cat. No. Std. pkg. Per C 50 33.00 67.00

Pear Pushes



No. 67— Edwards bakelite pear pushes. Black or brown. White-

No. 185-Eagle bakelite push. 10 to pkg.



No. 235

Special Push Buttons



290


206

235

No. 67



No. 206 Table Push



HIGH VOLTAGE PUSH BUTTON



Quick makequick break. 1 amp.—125 volt 1/2 amp.—250 volt For 37 hole

with

name

cards

DIRECTORY PUSHES-EDWARDS



Available in mahogany or black

| | with | without |
|---------|------------|---------|
| No. of | 6 ft. cord | cord |
| Buttons | Each | Each |
| 1 | 3.70 | 2.80 |
| 2 | 4.60 | 3.35 |
| 3 | 5.85 | 3.90 |
| 4 | 6.85 | 4.80 |
| 5 | 9.55 | 6.50 |
| 6 | 11.55 | 8.20 |
| | | |

BAKELITE DESK PUSHES



Edwards With numbered buttons No. 146 Std. pkg. 5 asstd.

| | with | without |
|---------|------------|---------|
| No. of | 6 ft. cord | cord |
| Buttons | Each | Each |
| 2 | 4.30 | 2.80 |
| 3 | 5.55 | 3.60 |
| 4 | 6.60 | 4.05 |
| 5 | 8.00 | 5.05 |
| 6 | 9.35 | 5.85 |


TRANSFORMERS



No. 86

Edwards Transformers are correctly designed for the proper operation of all signaling devices. Approved by the National Board of Fire Underwriters.

No. 86 — Steel case, 8 Volt Secondary. 10 to



No. 86T — Trivolt 5 Watt 6-12-18 Volt Secondary. 10 to pkg. Each _____1.40

No. 86ER—Fits on 31/4" or 4" octagon boxes 8 or 4" octagon boxes 8 Volt Secondary. 10 to pkg. Each




No. 86ER

No. 88—50 Watt, 4-8-12-16-20-24 Volt Secondary. Each4.55

No. 90-100 Watt. secondary voltage in steps as above. Each7.50

BURGLAR ALARM DEVICES

No. 26C No. 30 No. 34



236 Open Door Trip 10 1.17

No. 26C—Constant Ringing Drop
Designed especially for burglar alarm
systems. Is attached to main line—closing circuit drops plunger, thus closing local circuit and causing bell to ring continuously. Plunger resets. Price, each2.55

Burglar Alarm Matting



2 feet wide. Std. pkg. — 10' roll. Per sq. ft.3.20

EDWARDS DOOR TRIP

No. 236 For top of doors. Rings bell as door is opened and resets itself as door is closed. Price, each1.17

EDWARDS ENCLOSED RELAY TYPE

For A.C. or D.C. Open or closed circuit as specified. When ordering give operating voltage.



No. 1239 Price Voltage Each 8-24 5.65 25-48 6.35

DOOR OPENERS



Edwards
No. 9 — Economy Mortise type. Height 3-5%", depth 13/4", width 1". Std. pkg. 24. Each2.70 No. 154—Roller



Nose Mortise type. Height 3-3/8", depth 27/8", width 11/4". Each5.30



Leviton Competitive 8 volt Bell Transformers 10 to carton

No. 1152-Each78 No. 1150—Box Type

24-VOLT FURNACE OR CHIME TRANSFORMERS

No. 637201—each2.75

ANNUNCIATORS - TIME CLOCKS - TELEPHONES

EDWARDS ANNUNCIATORS SURFACE TYPE

8-12 Volts A.C. Standard

Standard Finish Black. White 5% Extra A greatly improved, standard surface unit at the same cost as old-fashioned surface annunciators. Remarkable reduction in size without sacrificing clearness of indication.



No. 82

| | 8-12 Volt | s A. C. | Standard | |
|--------|-----------|------------|----------|-------|
| No. of | Overa | ll Dimensi | ions | Price |
| Drops | Height | Width 5¼" | Depth | Each |
| 2 | 43/8" | 51/4" | 2½" | 10.85 |
| 3 | 4%" | 51/4" | 21/2" | 11.80 |
| 4 | 43/8" | 51/4" | 2½" | 12.75 |
| 6 | 43/8" | 51/4" | 2½" | 16.05 |
| 8 | 4%" | 51/4" | 2½" | 19.35 |
| 10 | 5" | 7 18" | 2½" | 24.05 |
| 12 | 5" | 738" | 21/2" | 28.80 |
| 14 | 738" | 738" | 2½" | 34.75 |

FLUSH TYPE THE NEW ANNUNCIETTE



No. 672

JNCIETTE

A small, neat, flush standard unit that replaces the old-fashioned surface annunciator at no greater cost. The new, modern design effects a remarkable reduction in size-compact construction—pleasing in appearance.

The new, simple, smooth action drop takes much less current for operation column) operates it

The POWACALL (in next column) operation. the perfectly. The reset principle is entirely new—no "thrust, throw or push"—just a quick, easy pressure of the button. 85 Different Markings furnished with each Annunciette.

No. 672

ANNUNCIETTE WITH WALL BOX

| | 8-12 Vo | lts A. C. St | tandard | |
|---------|----------|--------------|---------|---------|
| No. of | Wall | cut Dimens | ions | Price |
| Drops | Height | Width | Depth | Each |
| 2 | 45/8" | 5%" | 3" | 13.65 |
| 3 | 45/8" | 57/8" | 3" | 14.60 |
| 4 | 4%" | 5%" | 3" | 15.55 |
| 6 | 4 1/8" | 5%" | 3" | 19.35 |
| 8 | 45/8" | 5%" | 3" | 22.20 |
| 10 | 4%" | 7%" | 3" | 26.90 |
| 12 | 45%" | 7%" | 3" | 31.65 |
| 14 | 61/4" | 7%" | 3" | 37 30 |
| Special | finishes | and voltag | ges can | be sup- |



UNIVERSAL PERCOLA-TOR **FUSES** 12 to Display Card No. 1920

PARAGON TIME SWITCHES



Synchronous Simple Sturdy Dependable Available in both indoor and outdoor types.

Extra Trippers for 2 or 3 daily "On" and "Off" operations available at no extra cost when specified.

| Cat. No. | Description Price, | each |
|----------|------------------------------|-------|
| | Indoor Types, 115 Volt | |
| G 1-115 | | |
| - | on, 1 off, 1 & 2 off | 22.90 |
| G15-115 | 15 Amp., 1 circuit S. P., | |
| | On and Off | 18.00 |
| G40-115 | 40 Amp., 1 circuit D. P., | |
| | On and Off | 20.95 |
| P.S. | Poultry Time Switch | |
| | 1600 watt, Bright & Dim | 18.00 |
| | Outdoor Types, 115 Volt | |
| | W 15 Amp., 1 circuit S. P. | |
| | On and Off | 21.45 |
| G40-115V | W 40 Amp., 1 circuit D. P., | |
| | On and Off | 24,35 |
| Note: N | o. G15-115 is available with | Sun- |
| | ut at \$3.50 additional. | |
| | | |

APARTMENT TELEPHONES



No. 4612 Edwards

We handle the complete Edwards line of Apartment House and Intercommunicat-ing Telephones. Submit your communication problems to us for suggestions and



SERV-U-FONE SYSTEMS



No. RP126 TWO STATION SYSTEM

Two wires required between telephones, and 2 drycells at each end. Each phone furnished with 50 ft. single interior wire and directions for installing.

Cat. No. Description Pri
RP126 Wall type telephone
RP128 Desk type telephone
RP361 Single condr. interior wire 6.30 6.30 RP418 Single condr. exterior wire 1.26 C'



3 TO 10 STATION SYSTEM

Common Ringing — for Code Signalling system. Requires 4 condr. wire—4 to 8

drycells to operate. Cat. No. Description Price, each RP137 Desk type telephone RP138 Wall telephone RP397 4 cell battery box RP363 4 condr. interior wire 8.40 8.40 4.99 2.63 C' RP419 4 condr. exterior wire 5.25 C'

AMERICAN AUTOMATIC TELEPHONES



No. 34A16 PAX Swbd. Private Automatic Exchange



We supply the complete American Automatic Telephone line of intercommunicating telephones, private exchanges, country line telephones, etc. Let us quote you on your requirements.

No.

Set


EAGLE REPLACEMENT ELEMENTS

HEATER ELEMENTS



No. 415A

No. 415



| _ | _ | | | | | Price |
|--------|------|-------|---------|-------|-------|----------|
| Cat. N | Vo. | Shap | oe 1 | Watts | Carto | on per C |
| 415 | Str | aigh | t | 660 | 12 | 37.00 |
| 415A | Co | ne | | 660 | 12 | 27.00 |
| 415B | Ho | rizo | ntal | 600 | 12 | 40.00 |
| 420 | Ma | ster | Cone | 1000 | 12 | 105.00 |
| N.B. | Brol | ken d | carton, | carto | n and | over. |

NICHROME REPAIR WIRE



No. 416 Genuine Nichrome Wire-110V.



No. 465

| | |] | Price |
|---|---------------|----------|-------|
| | | Ft. to | per |
| No. Dias | n. Use | Spool | spl. |
| 416-1 9" | For toasters, | | 2.00 |
| 416-2 $\frac{5}{32}$ 416-3 $\frac{7}{32}$ " | General | 12 | 2.00 |
| 416-3 7" | Ranges | 10 | 3.33 |
| 416-4 1/4" | Heavy duty | 10 | 5.00 |
| , , | 660-1000W. | | |
| 416-5 1/4' | Heavy duty | 10 | 7.25 |
| , 4 | 1000-1500W. | | |
| 417 Straig | | 100 | 2.65 |
| 418 Ribbo | | 100 | 2.65 |
| 465-5 Fo | | 200 | |
| | 0W 750W 1200W | 1500W 20 | 00W |
| | 80 .80. 1.12 | | .10 |

NICHROME WIRE ON CARD



No. 465-2

Requires no cutting Stretch to desired length

600 watt, 110-120 volt Price, per C......13.50



FLASHER BUTTONS

60 watts 125V.

No. 472T-Twinkle 30 flashes per minute No. 472B-Beacon 16-20 flashes per minute

IRON ELEMENTS



No. 301-Fits all element for 5 lb. irons. 115V No. 302—Fits all element for 6 lb. irons. 115V

N.B. Broken ctn, ctn & over. No. 302

IRON TERMINALS—INSULATORS

No. 363

iron terminal. No. 323


American Beauty Iron Insulator.

Per C15.00

No. 358

11.25

Per C



Common iron terminal. No. 330

Per C7.50



Standard terminal insulator. No. 352



IRON REPAIR KIT



No. 100

Thirty-two different parts for iron repairs. Packed in black counter display Price, per Box.....3.00

SOCKET ACCESSORIES



No. 8010-6' black cord with pendant and connector

No. 9820 Ball chain connector

| 6 0 | Cat. No. | Ctn. | | Price Per C |
|------------|-------------|------|-----|----------------|
| No. 9839 | 8010 | 25 | 250 | 5.00 |
| chain | 9820 | 100 | 500 | .40 |
| insulator | 9839 | 100 | 500 | 5.00 |

TOASTER ELEMENTS

No. 335

575W 115V Fits most toasters 10 to carton Each821/2



No. 338

4.3 amp., 4.6 amp. or 4.9 amp. 110V. For Toastmaster. 10 to carton

Each1.35



N.B. Broken carton, carton and over.

CURLING IRON ELEMENT

RODALE

No. 317

Extra long leads—17 watts, 110 volts
No. 317, per C......22.50

PERCOLATOR ELEMENT

No. 429

Fits most Universal Percolators. 110-120 volts.

Price, per C....70.00



CIGAR LIGHTER ELEMENTS

No. 446 Automatic Wonder Element Fits any Standard Socket but lights only when tilted. Each21



No. 444. Cigar lighter element. Fits any standard socket.

LUMINOUS PENDANT



No. 103A. Mounted on display card.

SOCKET BEAD CHAIN

No. 6-3' to card. Brush brass or nickel.

CAT. No. 6 3 FT. LEVITON

B.B. per C......3.20 Nickel per C...

BRASS SHELL & WEATHERPROOF SOCKETS

LEVITON BRASS SHELL SOCKETS







| | O. 3072 | 140. 0002 | | 140. 9 | 998 |
|------|-----------|------------|-------|--------|-------|
| Cat. | | | | Std. | Price |
| No. | Descripti | on | Ctn. | | Per C |
| 500 | Int. Base | Kev | 50 | 100 | 36.90 |
| 7999 | Pend. Ca | p. Pull | 25 | 250 | 22.10 |
| 8002 | 1/8" Cap. | Pull | 25 | 250 | 22.10 |
| 9842 | 1/8" Cap. | Kev | 25 | 250 | 17.80 |
| 9844 | Pend. Ca | p. Key | 25 | 250 | 17.80 |
| | Elec | trolier So | ckets | | |
| 9980 | 1/8" Cap. | Pull | 25 | 250 | 23.35 |
| 9997 | Pend Cap | Push Thr | | 250 | 18.80 |
| 9998 | | Push Thru | | 250 | 18.80 |

LEVITON BRASS SHELL SOCKETS



No. 9843

No.



No. 9347

| 5 |
|----------|
| |
| |
| LEVITOR |
| |
| |
| |
| No. 7050 |
| |

Description Ctn. Pkg. Per C 100 31.95 15.35

250 250 250 13.15 15.35 250 27.05 10073T 1/8 Cap Electrolier Turn Knob—removable 25 250 18.45

SOCKET EXTENSIONS







No. 2002 No. 8003 No. 2001 Cat.

Std. Price Ctn. Pkg. Per C 25 250 13.50 25 250 7.60 Description Brass Shell 2001 Ins. Paper Shell 2002 100 Pull Socket Ext. 36.90

SHADE HOLDERS





| | No. 501 | No | . 628 | |
|------|--------------------|------|-------|-------|
| Cat. | | | Std. | Price |
| No. | Description | Ctn. | Pkg. | Per C |
| 501 | 21/4 Uno Screw | 50 | 500 | 11.05 |
| 628 | 21/4 for wpf skts. | 25 | 250 | 20.90 |
| 629 | 31/4 for wof skts. | 10 | 100 | 30.10 |



BRACKET CAPS FOR BRIDGE LAMPS

Fit Brass Shell Sockets 25 to Ctn.—Std. Pkg. 250 No. 10070BC Price Per C......7.00 BRYANT-H & H SOCKET BODIES



| TUIUI G |
|---------|
| |
| |
| |
| |
| No. 10 |

| No. | 15 | | N | o. 10 | |
|--------|-----|--------------|-------|-------|--------|
| Bryant | | | | Std. | Price |
| No. | No. | Description | Ctn. | Pkg. | Per C |
| 10 | 50 | Key Body | 25 | 250 | 25.20 |
| 15 | 52 | Pull Body | | | 33.80 |
| 20 | 58 | Pull Sw. Bod | lv 10 | | 104.55 |
| 80 | 30 | Elect. Key | 25 | | 25.20 |
| 85 | 32 | Elect. Pull | 25 | | 33.80 |
| | | | | | 00.00 |

BRYANT-H & H SOCKET BODIES






| , | No. 13 | A | No. 34 | | |
|--------|--------|---------------|--------|--------|-------|
| 1 | AO. 12 | | L | 10. 34 | |
| Bryant | H&I | H | | Std. | Price |
| No. | No. | Description | Ctn. | Pkg. | Per C |
| 13 | 51 | Kless Body | 25 | 250 | 22.75 |
| 34 | 60 | Push-Thru | 25 | 250 | 28.25 |
| 81 | 34 | Push-Thru | | | |
| | | Elect. | 25 | 250 | 28.25 |
| 95 | 33 | Kless Elect | 25 | 250 | 19.65 |
| 321 | 5972 | 1/8 Cap Cand. | | | |
| | | Kless Socket | 25 | 100 | 49.30 |

CAPS FOR BRASS SHELL SOCKETS





25 25 25 25 25 G 3/8 Angle Pendant 25 250 52.20 25 25 25 M 11.65 EA EM 1/8 Elect. Pend Elect. 250 11.65

BASES FOR BRASS SHELL SOCKETS



| | 90995 | | CAN INTEREST | | | |
|-------|-------|---------------|--------------|------|-------|--|
| No. | AX | | No. BH | | | |
| Bryan | t H&I | H | | Std. | Price | |
| No. | No. | Description | Ctn. | Pkg. | Per C | |
| AX | NA | Slotted | 10 | 100 | 35.65 | |
| AY | N | Solid | 10 | 100 | 35.65 | |
| BH | P | Br. Covered | 10 | 100 | 55.35 | |
| BL | R | For 31/4" Box | 10 | 50 | 71.95 | |
| | | | | | | |

SOCKET REDUCERS





No. 10029

| _ | | 740 | , 100z | 29 |
|-------------|-----------------|-----|--------|----------------|
| Cat. No. | Description | | | Price Per C |
| 3681 | Mogul to Medium | 10 | 100 | 24.60 |
| 9691 | Medium to Int. | 25 | | 20.90 |
| 10029 | Medium to Cand. | 10 | 50 | 7.85 |

LUMALINE LAMP HOLDERS







| No. 389 | 92 | No. 375 | No | . 3891 | | | | |
|-------------------------------|------------|------------|---------|--------|--|--|--|--|
| Bryant | | | | Price | | | | |
| | H&H No. | Descr. Cti | n. Pkg. | Per C | | | | |
| 3891 | | Single 5 | 0 200 | 26,40 | | | | |
| 3892 | | Twin 5 | | 39.35 | | | | |
| 3891W | 7969W | White 50 | 0 200 | 28.90 | | | | |
| 3892W | 7992W | White 50 | | 43.05 | | | | |
| Leviton Base and Cap Complete | | | | | | | | |
| 375 | Black Sing | le 50 | | 35.05 | | | | |
| 375W | White Sin | gle 5 | 0 500 | 40.55 | | | | |
| | LUMALII | NE END | | 10.00 | | | | |





| | | | The same | | |
|---------|-------------------|--------|----------|------|-------|
| N | o. 3890 | | No. | 3889 | |
| Bryant | Arrow | | | Std | Price |
| No. | H&H No. | Descr. | Ctn. | Pkg | PerC |
| 3889 | 7993 | Deep | 50 | 200 | 14.75 |
| 3890 | 7980 | Shallo | w 50 | | 13.50 |
| 3889W | | White | 50 | 200 | |
| 3890W | 7980W | White | 50 | 200 | 14.75 |
| Levitor | Lumaline Black | Caps O | nly | | |
| 475 | Black | • | 50 | 250 | 12.30 |
| 475W | White | | 50 | 250 | 15.95 |

ALUMINUM WPF. SOCKET





| No. 8 | 307 | | No. | 1215 |
|-------|--------------|------|------|-------|
| Levit | | | | |
| No. | Description | Ctn. | Pkg. | Per C |
| 8307 | Cast Alum. | 10 | | 70.85 |
| | Shade Holder | 10 | 50 | 34,40 |
| V | VEATHERPROOF | SOC | KET | 'S |





| No. H311 |
|------------------|
| Std. Price |
| Ctn. Pkg. Per C. |
| 10 100 16.00 |
| 10 100 27.05 |
| 10 100 23.95 |
| 10 100 25.20 |
| 25 200 13.50 |
| |





No. 157 No. 5464 Std. Price Cat. No. 157 Description Ctn. Pkg. Per C Leviton Bakelite 100 12.30 5464 Med. Base Pin Type 10 Int. Base Pin Type 10 25.80 100 44408 12.30 100

PORCELAIN SOCKETS & RECEPTACLES

LEVITON MFG.CO

No. 9815C

For 31/4" Box

No. 9816C

For 4" Box

Leviton

No. 9715C

9716C

9815C

9816C

9838C

9837

9874 9875

LEVITON PORCELAIN SOCKETS







3/8 Cap. Kless, No Shldr.

| | No. 8301 | No. 10023 | No. | 8305 | |
|-----|-------------------|-----------|------|------|-------|
| | Medium Base | | | | |
| ton | | | | Std. | Price |
| | Description | | Ctn. | Pkg. | Per C |
| | Pend. Cap. Key | 7 - | 10 | 100 | 29.50 |
| | Pend. Cap. Pul | 1 | 10 | 100 | 39.35 |
| | 1/8 Cap. Key | | 10 | 100 | 36.90 |
| | 1/8 Cap. Pull | | 10 | 100 | 46.70 |
| 3 | 1/8 Cap. Kless, | Shldr. | 10 | 250 | 17.20 |
| 1 | 3/8 Cap. Kless, | Shldr. | 10 | 250 | 17.20 |
| 5 | 1/8 Cap. Kless, 1 | No Shldr. | 10 | 100 | 17.20 |
| 5 | 1/4 Cap. Kless, 1 | No Shldr. | 10 | 100 | 17.20 |
| 7 | 1/2 Cap. Kless, S | Shldr. | 10 | 100 | 19.65 |
| 3 | 1/1 Cap. Kless. | Shldr | 10 | 250 | 17 20 |

BRYANT - H & H SOCKETS



No. 70

Porc. Key

Levit No. 8301

8305

8308

8309

10023

10024

10045

10046

10047

10048

10049





100

17.20

10









10

10

10

No. 9715C

With outlet

For 3¹/₄" Box No. 9716C

For 4" Box

Std.

Pkg. 100

50

100

50

100

50

100

100

Price Per C

36.90 49.20

23.35

35.65

36.90 49.20

14.75

19.65

No. PZ Std. Price Pkg. 100 50 50 No. PZ No. Ctn. Per C 27.65 44.25 Description Solid 10 For 3¹/₄" Box For 4" Box RL RM PR PO 10 59.00

CUTLET BOX RECEPTACLES

No. 9874

No. 9837

Description
3¼" Box, Outlet, Pull
4" Box, Outlet, Pull
3¼" Box, Pull Chain
4" Box, Pull Chain
4" Box, Pull Chain
3¼" Box, 2¼" Shldr., Kless
3¼" Box, 2¼" Shldr., Pull
3¼" Box, Kless
4" Box, Kless

No. 73



No. PT



| | LEVIT |
|----------|---------|
| D. 71 | LEVITON |
| d. Price | (A. B.) |





Ctn.

10

10

10

10

10

Std.

250

| Bryant | H & H | | | Std. | Price |
|--------|-----------|---------------|------|------|-------|
| No. | No. | Description | Ctn. | Pkg. | Per C |
| | Medium | Base Bodies | | | |
| 70 | 40 | Key | 10 | 100 | 38.70 |
| 71 | 45 | Push Thru | 10 | 100 | 53.50 |
| 73 | 41 | Keyless | 10 | 100 | 34.40 |
| 75 | 42 | Pull Chain | 10 | 100 | 87.30 |
| | Porcelair | 1 Socket Caps | | | |
| PA | PA | ½" Cap | 10 | 100 | 29.50 |
| PC | PK | 3/8" Cap | 10 | 100 | 35.65 |
| PD | PZ | ½" Cap | 10 | 100 | 49.80 |
| PT | PM | Pendant | 10 | 100 | 14.75 |

LEVITON MOGUL SOCKETS









No. 8703

Description For 3¼" Box For 4" Box 2-Piece Concealed 2-Piece Cleat

1-Piece Cleat

Leviton

No.

8703

9041

9065

9066

9117



MISCELLANEOUS PORCELAIN SOCKETS



Price Per C 12.30 17.20

15.95

15.95

11.05


| ### PART PART | ITVITOU | | | LEVITON | | | | LLVITOR | | LEVITO: | |
|---|-------------------------------|--|------|--------------|----------------|----------------|---------------------------------------|-----------|----------|--------------|----------------|
| | | LEVITOR | | | | No | . 4005 | No. 10055 | | No. 100 |)54 |
| No | 0. 8696 | No. 8679 | | No. 1960 | 01 | Levitor No. | n Description | | Ctn. | Std. Pkg. | Price Per C |
| Leviton No. | Description | n | Ctn. | Std. Pkg. | Price Per C | 4005 4006 | 1/8" Cap. Twin 3/8" Cap. Twin | | 10 10 | 100 | 55.35 59.00 |
| 8679 | 3/8 Cap. Porc. | | 10 | 100 | 36.90 | 4007 | 1/4" Cap. Twin | | 10 | 100 | 59.00 |
| 8680 | 1/2 Cap. Porc. | | 10 | 100 | 39.35 | 4008 | 2-1/8" Cap. Twin | | 10 | 100 | 57.80 |
| 8682 8694 | 2 Fil., 3/8" Po Kless Comm | | 5 | 50 50 | 39.35 | 10052 | 3/8" Female Angle | | 10 | 100 | 36.90 |
| 8695 | 2 Fil., No Ca | p., Porc. Kless | 5 | 50 | 34.40 34.40 | 10053 10054 | 3/8" Female Shldr. 1/8" Female | | 10 10 | 100 100 | 36.90 36.90 |
| 8696 | 2 Fil., Kless, | | 5 | 50 | 39.35 | 10055 | 3/8" Male | | 10 | 100 | 36.90 |
| 19501 19601 | | 1" Ext. Sw., H.M.L. 1" Ext. Sw., L.M.H. | 5 | 50 50 | 67.65 67.65 | 10056 10057 | 1/8" Female, Shldr. 3/8" Male, Shldr. | | 10 10 | 100 100 | 36.90 36.90 |
| | | | - | | 1 1 7 | | | | | | |

TOGGLE SWITCHES - PUSH SWITCHES, ETC.

FLUSH TUMBLER SWITCHES

HIGH GRADE—PORCELAIN CUP

| Bryant No. | Arrow No. | H & H No. | Descrip | Rating | | Std. Pkg. | Price Per C |
|---------------|--------------|--------------|---------|--------|----|--------------|----------------|
| В | rown ! | Handle | Switch | ies | | | |
| 3951 | 6444 | 8601 | S. P. | 10 | 10 | 100 | 43.05 |
| 3952 | 6445 | 8602 | D. P. | 15 | 10 | 50 | 110.05 |
| 3953 | 6446 | 8603 | 3 W. | 10 | 10 | 50 | 70.70 |
| 3954 | 6447 | 8604 | 4 W. | 5 | 2 | 10 | 365.30 |
| 3951L | 6430 | 8601L | S. P. | 10 | 10 | 100 | 135.30 |
| I_{V} | ory H | landle S | witche | s | | | |
| 3951I | 6441I | 8601I | S. P. | 10 | 10 | 100 | 55.35 |
| 3952I | 6445I | 8602I | D. P. | 15 | 10 | 50 - | 122.35 |
| 3953I | 6446I | 8603I | 3 W. | 10 | 10 | 50 | 83.00 |
| 3954I | 6447I | 8604I | 4 W. | 5 | 2 | 10 | 377.60 |



| | | Rating | | Std. | Price |
|----------|-------------|--------|------|------|--------|
| Cat. No. | Description | 125V. | Ctn. | Pkg. | Per C |
| 7601 | Single pole | 10 | 10 | 100 | 16.00 |
| 7602 | Double pole | 15 | 10 | 50 | 44.25 |
| 7603 | Three Way | 10 | 10 | 50 | 30.75 |
| 7604 | Four Way | 5 | 2 | 10 | 307.50 |



COMPETITIVE GRADE—BAKELITE CUP

| | Brown 3 | Handle | e Switche | es | | | |
|-----|---------|--------|-----------|----|----|-----|-------|
| 61 | 1301 | 701 | S. P. | 10 | 10 | 100 | 22.10 |
| 63 | 1303 | 703 | 3 W. | 10 | 10 | 50 | 33.20 |
| | Ivory H | andle | Switches | | | | |
| 61I | 1301I | 701I | S. P. | 10 | 10 | 100 | 29.50 |
| 63I | 1303I | 703I | 3 W. | 10 | 10 | 50 | 40.55 |

PUSH SWITCHES HIGH GRADE—PORCELAIN CUP

| Bryant | Arrow | H & H | | Rating | | Std. | Price |
|--------|-------|-------|-----------|--------|------|------|--------|
| No. | No. | No. | Descrip. | 125V. | Ctn. | Pkg. | Per C |
| 5501 | 6900 | 4401 | S. P. | 10 | 10 | 100 | 50.40 |
| 5502 | 6901 | 4402 | D. P. | 15 | 10 | 50 | 143.90 |
| 5503 | 6902 | 4403 | 3 W. | 10 | 10 | 50 | 73.15 |
| 5504 | 6903 | 4404 | 4 W. | 5 | 2 | 10 | 407.10 |
| 5501L | 6904 | 4401L | S.P. Loci | k 10 | 10 | 100 | 142.65 |
| 5502L | 6905 | 4402L | D.P. Lock | 15 | 10 | 50 | 236.15 |



COMPETITIVE GRADE—PORCELAIN CUP

| | Brown | n Handl | e Switches | | | |
|------|-------|---------|------------|----|-----|-------|
| H51 | 421 | 201 | S. P. | 10 | 100 | 14.75 |
| H53 | 423 | 203 | 3 W. | 10 | 50 | 24.60 |
| | Ivory | Handle | Switches | | | -1100 |
| H51I | 421I | 201I | S. P. | 10 | 100 | 18.45 |
| H53I | 423I | 203I | 3 W. | 10 | 50 | 28.25 |

PUSH SWITCHES LEVITON—COMPETITIVE GRADE

| | | Rating | | Std. | Price |
|----------|-------------|--------|------|------|-------|
| Cat. No. | Description | 125V. | Ctn. | Pkg. | Per C |
| 1002 | Single pole | 10 | 10 | 100 | 19.65 |
| 1003 | Three Way | 10 | 10 | 100 | 36.90 |



LEVITON—BAKELITE CUP

| Levi | ton No. | | | | |
|------|----------------|-------------|----|-----|-------|
| | Brown Handle | Switches | | | |
| 250 | | Single pole | 10 | 100 | 20.90 |
| 251 | | Three way | 10 | 100 | 30.75 |
| | Ivory Handle S | Switches | | | 100 |
| 250I | | Single pole | 10 | 100 | 25.80 |
| 251I | | Three way | 10 | 100 | 35.65 |
| | | | | | |

PUSH SWITCH MECHANISM

Double Pole-For Panel Switches

| Bryant | Rat | ing | | Std. | Price |
|----------|-------|-------|------|------|--------|
| Cat. No. | Amps. | Volts | Ctn. | Pkg. | Per C |
| 2523 | 10 | 250 | 10 | 50 | 172.20 |
| 2729 | 20 | 250 | 10 | 50 | 224.45 |



LEVITON—PORCELAIN CUP

| Brown Har | idle Switches | | | |
|------------|---------------|----|-----|-------|
| 1000 | Single pole | 10 | 100 | 13.50 |
| 1001 | Three way | 10 | 100 | 22.10 |
| Ivory Hand | lle Switches | | | |
| 1000I | Single pole | 10 | 100 | 14.75 |
| 1001I | Three way | 10 | 100 | 23.35 |

TUMBOLIER SWITCHES

Two and Three Lever Combinations

| | Arrow- | | | | | |
|------------------------------|------------------------------|--|--------|-----------------------|----------------------|----------------------------------|
| Bryant | H & H | | Rating | 5 | Std. | Price |
| No. | No. | Descrip. | 125V. | Ctn. | Pkg. | Per C |
| 2892 | 6896 | 2 S.P. common | 6 | 2 | 10 | 158.05 |
| 2894 | 6899 | 2 S.P. separate | 6 | 2 | 10 | 158.05 |
| 2896 | 6828 | 1-S.P., 1-3 W. | 6 | 2 | 10 | 176.50 |
| 2893 | 6892 | 2-3 W. | 6 | 2 | 10 | 195.55 |
| 2860 | 6897 | 3 S.P. common | 6 | 2 | 10 | 240.55 |
| 2864 | 6890 | 3 S.P. separate | 6 | 2 | 10 | 240.55 |
| 2894 2896 2893 2860 | 6899 6828 6892 6897 | S.P. separate S.P., 1-3 W. W. S.P. common | 6 6 6 | 2 2 2 2 2 | 10 10 10 10 | 158.0 176.5 195.5 240.5 |



FOR TYPE C LAMP LOADS

| Bryant No. | Arrow No. | H&H No. | | Rating 125V. | | Std. Pkg. | Price Per C |
|---------------|--------------|------------|-----------|-----------------|----|--------------|----------------|
| F | Brown I | Handle | Switches | 3 | | | |
| 4961 | 1531 | 1531 | S. P. | 10 | 10 | 50 | 104.55 |
| 4962 | 1532 | 1532 | D. P. | 15 | 2 | 10 | 169.70 |
| 4963 | 1533 | 1533 | 3 W. | 10 | 10 | 20 | 130.35 |
| 4964 | 1534 | 1534 | 4 W. | 5 | 2 | 10 | 417.35 |
| 4961L | 1531L | 1531L | S.P. Lock | 10 | 10 | 50 | 196.80 |
| I | vory H | andle S | witches | | | | |
| 4961I | 1531I | 1531I | S. P. | 10 | 10 | 50 | 116.85 |
| 4962I | 1532I | 1532I | D. P. | 15 | 2 | 10 | 182.00 |
| 4963I | 1533I | 1533I | 3 W. | 10 | 10 | 20 | 142.65 |
| 4964I | 1534I | 1534I | 4 W. | 5 | 2 | 10 | 429.85 |

SWITCH & PILOT LIGHT COMBINATION

Complete with Brass Plate

| | _ | ompice w | til Diass | TIGHT | - | |
|---------|------|------------|------------|-------|----|--------|
| 3959 | 7739 | S. P. | 10 | 2 | 10 | 369.00 |
| ****** | 7953 | 3 W. | 10 | 2 | 10 | 369.00 |
| | Co | mplete wit | h Bakelite | Pla | te | |
| ******* | 7759 | S. P. | 10 | 2 | 10 | 369.00 |
| | 7954 | 3 W. | 10 | 2 | 10 | 369.00 |
| | | | | | | |



TYPE "C" SWITCHES—BAKELITE— ENCLOSED

| | | Rating 250V. | | | | | |
|------|-------|--------------|--------|----|----|----|--------|
| | Brown | Handle | Switch | es | | | |
| 5421 | 6301 | 4281 | S. P. | 20 | 10 | 30 | 169.70 |
| 5422 | 6302 | 4282 | D. P. | 20 | 2 | 10 | 232.00 |
| 5423 | 6303 | 4283 | 3 W. | 20 | 2 | 10 | 195.55 |
| 5424 | 6306 | 4286 | 4 W. | 10 | 2 | 10 | 586.70 |
| 5431 | 6464 | 4271 | S. P. | 30 | 10 | 30 | 209.10 |
| 5432 | 6465 | 4272 | D. P. | 30 | 2 | 10 | 300.10 |
| 5433 | 6466 | 4273 | 3 W. | 30 | 2 | 10 | 260.75 |
| 5434 | 6169 | 4974 | A W | 10 | 9 | 10 | 709 95 |


OUTDOOR WEATHERPROOF SWITCH

| | | With Ca | dmium Pl | ate | | |
|------|------|---------|----------|-----|----|--------|
| 4421 | 7981 | S. P. | 10 | 2 | 10 | 214.00 |
| 4422 | 7982 | D. P. | 15 | 2 | 10 | 280.40 |
| 4423 | 7983 | 3 W. | 10 | 2 | 10 | 241.65 |
| 4424 | 7984 | 4 W. | 5 | 2 | 5 | 536.25 |



COMBINATION - TUMBLER - SNAP SWITCHES

SWITCH AND RECEPTACLE COMBINATIONS



| Thes | e combinations fit star | idard d | uplex r | ecepta | acle pla | ites. |
|---------|-------------------------|---------|---------|--------|----------|-------|
| Leviton | | Amp. | Rating | | Std. | Price |
| No. | Description | 125 V. | 250V. | Ctn. | Pkg. | Per C |
| 210LB | Pilot Lt. & Recept. | | 10 | 10 | 20 | 46.70 |
| 211 | S. P. Switch & | 10 | 5 | | | |
| | Receptacle | | 10 | 10 | 50 | 43.05 |
| 212 | Two S. P. Switches | 10 | 5 | 10 | 50 | 51.65 |
| 213LB | S. P. Switch & Pilot | 10 | 5 | 10 | 20 | 51.65 |
| 220 | One S. P. Switch & | 10 | 5 | | | |
| | One 3-way Switch | 6 | 3 | 1 | 20 | 54.00 |
| 221 | Two 3-way Switches | 6 | 3 | 1 | 20 | 60.45 |
| S6 | Clear lamps for Nos. 2 | 210LB a | and 213 | LB | | 15.00 |
| S6R | Red lamps for Nos. 21 | 0LB an | d 213L | В | | 20.00 |
| | Clear lamps for Nos. 2 | | | | | |


TUMBLER SWITCHES

Rating-3 Amp., 250 Volt Single Pole Non Indicating 10 to carton-Std. pkg. 100 Arrow-Bryant H&H Price No. No. Description Per C Description

1/4" stem—solder lugs
1/2" stem—pigtails
1/5" stem—pigtails 45.00 5141 20992 5141B 20595 45.00 20510 45.00

"ONE HOLE" AUTOMOBILE SWITCHES


Push-Pull Type
Rating—5 Amp., 125 Volt; 1 Amp., 250 Volt
Standard Finish Polished Nickel
Cutler
Hammer Std. Pr



CEILING PULL SWITCHES

Bakelite Cover-Porcelain Base Amps. Std. Price No. Descrip. 125V. 250V. Ctn. Pkg. Per C 3741 2387 S.P 10 5 10 30 209.10 solid 2309 S.P. 3742 slotted 10 30 10 209.10 2314 3744 D.P. 10 2 slotted 10 10 241.65 2310 3746 3 pt. slotted 10 10 260.75

HEATER SWITCHES



SURFACE TUMBLER SWITCHES

Bakelite Cover—Porcelain Base Single Pole—6 Amp., 125 Volt; 3 Amp., 250 Volt Three Way—5 Amp., 125 Volt; 2 Amp., 250 Volt Solid, 2" base

| Bryant No. H21 H23 | Arrow No. 443 445 | H & H No. 206 208 | Description S. P. 3-way | Ctn. 10 10 | Std. Pkg. 50 50 | Price Per C 19.65 39.25 | |
|-----------------------------|----------------------------|----------------------------|-------------------------------|------------------|--------------------------|----------------------------------|--|
| | | | | | | | |



SURFACE TUMBLER SWITCHES

Leviton—Bakelite Cover

Rating—10 Amp., 125 V.; 5 Amp., 250 V.
Leviton Std. Price

| Leviton | | | Std. | Price |
|---------|-------------|------|------|-------|
| No. | Description | Ctn. | Pkg. | Per C |
| 1010 | Single Pole | 10 | 100 | 18.45 |
| 1015 | Three Way | 10 | 100 | 34.40 |



OUTLET BOX COVER TYPE

Surface Tumbler Switches

Leviton—Bakelite Cover Rating—10 Amp., 125 V.; 5 Amp., 250 V.

| Levito | n | | Std. | Price |
|--------|-----------------------|------|------|-------|
| No. | Description | Ctn. | Pkg. | Per C |
| 1011 | 3¼" S. P. 4" S. P. | 10 | 100 | 23.35 |
| 1012 | 4" S. P. | 10 | 100 | 24.60 |



SURFACE SNAP SWITCHES HIGH GRADE


SINGLE POLE

| 10 to carton—100 to std. pkg. | | | | | | | | |
|-------------------------------|-------|------|---------------|-------|-------|--------|--|--|
| Bryant | Arrow | H&H | | | ps. | Price | | |
| No. | No. | No. | Base | 125V. | 250V. | Per C | | |
| 2000 | 6100 | 2161 | Slotted | | 3 | 47.35 | | |
| 2047 | 6101 | 2163 | Slotted, Ind. | . 5 | 3 | 55.35 | | |
| 2048 | 6205 | 321 | Slotted, Ind. | . 10 | | 110.05 | | |
| 2036 | 6207 | 221 | Closed, Ind. | 10 | 5 | 110.05 | | |




DOUBLE POLE

| | 10 | to car | ton-100 to std. | pkg. | |
|------|------|--------|-----------------|------|--------|
| 2394 | | | Slotted, Ind. | 5 | 130.35 |
| | 6216 | | Slotted, Ind. | 10 | 156.80 |
| 2038 | 6218 | 222 | Closed, Ind. | 10 | 156.80 |



| | 2 | to car | ton-30 to std. | pkg. | |
|------|------|--------|----------------|------|--------|
| 2052 | 6121 | | Slotted, Ind. | 20 | 305.65 |
| 2040 | 6123 | 432 | Closed, Ind. | 20 | 305.65 |
| 2054 | 6626 | 647 | Slotted, Ind. | 30 | 365.30 |
| 2042 | 6628 | | Closed, Ind. | 30 | 365.30 |
| | | | , | | |



THREE WAY 10 to carton—100 to std. pkg. 227 2153 Slotted 3

| 2456 | 6227 | 2153 | Slotted | 3 | 1 | 89.15 |
|------|------|------|---------|----|---|--------|
| 2027 | 6225 | 2090 | Slotted | 5 | 3 | 104.55 |
| 2030 | 6229 | 123 | Slotted | 10 | 5 | 156.80 |
| | | | | | | |



COMPETITIVE SURFACE SNAP SWITCH

Porcelain Base—Metal Cover Rating—5 Amp., 125 Volt; 3 Amp., 250 Volt

| 0 . , | | | |
|----------------------|------|------|-------|
| Standard | G. | Std. | Price |
| Cat. No. Description | Ctn. | Pkg. | Per C |
| 3000 Single Pole | | | |
| Indicating | 10 | 100 | 38.55 |




CONVENIENCE OUTLETS

LEVITON FLUSH RECEPTACLES



| Rati | ing 15 Amp. 125 | Volt, 10 | Amp. 2 | 250 Volt Price |
|------|-----------------|----------|--------|-------------------|
| No. | Description | Ctn. | Pkg. | Per C |
| | Brown Bakelite | - | 6* | |
| 201A | Single | 10 | 200 | 8.60 |
| 222 | Duplex | 10 | 200 | 11.65 |
| 224 | Single | 10 | 200 | 9.80 |
| | Ivory Bakelite | | | |
| 201I | Single | 10 | 100 | 14.75 |
| 222I | Duplex | 10 | 200 | 17.20 |
| 224I | Single | 10 | 200 | 15.95 |

Mounted on Box Covers



Rating-15 Amp. 125 V., 10 Amp. 250 V. Leviton No. 206 Std. Descrip. Pkg. 100 50 50 50 Single Single Duplex 207 208 10 Duplex


COMPETITIVE GRADE RECEPTACLES




Duplex-Side Wired

Rating-15 Amp. 125 Volt, 10 Amp. 250 Volt Arrow H & H Bryant Std Price No. No. No. Description Ctn. Pkg. Per C Brown Bakelite 312 452 H142 Duplex 10 100 11.65 Ivory Bakelite 3121 H142 452I H142I Duplex 10 100 17.80

SURFACE CONVENIENCE OUTLET








Rating-15 Amp. 125 Volt, 10 Amp. 250 Volt Brown Bakelite
311 H141
Ivory Bakelite
3111 H1411 451 Single 10 100 9.20 451I 16.00

Single-Side Wired

SURFACE CONVENIENCE OUTLETS






| Arrow-H&H No. Description | Ctn. | Std. Pkg. | Price Per C |
|-------------------------------|------|--------------|----------------|
| Brown Bakelite Duplex—Surface | 10 | 50 | 26.40 |
| Ivory Bakelite Duplex—Surface | 10 | 50 | 44.25 |



HIGH GRADE RECEPTACLES

Duplex-Side Wired



COMPETITIVE SURFACE OUTLET

Leviton Duplex

Rating-10 Amp. 250 Volt

| Leviton No. 203A 203I | Description Brown Ivory | Ctn. 10 10 | Std. Pkg. 100 100 | Price Per C 16.35 20.90 |
|--------------------------------|-------------------------------|------------------|----------------------------|----------------------------------|
|--------------------------------|-------------------------------|------------------|----------------------------|----------------------------------|



Single-Side Wired

Rating-15 Amp. 125 Volt, 10 Amp. 250 Volt

| 1911G | own B 1911G ory Ba | akelite 4831 kelite | Single | 10 | 100 | 30.10 |
|-------|--------------------------|---------------------------|--------|----|-----|-------|
| 1911I | 1911I | 4831I | Single | 10 | 100 | 36.90 |

CLOCK HANGER OUTLETS


Bakelite Receptacle-Brush Brass Plate

Rating-15 Amp. 125 Volt, 10 Amp. 250 Volt

| Arrow-H&H I No. 7707 | Bryant No. 2828 | Descrip. Clock Outlet | Ctn. | Std. Pkg. 10 | Price Per C 185.70 |
|----------------------------|-----------------------|--------------------------|------|--------------------|--------------------------|
|----------------------------|-----------------------|--------------------------|------|--------------------|--------------------------|



DUPLEX OUTLET—SEPARATE FEEDS



Permits switch control of one outlet, leaving one outlet "always on," as illustrated above.

FLOOR OUTLETS

With Brush Brass Plates

| Arrow-H | & H Bryant | | Std. | Price |
|---------|----------------|------|------|--------|
| No. | No. | Ctn. | Pkg. | Per C |
| With | bevel edge pla | te | | |
| 7797 | 3799 | 2 | 10 | 182.65 |
| With | square edge p | late | | 11 |
| 7798 | 3798 | 2 | 10 | 220.00 |



WEATHERPROOF OUTDOOR OUTLETS

Rating-15 Amp. 125 V., 10 Amp. 250 V.

| o o | * | , | | |
|-----------------------------------|-----|------|--------------|----------------|
| Arrow-H&H Br No. With Plate | No. | Ctn. | Std. Pkg. | Price Per C |
| 7792 3 With Plate- | 795 | 2 | 10 | 211.55 |
| | 796 | 2 | 10 | 300.10 |
| | 797 | 2 | 10 | |





| Separate Feed—Side Wired | | | | | | | |
|--------------------------|------------|-------------|------|------|-------|--|--|
| Arrow-H& | H Bryant | | | Std. | Price | | |
| No. | No. | Description | Ctn. | Pkg. | Per C | | |
| Brow | n Bakelite | | | | | | |
| 1914 | 4832Y | Sep. Feed | 10 | 100 | 52.25 | | |
| Ivor | y Bakelite | | | | | | |
| 1914I | 4832YI | Sep. Feed | 10 | 50 | 60.85 | | |

POLARIZED DEVICES

TWO-WIRE DEVICES



Rating 10 Ampere 250 Volt

15 Ampere 125 Volt



No. 7963

| Arro | w- | | | |
|------|--|------|------|-------|
| H&I | I | | Std. | Price |
| No. | Description | Ctn. | Pkg. | Per C |
| 7960 | Receptacle | -10 | 30 | 71.95 |
| 7963 | Cap | 10 | 30 | 52.25 |
| 7966 | Cord Grip Cap | 10 | 30 | 78.70 |
| | The state of the s | | | |

TWO WIRE DEVICES







| No. | 8282 | |
|-----|------|--|
| | | |

No. JH

No. LH

| | | 20 Amp., 250 V | olt | | |
|---|-------|-----------------|------|------|--------|
| V | H & H | • / | | Std. | Price |
| | No. | Description | Ctn. | Pkg. | Per C |
| | 7089 | Receptacle | 10 | 30 | 130.35 |
| | 7381 | Cord. Conn. | 10 | 30 | 87.90 |
| | 7434 | Cord Grip Conn. | 10 | 30 | 123.00 |
| | 7303 | Cap | 10 | 30 | 62.70 |
| | 7304 | Cord Grip Cap | 10 | 30 | 94.05 |
| | 7847 | Rub. Cord Grip | 10 | 30 | 97.75 |
| | | | | | |

TWO WIRE DEVICES



Arrow No. 8245 8282 8283 JA JH 7847





No. LA

| | | 30 Amp., 230 | VOIL | | |
|-------|-------|---------------|------|------|--------|
| Arrow | H & H | | | Std. | Price |
| No. | No. | Description | Ctn. | Pkg. | Per C |
| 8345 | 7438 | Receptacle | 10 | 30 | 173.40 |
| 8346 | 7439 | B. B. Plate | 10 | 30 | 28.90 |
| LA | 7437 | Cap | - 5 | 30 | 91.60 |
| LH | 7436 | Cord Grip Cap | 5 | 30 | 172.80 |
| | | | | | |

THREE WIRE DEVICES



No. 8147 No. SY No. 8143 No. 7051

| Arrow No. | H & H No. | Description (| Ctn. | Std. Pkg. | Price Per C |
|--------------|--------------|-------------------|------|--------------|----------------|
| | RAT | TING 10 AMP., 250 | vo | LT | |
| 8147 | 7310 | Receptacle | 10 | 30 | 141.45 |
| SY | 7440 | Cap | 10 | 50 | 41.80 |
| SH | 7308 | Cord Grip Cap | 10 | 50 | 66.40 |
| 7848 | 7848 | Rub. Grip Cap | 10 | 50 | 78.70 |
| 8143 | 7313 | Cord Grip Conn. | 10 | 50 | 113.75 |
| 8146 | 7312 | Cord. Conn. | 10 | 50 | 87.90 |
| 7051 | 7445 | Duplex Recept. | 10 | 30 | 206.60 |
| | RAT | TING 20 AMP., 250 | VO | LT | |
| 8140 | 7316 | Receptacle | 10 | 30 | 156.20 |
| KA | 7314 | Cap | 10 | 30 | 78.70 |
| KH | 7315 | Cord Grip Cap | 10 | 30 | 120.50 |
| 7849 | 7849 | Rub. Grip Cap | 10 | 20 | 117.45 |
| 8142 | 7318 | Cord. Conn. | 10 | 30 | 156.80 |
| 8144 | 7319 | Cord Grip Conn. | 10 | 30 | 191.85 |

RANGE OUTLETS, ETC.



No. 7952





No. 7944

No. 7951



No. 7990

| No. | 7915 | No | . 7990 | |
|-------|--------|---------------|------------|--------|
| | Rating | —50 Amps., | 250 Volts | |
| Arrov | N- | 2 to Carton- | -Std. Pkg. | 10 |
| H&F | | | | Price |
| No. | _ | Description | | Per C |
| 7944 | Surfac | e Receptacle | | 237.35 |
| 7951 | Groun | d Stran | | 52.85 |
| 7915 | All Ru | bber Cord Se | et | 356.05 |
| 7990 | Flush | Receptacle v | vith Plate | 404.65 |
| 7952 | Angle | Cap | | 280.40 |
| 3948 | | o. 7915—4 win | re—35A. | 586.70 |
| | | | DALLEADA | |

HUBBELLOCK DEVICES Heavy Duty



Cat. No.

Fit F.S. Type Boxes Three Wire—

10 Amp., 250 V. D.C.

10 Amp., 440 V. A.C.

20 Amp., 125 V. A.C. or
D.C.

| No. | HL204 | _ | 20 | Amp., | 250 600 | V. | A.C | |
|------|-------|--------|----|-------|------------|----|-----|----------------|
| Cat. | No. | Descri | | | Ctn | S | td. | Price Per C |

Description

| | THREE WIRE | TYPE | | |
|---------|------------------|------|----|--------|
| HL23000 | Receptacle | 5 | 20 | 338.25 |
| HL23007 | Lift Cover Plate | 5 | 20 | 92.25 |
| HL23008 | Plain Plate | 5 | 20 | 79.95 |
| | FOUR WIRE | TYPE | | |
| HL20403 | Receptacle | 2 | 10 | 522.75 |
| HL20416 | Lift Cover Plate | 2 | 10 | 92.25 |
| HL20417 | Plain Plate | 2 | 10 | 79.95 |





No. HL20414

No. HL20415

Four Wire 0-30A.,

250V.

Takes 0-30 A., 250V. Fuses or 3

| TE | IREE | g WIRI | ETYPE | | |
|-------|--|---|--|--|---|
| .296- | .562 | Body | 5 | 20 | 430.50 |
| .296- | .562 | Body | 5 | 20 | 276.75 |
| .406- | .625 | Body | 5 | 20 | 430.50 |
| .406- | .625 | Body | 5 | 20 | 276.75 |
| F | OUR | WIRE | TYPE | | |
| .400- | .750 | Body | 2 | 10 | 596.55 |
| | | | 2 | 10 | 399.75 |
| F | USI | BLE | CAPS | | |
| | .296- .296- .406- .406- F .400- | .296562 .296562 .406625 .406625 FOUR .400750 | .296562 Body .296562 Body .406625 Body .406625 Body FOUR WIRE .400750 Body .400750 Cap | .296562 Body 5 .406625 Body 5 .406625 Body 5 FOUR WIRE TYPE .400750 Body 2 | .296562 Body 5 20 .296562 Body 5 20 .406625 Body 5 20 .406625 Body 5 20 FOUR WIRE TYPE .400750 Body 2 10 .400750 Cap 2 10 |



| No. HL21421 | | | 1 | rusetrons | | | |
|-------------|-------|-------|------|-----------|---|----|---------|
| HL21421 | | | | Grip. | 2 | 10 | 984.00 |
| HL21431 | | | | Grip. | 2 | 10 | 984.00 |
| HL21432 | | | | Grip. | 2 | 10 | 984.00 |
| HL21422 | .750- | 1.000 | Rub. | Grip. | 2 | 10 | 1002.45 |

TWISTLOCK DEVICES
Two Wire








No. 1944

No. 1940

No. 1950

Two Wire, 20 Amp., 250 Volt

| Arrov | V- | | | |
|-------|-------------------|------|------|-------|
| H&H | | | Std. | Price |
| No. | Description | Ctn. | Pkg. | Per C |
| 1944 | Armored Cord Cap | 10 | 30 | 61.50 |
| 1956 | Rubber Grip Cap | 10 | 30 | 61.50 |
| 1940 | Flush Recept. | 10 | 50 | 73.80 |
| 1950 | Cord Conn. Body . | 10 | 30 | 98.40 |
| | | | | |



Rating-

10 Amp., 250 Volt 15 Amp., 125 Volt



| | 1986 | | No. | 1982 |
|-------|-----------------|------|------|--------|
| Arrov | V – | | | |
| H&H | | | Std. | Price |
| No. | Description | Ctn. | Pkg. | Per C |
| 1986 | Flush Recept. | 10 | 50 | 233.70 |
| 1980 | Cap | 10 | 50 | 86.10 |
| 1978 | Cord Grip Cap | 10 | 50 | 86.10 |
| 1978 | Rubber Grip Cap | 10 | 50 | 98.40 |
| 1982 | Cord Conn. Body | 10 | 50 | 147.60 |

THREE WIRE







No. 1960 No. 1961 No. 1963

Three Wire, 20 Amp., 250 Volts 10 to Carton—Std. Pkg. 30

| Arrov | V- | |
|-------|----------------------|--------|
| H&H | | Price |
| No. | Description | Per C |
| 1960 | Armored Cord Cap | 123.85 |
| 1966 | Rubber Cord Grip Cap | 123.85 |
| 1961 | Flush Receptacle | 184.50 |
| 1963 | Cord Connector Body | 209.10 |
| | | |

FOUR WIRE







No. 1968

No. 1969

Four Wire, 20 Amp., 250 Volt 10 to Carton—Std. Pkg. 20

| | 10 10 0011011 | |
|-------|----------------------|--------|
| Arrow | - | |
| H&F | | Price |
| Vo. | Description | Per C |
| 968 | Armored Cord Cap | 184.50 |
| 976 | Rubber Cord Grip Cap | 184.50 |
| 969 | Flush Receptacle | 233.70 |
| 973 | Cord Connector Body | 258.30 |
| | | |

RADIO OUTLETS - CORD CONNECTORS

YAXLEY RADIO OUTLETS







| K | | e | 453 | ı |
|---|---------|------|-----|---|
| Н | 0 | , | .0 | ı |
| H | | - | | |
| B | | | | |
| | | Č. | | |
| | | 9 | | и |
| В | | (AA) | | П |
| 0 | ALC: CO | | | |
| | | | | |

| | N | o. 156 | No. | 135 | | | | No. 1 | 33 | |
|------|-----|------------|------|------|--------|-------|--------|-------|-------|----------|
| Cat. | No. | Plate | |] | Desc | ripti | on | | Price | e, per C |
| 16 | | Brass | | Ante | nna | & G: | round | Recep | t. | 63.00 |
| 16B | | Bakelite | | Ante | nna | & G: | round | Recep | t. | 63.00 |
| .33 | | Brass | | Ante | nna- | Gro | und-F | ower | | 121.50 |
| 33E | 3 | Bakelite | | | | | | ower | | 121.50 |
| 35 | | Brass | • | | | | r Rece | | | 81.00 |
| 35B | | Bakelite | | | | | r Rece | | | 81.00 |
| 56_ | | Brass | | Ante | nna | & G: | round | Recep | t. | 90.00 |
| 56B | | Bakelite | | Ante | nna | & G: | round | Recep | t. | 90.00 |
| 56I | | Ivory Bake | lite | Ante | nna | & G: | round | Recep | t. | 135.00 |
| | | TIM | 0 0 | ARIC | 37 A 3 | ZT 12 | W D | DIO | OTTO | T TOMO |



TWO GANG YAXLEY RADIO OUTLETS

Furnished complete with plates-For antenna, ground, and power connections.

| 140. 250 | | | |
|----------|----------------|-------------|--------------|
| Cat. No. | Plate | Description | Price, per C |
| 216 | Brass | Competitive | 99.00 |
| 216B | Bakelite | Competitive | 99.00 |
| 256 | Brass | Standard | 135.00 |
| 256B | Bakelite | Standard | 135.00 |
| 256I | Ivory Bakelite | Standard | 180.00 |
| | YAXLEY | RADIO PLUGS | |





No. 75 Cat. No. 75 415

Price, per C 45.00 Description Yaxley Phone Plug Aerial & Ground "Pup" Plugs

ARROW-H&H RADIO OUTLETS



No. 2145

Bryant

No. 3790

3790I

5789I 22145 22147I

Arrow-H & H

2147I





10.00

| No. 2147 | No | 2187 | |
|-----------------------|------|------|--------|
| | | Std. | Price |
| Description | Ctn. | Pkg. | Per C |
| Radio Cap | 2 | 10 | 16.60 |
| Ivory Radio Cap | 2 | 10 | 23.35 |
| Ivory Radio & Power | 2 | 10 | 126.65 |
| Radio & Power Recept. | 2 | 10 | 134.65 |
| Radio Cap & Recept. | 2 | 10 | 68.85 |
| As above, Ivory | 2 | 10 | 82.40 |
| . Doublet Ant. Type | 2 | 10 | 183.85 |
| . As above, Ivory | 2 | 10 | 200.45 |

MISC. RADIO OUTLETS



Cat. No.

1404R

2178

2184

2184I



| S | |
|----------|--|
| | |
| | D. |
| | TO OTHER |
| | Consumary Consum |
| No. 2184 | No. 21 |

| No. 2184 | | No | . 2178 |
|---------------|------|------|--------|
| | _ | Std. | Price |
| Description | Ctn. | Pkg. | Per C |
| Radio & Power | 10 | 100 | 72.00 |
| Surface Type | 2 | 10 | 151.25 |
| Two Gang | 2 | 10 | 147.60 |
| Ivory, 2 Gang | 2 | 10 | 188.15 |

CORD CONNECTOR BODIES









| Arrow No. 7840 8221 8222 8224 8225 | H&H No. 7840 7054 7062 3034 3035 | Bryant No. H130 103 5103 | Description 18" Steel Cover 18" Small 13" "T" Slot 18" "T" Slot 58" "T" Slot | Ctn. 10 10 10 10 10 | Std. Pkg. 50 50 50 50 50 | Price Per C 78.70 16.00 49.80 78.70 78.70 |
|--|--|--------------------------------------|---|------------------------------------|--|---|
|--|--|--------------------------------------|---|------------------------------------|--|---|

STANDARD CAPS FOR CORD CONNECTORS









50

46.10

| NO. KA | 140. 1 | KIT | 140. 1A | N | 0. 7842 | |
|--------------------------------------|---------------------------------|---------|---------|------------------------|---------------------------------|---|
| w H&H No. 1407 7072 7073 | Bryant No. KA JK JM | | | Ctn. 10 10 10 | Std. Pkg. 250 50 50 | Price Per C 11.65 41.80 41.80 |
| 7050 | 5420 | 13" Tar | dem | 10 | 100 | 23 05 |

MISCELLANEOUS CORD CONNECTORS

9 Steel Cover



7842

Arrov No. RA RH

RI TA

7842

Cat.

178 326

719

9130







No. 9130

| | | | Std. | Price |
|-----|------------------------|------|------|-------|
| No. | Description | Ctn. | Pkg. | Per C |
| | Rubber Cord Connector | 25 | 250 | 25.50 |
| | Round Cord Connector | 50 | 100 | 21.75 |
| | Bake, Cord Connector | 25 | 250 | 13.50 |
| | Flat Cord Connector | 10 | 100 | 24.60 |
| | a lat cold collinector | 10 | 100 | 27.00 |

PILOT LIGHT RECEPTACLE AND JEWELS









No. 1711

Jewels standard color is red. Available in green, clear, amber or blue.

| No. 87 88 1711 | H&H No. 8619 1513 2999 lamps or | Bryant No. 3850 746 427 aly for abo | Description Round Bullseye Rect. Bullseye Pilot Recept. | Ctn. 10 10 10 | Std. Pkg. 30 30 30 | Price Per C 44.25 44.25 130.35 |
|-------------------------|--|--|--|------------------------|--------------------------------|--|
| S6 | 6W. | , 110V. | Clear | 10 | 100 | 15.00 |
| S7 | | 240V. | Clear Carbon | 10 | 100 | 65.00 |

No. 1404R

Standard

Radio


Receptacle

FLUSH PLATES

TUMBLER SWITCH PLATES








No. 1901

No. 1909

No. 1911



Leviton Bakelite plates are individually packed in cellophane.

Attractive Border Design.

Std Price

| | _ | _ | _ | - | |
|---|----|---|---|---|---|
| N | ٥. | 1 | 9 | 1 | 2 |

| | 140, 1912 | | Sta. | FILE |
|--------|--------------------------|------|------|--------|
| Cat. N | To. Description | Ctn. | Pkg. | Per C |
| | Brown Bakelite | | | |
| 1901 | One gang, Toggle plate | 25 | 100 | 7.35 |
| 1909 | Two gang, Toggle plate | 25 | 50 | 14.75 |
| 1911 | Three gang, Toggle plate | 25 | 50 | 22.10 |
| 1912 | Four gang, Toggle plate | 25 | 50 | 16.00 |
| | Ivory Bakelite | | | |
| 1901I | One gang, Toggle plate | 25 | 100 | 13.50 |
| 1909I | Two gang, Toggle plate | 25 | 50 | 27.05 |
| 1911I | Three gang, Toggle plate | 25 | 50 | 43.55 |
| 1912I | Four gang, Toggle plate | 25 | 50 | 54.10 |
| | Brush Brass—040 Metal | | | |
| 71 | One gang, Toggle plate | 25G | 100G | 12.30 |
| 72 | Two gang, Toggle plate | 25G | 100G | 24.60 |
| 73 | Three gang, Toggle plate | 25G | 100G | 36.90 |
| 74 | Four gang, Toggle plate | 25G | 100G | 49.20 |
| | Chrome-040 Metal | | | |
| 71C | One gang, Toggle plate | 25G | 100G | 27.00 |
| 72C | | 25G | 100G | 54.00 |
| 73C | | 25G | 100G | 81.00 |
| 74C | | 25G | 100G | 108.00 |
| | | | | |

BRYANT-ARROW-H & H PLATES









No. OS241

No. OS341

No. 9050

No. HS31

| Bryant Arrow- | | | Std. | Price | | | |
|----------------|-----------------------------|--------|---------|---------|--|--|--|
| No. H&H No. | . Description | Ctn. | Pkg. | Per C | | | |
| Brown Bakelite | | | | | | | |
| HS31 9021M | 1 gang, Switch plate | 10g | 100g | 8.60 | | | |
| HS32 9022M | 2 gang, Switch plate | 10g | 100g | 17.20 | | | |
| HS33 9023M | 3 gang, Switch plate | 10g | 100g | 25.80 | | | |
| HS34 9024M | 4 gang, Switch plate | 10g | 100g | 84.85 | | | |
| HS35 9025M | 5 gang, Switch plate | 10g | 100g | 118.65 | | | |
| HF31 9030M | 1 gang, Sgl. Recept. plate | 10g | 100g | 8.60 | | | |
| HV31 9040 | 1 gang, Duplex Recept. plat | e 10g | 100g | 8.60 | | | |
| HSF32 9018M | 2 gang, Sw. & Sgl. Recept. | 2 | 10 | 36.90 | | | |
| HSV32 9019M | 2 gang, Sw. & Duplex Recent | pt. 2 | 10 | 36.90 | | | |
| HK31 9034M | 1 gang, blank plate | 10 | 50 | 28.90 | | | |
| HK32 9035M | 2 gang, blank plate | 10 | 50 | 57.80 | | | |
| HG31 9036M | 1 gang, Tele. plate | 10 | 50 | 28.90 | | | |
| HS231 9045M | 1 gang, Twin Sw. plate | 2 | 10 | 22.75 | | | |
| HS331 9050M | 1 gang, Triple Sw. plate | 2 | 10 | 27.65 | | | |
| Note-Bakelite | plates are available in Ivo | v. Ad | ld suff | ix "I". | | | |
| Trote Dakente | Plates are available in 100 | 3. 220 | Juli | | | | |

Price on Application.

Brush Brass—040 Metal

OS241 4251 1 gang, Twin Sw. plate
OS341 4321 1 gang, Triple Sw. plate 25.80 29.50

| | EXTRA PLATE SCRE | W 2 | |
|---------------|-----------------------|------|--------------|
| Cat. No. | Description | Ctn. | Price, per C |
| Bakelite Head | Brown | 100 | 3.25 |
| Bakelite Head | Ivory | 100 | 3.50 |
| 60 B. B. | Brass Metal | 100 | 1.85 |
| 60 Bakelite | Bakelite finish metal | 100 | 1.85 |
| 60 N. | Nickel finish metal | 100 | 1.85 |

RECEPTACLE PLATES







| | No. 1904 | No. 1903 | No. 19 | 16 | |
|---------|----------|------------------------|--------|------|--------|
| Cat. No | 0. | Description | | Std. | Price |
| | | akelite | Ctn. | Pkg. | Per C |
| 1904 | 1 gang | Single recept. plate | 25 | 100 | 7.35 |
| 1903 | 1 gang | Duplex recept. plate | 25 | 100 | 7.35 |
| 1916 | | , Duplex recept. plate | 25 | 50 | 14.75 |
| | Ivory Ba | kelite | | | |
| 1904I | 1 gang | , Single recept. plate | 25 | 100 | 13.50 |
| 1903I | 1 gang | Duplex recept. plate | 25 | 100 | 13.50 |
| 1916I | 2 gang | , Duplex recept. plate | 25 | 50 | 27.05 |
| | Brush Bi | rass-040 Metal | | | |
| 21 | 1 gang | , Single recept. plate | | 100G | 12.30 |
| 51 | 2 gang | , Duplex recept. plate | | 100G | 12.30 |
| 6749 | 2 gang | , Duplex recept. plate | 10G | 100G | 77.45 |
| | Chrome- | -040 Metal | | | |
| 21C | 1 gang | , Single recept. plate | | 100G | 27.00 |
| 51C | 1 gang | , Duplex recept. plate | | 100G | 27.00 |
| 6749C | 2 gang | , Duplex recept. plate | 10G | 100G | 151.25 |
| | | | | | |

COMBINATION PLATES







| No. 1907 | No. 1905 | N | o. 1906 | |
|----------------------|----------------------|------|---------|--------|
| Cat. No. Desc | ription | _ | Std. | Price |
| Brown Bakelite | | Etn. | Pkg. | Per C |
| 1907, 2 gang, Switch | h & Sgl. recept. | 25 | 50 | 14.75 |
| 1905 2 gang, Switch | h & Duplex recept. | 25 | 50 | 14.75 |
| 1906 2 gang, Push | Sw. & Duplex recept. | 25 | 50 | 14.75 |
| Ivory Bakelite | | | | |
| 1907I 2 gang, Switch | h & Sgl. recept. | 25 | 50 | 27.05 |
| 1905I 2 gang, Switch | h & Duplex recept. | 25 | 50 | 27.05 |
| 1906I 2 gang, Push | Sw. & Duplex recept. | 25 | 50 | 27.05 |
| Brush Brass—04 | | | | |
| 7121 2 gang, Switch | h & Sgl. recept. | 25G | 100G | 24.60 |
| 7151 2 gang, Switch | h & Duplex recept. | 25G | 100G | 24.60 |
| AL040 2 gang, Push | Sw. & Duplex recept. | 2 | 10 | 68.85 |
| Chrome-040 M | | | | |
| 7121C 2 gang, Switch | h & Sgl. recept. | 25G | 100G | 54.00 |
| 7151C 2 gang, Switch | | 25G | 100G | 54.00 |
| AL040C 2 gang, Push | Sw. & Duplex recept. | 2 | 10 | 142.65 |
| 0 0, | | | | |

PUSH SWITCH—TELEPHONE—BLANK PLATES







| | No. 1902 No. 1913 | No. | 1914 |
|-------------------------|---|----------------|----------------------------------|
| Cat. N | No. Description Brown Bakelite | | Std. Price Pkg. Per C |
| 902 | 1 gang, Push Switch plate 2 gang, Push Switch plate | 25 25 | 100 7.35 50 14.75 |
| 913 | 1 gang, Radio & Tele. plate 1 gang, Blank plate | 25 25 | 50 7.35 50 7.35 |
| 902I | Ivory Bakelite 1 gang, Push Switch plate | 25 25 | 100 13.50 50 27.05 |
| 1910I 1913I 1914I | 2 gang, Push Switch plate 1 gang, Radio & Tele. plate 1 gang, Blank plate | 25 25 25 | 50 13.50 50 13.50 |
| 5241 | Brush Brass—040 Metal 1 gang, Push Switch plate | | 100G 16.00 |
| 5242 5373 | 2 gang, Push Switch plate 1 gang, Radio & Tele. plate | 10G | 100G 31.95 50G 36.90 |
| 5372 | 1 gang, Blank plate | 10G | |

BRYANT INTERCHANGEABLE LINE

FLUSH CONVENIENCE OUTLETS



No.

These convenience outlets have Bakelite bodies with easy finding slots.

Rating: 15 Amp. 125 Volts

Rating: 10 Amp. 250 Volts
10 to Carton—Std. Pkg. 100
Price No. IL1320 Description Per C IL1320 Brown Bakelite 17.20 IL1420 Ivory Bakelite 24.60

ATTACHMENT PLUG CAPS Parallel Blades



Finger Grip—9" Cord Hole 10 to Carton—Std. Pkg. 100

Price No. Description Per C IL1321 Brown 9.20 IL1421 Ivory 16.60

BAKELITE PLATES



for Interchangeable Line Complete with Mounting Straps



No. IL1333

No. IL1332

Std. Price Cat. No. Description Ctn. Pkg. Per C

ONE GANG TYPE

| Bro | wn Bakelite | | | |
|--------|----------------|----|-----|-------|
| IL1331 | Vert. opening | | | |
| | for 1 device | 10 | 100 | 14.75 |
| IL1381 | Horiz. opening | | | |
| | for 1 device | 10 | 100 | 14.75 |
| IL1332 | For 2 devices | 10 | 50 | 19.65 |
| IL1333 | For 3 devices | 10 | 30 | 19.65 |
| Ivor | v Bakelite | | | |
| IL1431 | Vert. opening | | | |
| | for 1 device | 10 | 100 | 21.50 |
| IL1481 | Horiz, opening | | | |
| | for 1 device | 10 | 100 | 21.50 |
| IL1432 | For 2 devices | 10 | 50 | 27.05 |
| IL1433 | For 3 devices | 10 | 30 | 27.05 |
| | | 1 | | |

TWO GANG TYPE

| Bro | wn Bakelite | | | |
|--------|-----------------|----|----|-------|
| IL1334 | For 4 devices | 10 | 30 | 39.35 |
| IL1335 | Vert. openings | | | |
| | for 2 devices | 10 | 50 | 27.65 |
| IL1382 | Horiz. openings | | | |
| | for 2 devices | 10 | 50 | 27.65 |
| IL1336 | For 6 devices | | | |
| | (3 per gang) | 10 | 20 | 55.35 |
| | ry Bakelite | | | |
| IL1434 | For 4 devices | 10 | 30 | 54.10 |
| IL1435 | Vert. openings | | - | |
| | for 2 devices | 10 | 30 | 42.40 |
| IL1482 | Horiz. openings | | | |
| | for 2 devices | 10 | 30 | 42.40 |
| IL1436 | For 6 devices | | | |
| | (3 per gang) | 10 | 20 | 70.10 |
| | | | | |



Std. Price Ctn. Pkg. Per C 10 20 78.70 Cat. No. Description IL1337 Brown IL1437 Ivory 20 10 100.85

FLUSH TUMBLER SWITCHES



Bakelite Cup Interchangeable Line switches Designed for Type "C" Lamp Loads

| | | Am | ips. | | | |
|--------|-------|------|--------|------|------|--------|
| Cat. | | 125 | 250 | | Std. | Price |
| No. | Desc. | V. | V. | Ctn. | Pkg. | Per C |
| | Brown | Bak | celite | Han | dles | |
| IL1311 | S. P. | 10 | 5 | 10 | 100 | 43.05 |
| IL1312 | D. P. | **** | 10 | 2 | 10 | 110.05 |
| IL1313 | 3-way | | | 10 | 50 | 70.70 |
| IL1314 | 4-way | 5 | 2 | 2 | 10 | 365.30 |
| | Ivorv | Bak | elite | Hand | iles | |
| IL1411 | S. P. | 10 | 5 | 10 | 50 | 50.40 |
| IL1412 | D. P. | **** | 10 | 2 | 10 | 117.45 |
| IL1413 | 3-way | 10 | 5 | 10 | 30 | 78.10 |
| IL1414 | 4-way | 5 | 2 | 2 | 10 | 372.65 |
| | | | | | | |



LOCK TYPE TUMBLER SWITCHES

Bakelite Cup Interchangeable Line

| No. | | Am | ips. | | | |
|---------|---|-----|-------|------|------|--------|
| Cat. | | | 250 | | Std. | Price |
| No. | Desc. | | V. | | Pkg. | Per C |
| | Brown | | | | | 1 01 0 |
| IL1311L | S. P. | 10 | 5 | 10 | 100 | 135.30 |
| IL1312L | D. P. | | 10 | 2 | 10 | 202.30 |
| IL1313L | 3-way | 10 | 5 | 10 | | 162.95 |
| IL1314L | 4-way | 5 | 2 | 2 | 10 | 457.55 |
| IL1349 | Key or | nlv | _ | 1 | 1 | 18.60 |
| | Ivory | | elite | Hand | | 10.00 |
| IL1411L | S. P. | 10 | 5 | 10 | 50 | 142.65 |
| IL1412L | | | 10 | 2 | 10 | 209.70 |
| IL1413L | | | 5 | 10 | 30 | 170.35 |
| IL1414L | 4-way | 5 | 2 | 2 | 10 | 464.90 |
| | · | 0 | _ | 2 | 10 | TU7.90 |

BRUSH BRASS PLATES



For Interchangeable Line 040 Brass Complete with Mounting



| Dill | aps |
|------------|-------------|
| o. IL1771C | No. IL1771B |
| | Std Price |

| | | Std. | Price |
|-----------------------|---------|------|-------|
| Cat. No. Description | Ctn. | Pkg. | Per C |
| ONE GANG—040 |) Brush | Bras | S |
| IL1771A 1 opening Hor | riz. 10 | 100 | 16.00 |
| IL1771B 2 openings | 10 | 50 | 21.50 |
| IL1771C 3 openings | 10 | 30 | 21.50 |
| IL1771G 1 opening Ver | t. 10 | 100 | 16.00 |
| TWO GANG—04 | 0 Brush | Bras | S |
| IL1772-2A 2 openings | | | |
| Horiz. | 2 | 10 | 32.00 |
| IL1772-2B 4 openings | 2 | 10 | 43.05 |
| IL1772-2C 6 openings | 2 | 10 | 43.05 |
| IL1772-2G 2 openings | | | .0.00 |
| Vert. | 2 | 10 | 32.00 |
| | | -0 | |



Three Gang

No. IL1337

for 6 devices

2 per gang

MOUNTING STRAPS

The correct style of mounting plate is packed with each Bryant interchangeable plate.

10 to Carton Standard Pkg. 50

Price

4.90

4.90

Per C

Description IL1347 Single Opening IL1348 Three Openings



Each unit is equipped with a 6 watt, 120 volt red Mazda lamp and chromium plated

Rating: 75 Watts, 125 Volts 10 to Carton—Std. Pkg. 30 Price

IL1340 Pilot Light

PILOT LIGHT RECEPTACLE

Receptacle 117.45

NIGHT LIGHT RECEPTACLE

Designed for use in hallways, bedrooms, nurseries, hospitals, etc. Equipped with a 6 watt clear Mazda lamp, with chromium plated hood.

Rating: 75 Watts, 125 Volts 10 to Carton—Std. Pkg. 30

Price Per C 117.45

Per C

No. IL1339 Night Light Receptacle



OUTLET FOR PILOT LIGHT

with Parallel Slots Rating: 15 Amps., 125 Volts 10 Amps., 250 Volts

Cat. No. Ctn. Pkg. Per C 29.50 Description IL1341 Brown Bakelite 10 IL1441 Ivory Bakelite 10 36.90

BELL PUSH AND BLANK INSERT



Cat. No.

IL1344

IL1444

IL1345

IL1445

Bell Push is for 6-12V. circuits.



IL1345

20.25

II,1344

Std. Price Description Ctn. Pkg. Per C Bell push, Br'wn 10 Bell push, Ivory 10 20 30.75 20 38.10 Blank, Brown Blank, Ivory 12.90

RADIO OUTLET, CAP AND DIVIDER

For aerial and ground connections. The radio cap, No. 1322, cannot be interchanged with regular attachment plug caps. Std. Price

Cat. No. Description Brown Bakelite Type Ctn. Pkg. Per C IL1322 Radio Outlet 52.25 IL1323 Radio Cap 10 16.60 IL1346 Box Divider
Ivory Bakelite Type
IL1422 Radio Outlet
IL1423 Radio Cap 10 34.40 10 50 23.95

METAL BOX COVERS



For mounting any one Bryant Interchangeable Device directly on a 3¼" outlet box or any one or two devices on a 4" outlet box. Cadmium plated. Complete with necessary straps.

No. II 1262

| TAO. | 111202 | | | |
|------------------|-------------------------|------|--------------|----------------|
| Cat. No. | Description | Ctn. | Std. Pkg. | Price Per C |
| IL1361 IL1362 | 1 opening for 31/4" box | _10 | 100 | 16.60 |
| IL1363 | 4" box | 10 | 100 | 20.25 |
| | 4" box | 10 | 50 | 26.40 |

LEVITON KWIKCHANGE LINE




No. 750 Single

SWITCHES

Bakelite enclosed — for Type C Lamp loads. 10 amp., 125 volt 5 amp., 250 volt.

10 to carton, std. pkg. 100



TO ASSEMBLE—place dividers in units, then slip combination into mounting

strap.



No. 751 Three way

Three way

10 amp., 125 volt 5 amp., 250 volt

10 to carton, std. pkg. 50

| | | Price. |
|------|-------------|--------|
| No. | Description | per C |
| 751 | 3 way brown | 30.75 |
| 751I | 3 way ivory | 36.90 |
| | | |

For one device. Complete

10 to carton, std. pkg. 50

Price,

per C

12.30

12.30

13.55

13.55

with strap and screws.

No. Description 780B 3½" brown 780G 3½" galv. 781B 4" brown

781G 4" galv.

OUTLET BOX COVERS

PLATES FOR KWIKCHANGE LINE







No. 771

No. 772

No. 773

Each plate individually packed, furnished complete with strap and divider.

Bakelite Plates

| | | | Std. | Price |
|------|-----------------------|-----|------|-------|
| No. | Description C | tn. | Pkg. | per C |
| 771 | 1 gang 1 device brown | 10 | 100 | 13.55 |
| 771I | 1 gang 1 device ivory | 10 | 100 | 20.90 |
| 772 | 1 gang 2 device brown | 10 | 50 | 19.70 |
| 772I | 1 gang 2 device ivory | 10 | 50 | 27.05 |
| 773 | 1 gang 3 device brown | 10 | 30 | 19.70 |
| 773T | 1 gang 3 device ivory | 10 | 30 | 27.05 |




| 792B 1 gang 2 device 793B 1 gang 3 device 795B 2 gang 4 device 796B 2 gang 6 device | 10 100 10 100 5 50 5 50 | 23.40 46.80 |
|--|----------------------------------|----------------|
|--|----------------------------------|----------------|

040 Chrome Plate

| 792C | 1 gang 2 device | 10 | 100 | 34.50 |
|------|------------------|----|-----|-------|
| | 1 gang 3 device | 10 | 100 | 34.50 |
| | 2 gang 4 device | 5 | 50 | 69.00 |
| | 2 gang 6 device | | | 69.00 |
| 1301 | 2 gains o device | 9 | 20 | 05.00 |

EXTRA STRAPS FOR PLATES



No. 771S

No. 772S

No. 773S

Note—All plates are supplied with straps

| alle | i dividers. | | | |
|------|-----------------|------|------|-------|
| | | | | Price |
| No | . Description | Ctn. | Pkg. | per C |
| 771 | S for 1 device | 10 | 100 | 5.00 |
| 772 | S for 2 devices | 10 | 50 | 5.00 |
| 773 | S for 3 devices | 10 | 30 | 5.00 |
| | | | | |

KWIKCHANGE ASSEMBLIES







3 single pole or two 3 way with one single pole switch

Single pole Switch with power outlet

Pilot light & Single pole switch with nower outlet

RECEPTACLES

Power Convenience Outlet

15 amp., 125 volt 5 amp., 250 volt 10 to carton, std. pkg. 100

No. Description Price per C 753 Brown 16.35



753I Ivory **21.25** Recept

Pilot Light Outlet

With pigtail for use in conjunction with No. 757 Pilot Light receptacle.

15 amp., 125 volt

15 amp., 125 volt 10 amp., 250 volt

10 to carton, std. pkg. 30

Price

 No.
 Description
 per C

 754
 Brown
 24.60

 754I
 Ivory
 29.50



No. 754 Pilot Light Outlet

Attachment Plug Handle Cap

Designed especially for multiple outlets, but can be used in any standard receptacle.

25 to carton, std. pkg. 100

No. Description Price per C 763 Brown 7.40 7631 Ivory 13.55



PILOT LIGHT RECEPTACLE

Has Lock-in type hood which will not loosen with vibration. Complete with No. 765R Ruby Lamp.

10 to carton, std. pkg. 30

| 10 10 | carton, star | F |
|-------|--------------|-------|
| | | Price |
| No. | Description | per C |
| 757 | Bronze | 86.10 |
| 757I | Nickel | 86.10 |



No. 757 Pilot Light

NIGHT LIGHT RECEPTACLE

For use in sick rooms, etc. Light can be directed upward or downward. Furnished complete with No. 765C-6 watt clear lamp.

| 105C-0 | o watt clear | lamp. |
|--------|--------------|-------|
| | | Price |
| No. | Description | per C |
| 758 | Bronze | 86.10 |
| 758I | Nickel | 86.10 |
| | | |



No. 758 Night Light



No. 780

Box Cover

For two devices. Complete with strap and screws.

10 to carton, std. pkg. 50

| No. | Description | Price, per C |
|------|-------------|-----------------|
| 782B | 4" brown | 19.70 |
| 782G | 4" galv. | 19.70 |

Extra strap for No. 780 and No. 781 box covers.

10 to carton, std. pkg. 50

No. 780S, per C.....5.00



No. 782 Box Cover

No. 780S Strap

Extra strap for No. 782 outlet box covers.

10 to carton, std. pkg. 50 No. 782S, per C.....5.00



No. 782S Strap


RETAIL PRICES

CANOPY SWITCHES & CORD SWITCHES

CANOPY SWITCHES-LEVITON ROTARY CANOPY SWITCH

With Fixed Bakelite Knob

Rating-3 Amp. 125 Volt, 1 Amp. 250 Volt 6 inch wire leads





ROTARY CANOPY SWITCH Metal Knob—6" leads

Rating-3 Amp. 125 Volt, 1 Amp. 250 Volt Cat. Price Std. No. Pkg. Ctn. Per C 576 100 12.30



CANOPY PUSH SWITCH

6 inch leads Rating—3 Amp. 125 Volt, 1 Amp. 250 Volt Cat. Std. Price Descrip. 3/8" shank Ctn. Per C No. 575 25 100 16.60



ROTARY CANOPY SWITCH

With Large Knob-6" leads

Rating-3 Amp. 125 Volt, 1 Amp. 250 Volt Std. Pkg. Price Descrip. Ctn. 516" shank 50 No. Per C 574 12.30



TWO-CIRCUIT ROTARY CANOPY SWITCH 9 inch leads

Amp. Rating 125V. 250V. Std. Price Pkg. 100 No. 125V. Per C 573 19.65 583 25 100 22.10



CANOPY PULL SWITCHES

With 9 inch C.F. Wire Leads 3/8" Shanks Finishes-Brass, Bronze, or Nickel

Amp. Rating 125V. 250V. Std. Pkg. Price 10071PA 3 10 200 33.20 583PS 43.05



TWO-CIRCUIT CANOPY PULL SWITCH

With 9 inch C.F. Wire Leads Rating-

6 Amperes 125 Volts 3 Amperes 250 Volts Finish-Brush Brass Cat. Std. Pkg. Price Descrip. 3/8" shank Per C No. 583P 100 49.20



CANOPY PULL SWITCH Link Type

Complete with 6 ft. Cord

Rating-

6 Ampere 125 Volt 3 Ampere 250 Volt

Finishes-Brass or Bronze

Cat. Std. Price Pkg. No. Descrip. Ctn. Per C 6051 Link Type 100 81.75



LEVOLIER CANOPY SWITCHES



No. 39

No. 1010

| Finishes—Brass, Bronze, or Nickel | | | | | | | |
|-----------------------------------|-----------|--------|-------|-------------------------------------|------|------|--------|
| Cat. | Descrip. | | | Length | | Std. | Price |
| No. | Type | 125 V. | 250V. | Shank | Ctn. | Pkg. | Per C |
| 41 | Canopy | 6 | 3 | 3 16 | 10 | 100 | 87.20 |
| 39 | Link | 6 | 3 | 3 16 | 10 | 100 | 87.20 |
| 21 | Canopy | 3 | 1 | adj. | 10 | 100 | 36.90 |
| 1010 | Canopy | 10 | 5 | $\frac{\frac{3}{16}}{\frac{3}{16}}$ | 10 | 50 | 135.30 |
| 1039 | Link | 10 | 5 | 3 16 | 10 | 50 | 137.75 |
| 1020 | 2 Circuit | 10 | 5 | 3 16 | 10 | 50 | 150.00 |
| | | | | ^ | | | |





FEED-THROUGH CORD SWITCHES







10

10

Ctn.

10

10

10



No. 6837

No. 730 10 A., 125 V. Arrow No.

530

730

1521

6837

H & H No. 530 730 1521

6837

No. 530 6 A., 125 V. 3 A., 125 V. Ctn.

Description Single Pole, brown Single Pole, black Single Pole, black Double Pole, black

10 A., 250 V Price Std. Pkg. 50 Per C 51.00 50 47.35 56.55 50 143.90

COMPETITIVE AND METAL SHELL TYPES











No. H271 Bryant

No. 9410 Leviton

| Cat. No. | Description |
|----------|----------------|
| H271 | Brown Bakelite |
| 9410 | Brown Bakelite |
| 6070 | Brush Brass |
| 6682 | S.P. Nickel |



No. 6682

Amp. Rating 125V. 250V. 125V

Arrow Price Std. Per C 39.35 100 20.90 100 30.35 78.70



PENDENT SWITCH CURRENT TAPS

6

6

6

For Kitchen Units Rating-6 Amp. 125 V., 3 Amp. 250 V. Std. Price Pkg. Per C 50 81.15 Cat. No. Ctn. Description 29000 Brown—Arrow 10 9405 Brown—Leviton 10 81.15



No. 1405 100 34,40

THREE HEAT CORD SWITCH Indicating High-Med.-Low-Off

> Used on Heating Pads, etc. Made of Bakelite



Cat. No. Description 191 Eagle, 3 Heat

Std. Price Pkg. Per C 10 67.50

SIGN RECEPTACLES & CANDLE SOCKETS

PORCELAIN SIGN RECEPTACLES



| ERLINGS! | |
|----------|--|
| allenn | |
| No. 9840 | |

No. 9350

| Levito | on | | Std. | Price |
|--------|-------------------------|------|-------|-------|
| No. | Description | Ctn. | Pkg. | Per C |
| 2625 | Intermediate base | 10 | 250 . | 18.45 |
| 8101 | With 9" Pigtails No. 18 | 10 | 250 | 8.60 |
| 9350 | Standard 2-piece | 10 | 250 | 9.80 |
| 9840 | Concealed Terminals | 10 | 250 | 11.05 |
| | | | | |

PULL CHAIN SIGN RECEPTACLES





No. 9779

| Leviton | |
|---------|----------------|
| No. | Description |
| 9779 | Chain and Ins. |
| 9814 | Chain and Cord |

No. 9814

| Cı | Std. | Price |
|------|------|-------|
| Ctn. | Pkg. | Per C |
| 10 | 100 | 20.90 |
| 10 | 100 | 18.45 |

LEVITON CLEAT RECEPTACLES







| 140. | 9002 | 140.9003 | | 140. 1 | 0020 |
|---------|-----------------|----------|------|--------|-------|
| Leviton | | | | Std. | Price |
| No. | Description | (| Ctn. | Pkg. | Per C |
| 9062 | Porcelain | | 10 | 250 | 9.20 |
| 9063 | Bakelite | | 10 | 250 | 9.80 |
| 10020 | Miniature Base | | 25 | 200 | 7.35 |
| 10028 | Candelabra Base | | 25 | 200 | 7.35 |
| | | | | | |

MISCELLANEOUS RECEPTACLES







Price Per C

30.75 15.95 16.60

Std. Pkg.

250 250 250

No. 9880

| T | | |
|---------|-----------------------|-----|
| Leviton | | |
| No. | Description | Ctı |
| 8691 | Brass Shell Wall Skt. | 10 |
| 9880 | Pony Cleat 2-piece | 10 |
| 9885 | Cleat Sign Receptacle | 10 |



No. 8693 For Commercial Units

| 304 | Bakelite Convenience Outlet |
|------|-----------------------------|
| 304W | As above—White |
| 8693 | Medium Base |
| 8694 | Mogul Base |

No. 304 For Wall Brackets

| 25 | 250 | 18.45 |
|----|-----|-------|
| 25 | 250 | 20.90 |
| 10 | 250 | 12.30 |
| .5 | 50 | 34.40 |

KEYLESS CANDLE SOCKETS









| 1 | No. 8684 | No. 9800 | No. 10025 | ı | No. 100 | 26 |
|-------|----------|-------------------|-----------|------|---------|-------|
| Levit | on | | | | Std. | Price |
| No. | Desc | ription | | ctn. | Pkg. | Per C |
| 8684 | 2" Over | all | | 25 | 250 | 6.75 |
| 8685 | 2½" Ov | rerall | | 25 | 250 | 6.75 |
| 8686 | Adjusta | ble-25/8" to 3 | 1/4" | 25 | 250 | 7.35 |
| 8687 | 21/4" Or | rerall | | 25 | 250 | 6.75 |
| 8688 | 3" Over | | | 25 | 250 | 6.75 |
| 9800 | Adjusta | ble 4" to 53/4" | | 25 | 250 | 7.35 |
| 10025 | Candela | bra-2" | | 50 | 250 | 12.30 |
| 10026 | Adj. Ca | nd. 31/4" to 43/2 | " | 50 | 250 | 14.75 |

LEVITON CANDLE SOCKETS







| | No. 9804 | No. 9CC! | | No. 9806 | ; |
|---------|------------|------------------|-----|----------|-------|
| Levitor | 1 | | | Std. | Price |
| No. | Descrip | otion | Ctn | . Pkg. | Per C |
| 4055 | Bakelite- | -Bottom Sw. | 25 | 250 | 24.60 |
| 4056 | Porcelain- | -Bottom Sw. | 25 | 250 | 19.65 |
| 9803 | Puli | | 25 | 250 | 30.75 |
| 9804 | Adj. Pull | 1" to 5½" | 25 | 250 | 33.20 |
| 9805 | Adj. Turn | Knob 4" to 51/2" | 25 | 250 | 15.95 |
| 9805A | Turn Kno | b 2 % Overall | 25 | 250 | 14.75 |
| 9806 | Pull Porc | elain Knob | 25 | 250 | 30.75 |
| 9808 | Bottom T | urn Knob | 25 | 250 | 44.25 |

BAKELITE FIXTURE SOCKETS









| No. 305 | 2-8 No. 3052-13 | No. 3052-F | No. 30 | |
|---------|----------------------|------------|--------|-------|
| Leviton | | | Std. | Price |
| No. | Description | Ctn. | Pkg. | Per C |
| 3052-F | | 25 | 500 | 8.60 |
| 3052-8 | Bottom Mtg. 17/8" OA | 25 | 500 | 9.20 |
| 3052-12 | Bottom Mtg. 25%" OA | 25 | 500 | 9.20 |
| 3052-13 | Side Mtg. 177 OA | 25 | 500 | 8.60 |
| 3052-26 | Side Mtg. 111 OA | 25 | 500 | 8.60 |
| 3032-20 | Side Mig. 116 Off | | | |



LEVOLIER CANDLE SOCKETS

10 to Carton-Std. Pkg. 100 660 Watt 250 Volt

| | 000 11 411, 230 1011 | |
|---------------------------|--|----------------------------------|
| Cat. No. 121 127 | Description 5%"Nipple Porc. Lever 76" Sq. Shank, no Tassel | Price Per C 75.00 80.00 |



BAKELITE ATTACHMENT PLUGS & SOCKETS

BAKELITE CAPS AND BODIES



No. 9124





No. GA-1901





| No. GR | | No. 9 |
|--------|----|-------|
| | G. | Std. |

| | No. | 9125 | | No. GR | | No. 90 | 03 |
|-------|--------|---------|--------------|--------|------|--------|--------|
| Levit | | | | | | Std. | Price |
| No. | | Descri | ption | | Ctn. | | Per C |
| | Brown | n Bake | elite | | | | - 01 0 |
| 9124 | Bulk | | Plug Cap. | | 25 | 1000 | 2.70 |
| 9125 | Bulk | F | Plug Base | | 25 | 1000 | 3.65 |
| 91400 | | F | Handle Cap. | | 25 | 250 | 5.00 |
| | Ivory | Bake | lite | , | | | 0.00 |
| 124I | | F | lug Cap | | 25 | 250 | 5.40 |
| 1400I | | F | Handle Cap. | | 25 | 100 | 6.25 |
| Ar | row | Bryant | | | | | 0.20 |
| H & : | H No. | No. | | | | | |
| GA] | Bulk | HUT | Plug Ca | p | 25 | 1000 | 3.45 |
| GR | | HF | Handle | | 25 | 100 | 6.15 |
| 1901 | Bulk | H706 | Plug Ba | se | 25 | 1000 | 4.95 |
| 903 | Benjan | nin 1-F | Piece Swivel | | 50 | 250 | 18.45 |
| | | | | _ | | | |

RUBBER CAPS—TANDEM CAPS AND BASES



Cat. No. Description

No. GNL



No. 5418



No. 5419 Std. Pkg. Ctn.

No. 961

| 1201 T'e | viton | Rubber Cap. | 25 | 250 | 7.10 |
|----------|--------|---------------------|----|------|-------|
| Arrow | Bryant | · | | | |
| | | | | | |
| H&H No. | No. | | | | |
| GG | HRA | Rubber Cap | 25 | 100 | 11.00 |
| | | | | 100 | 11.65 |
| GNL | HRE | Rubber Handle Cap | 25 | 100 | 11.65 |
| TA | E400 | | | | |
| IA | 5420 | Tandem Cap | 10 | 100 | 23.95 |
| 8203 | 5612 | "T" Slot Plug Base | 10 | 100 | 44.05 |
| 0203 | | | 10 | 100 | 44.85 |
| | 5418 | Bake. Tandem Cap. | 10 | 100 | 23.95 |
| | | | | | |
| ******* | 5419 | Bake. "T" Slot Base | 10 | 100 | 44.85 |
| | | | _ | - 50 | |
| | | | | | |

CUBE TAPS - ADAPTER



| No. 9127 | No. 9126 |
|----------|----------|
| eviton | |

| eviton | | Std. | Price |
|--------------------------|------|------|-------|
| o. Description | Ctn. | Pkg. | Per C |
| Brown Bakelite | | | |
| 51 Socket Adapter | 25 | 100 | 13.50 |
| 126 Ext. Cord Cube Tap | 25 | 100 | 8.95 |
| 127 Cube Tap | 25 | 100 | 7.95 |
| Ivory Bakelite | | 100 | 1.50 |
| 26I Ext. Cord Cube Tap | 25 | 100 | 14.25 |
| 27I Cube Tap | 25 | 100 | 11.65 |
| Arrow Bryant | | | |
| I & H No. No. | | | |
| 772 H17 Cube Tap | 25 | 100 | 9.80 |
| 778 H18 Ext. Cord Cube T | | 100 | 11.65 |
| | | | |

BAKELITE SOCKETS



| | | | The second | |
|-----------|----------------------------|------|------------|-------|
| No. 91 | 28 No. 708 | | No. 9 | 1403 |
| Leviton | D | _ | Std. | Price |
| No. | Description | Ctn. | Pkg. | Per C |
| Brow | n Bakelite | | | |
| 708 Eagle | Triple Socket | 10 | 100 | 31.50 |
| 9128 | Twin Socket | 10 | 100 | 14.70 |
| 91403 | Plug-in Triple Socket | 25 | 100 | 14.75 |
| Ivory | Bakelite | | -00 | 11.70 |
| 128I | Twin Socket | 25 | 100 | 19.65 |
| 1403I | Plug-in Triple Socket | 25 | 100 | 19.65 |
| Arrow | Bryant | | 100 | 13.00 |
| H&H No. | Ňo. | | | |
| 7773 | H20 Twin Socket | 10 | 100 | 17.20 |
| 7774 | H204 Plug-in Triple Socket | | 100 | 17.20 |

BAKELITE SOCKETS



No. 91407







17.20

| -10.31101 | 140. 51400 | 140. 91402 | 140. | /1/ |
|----------------|---------------------|------------|--------------|----------------|
| Leviton No. | Description | Ctn. | Std. Pkg. | Price Per C |
| Brov | wn Bakelite | | 8. | |
| 717 Eagle | Pull Plug-in | 10 | 100 | 36.75 |
| 91402 | Offset Twin Socket | 10 | 100 | 14.75 |
| 91404 | Offset Plug-in | 10 | 100 | 14.75 |
| 1406 | Pull Triple Plug-in | 10 | 100 | 32.70 |
| 91407 | Pull Twin Offset | 10 | 100 | 32.70 |
| Ivor | y Bakelite | -0 | 100 | 02.70 |
| 406I | Pull Triple Plug-in | 25 | 100 | 38 10 |

SPRING ACTION DEVICES







No. 100



No. 102S





No. 127

| at. No. 00 01 02 02 02 05 | Description Bake. Pony Cap. Handle Cap. Short Rubber Cap. Small Rubber Cap. Bakelite Cube Tap. | Ctn. 25 25 25 25 25 25 25 25 | Std. Pkg. 1000 1000 1000 1000 1000 1000 | Price Per C 4.40 6.00 7.35 6.60 6.65 12.30 |
|---------------------------|--|------------------------------|--|---|
| 27 | Heavy Duty Rubber Cap. | 25 25 | 1000 | 12.30 17.05 |

HEATER PLUGS & CORD SETS

COMPETITIVE HEATER PLUGS













No. 9132 No. 8002B

| Cat. | | | Rating | | Std. | Price |
|-------|---------------|--------|--------|------|------|-------|
| No. | Description | 125 V. | 250V. | Ctn. | Pkg. | Per C |
| 8001B | C-H Screwless | 10 | 5 | 20 | 100 | 22,50 |
| 8002B | C-H Screwless | 10 | 5 | 20 | 100 | 15.00 |
| 9132 | Heater Plug | 10 | 5 | 10 | 100 | 9.80 |
| 9133 | Handle Plug | 10 | 5 | 10 | 100 | 13.50 |
| 9680 | Armored Plug | 10 | 5 | 10 | 100 | 11.65 |
| | | | | | | |

No. 24 Cord Set

| Cat. No. 18 24 25 921 7990 | Description 3 M Cy. Rayon 6' Cord 10 M Cy. Gl. Cotton 7' switched 10 M Cy. Gl. Cotton 7' no switch 3 M Cy. Rayon 6' switched 3 M Cy. Gl. Cotton 6' GH plug | Ctn. 10 10 10 10 10 | Std. Pkg. 100 100 100 100 100 | Price Per C 30.75 57.80 41.80 36.90 33.20 |
|--|--|------------------------------------|---|---|
| 24 | 10 M Čy. Gl. Cotton 7' switched | 10 | 100 | 57.80 |
| 25 | 10 M Cy. Gl. Cotton 7' no switch | 10 | 100 | 41.80 |
| 921 | 3 M Cy. Rayon 6' switched | 10 | 100 | 36.90 |


SWITCH-TYPE HEATER PLUGS











SUNBEAM CORD SETS

ARROW-H & H HEATER CORD SETS






| No. 9215 | No. 950 |
|-------------|---------------|
| Cat. No. | Description |
| 726 | Eagle Armored |
| 950 | Leader Plug |
| 9215 | Leviton Plug |
| 9216 | Handle Plug |

| No. 9216 | | | No | . 726 |
|----------|--------|------|-------|-------|
| | Rating | | Std. | Price |
| 125V. | 250V. | Ctn. | Pkg. | Per C |
| **** | | 10 | 100 | 27.00 |
| 6 | 3 | 10 | 100 | 18.10 |
| 6 | 3 | 10 | 100 . | 27.05 |
| 6 | 3 | 10 | 100 | 30.75 |
| | | | | |

| No. 154 Cord Set | No. 1 | 51 Cord Set | |
|--------------------------|-------|-------------|-------|
| Arrow | | Std. | Price |
| H&H No. Description | Ctn. | Pkg. | Per C |
| 151 6' Cord, Switchless | 10 | 50 | 65.15 |
| 152 8' Cord, Switchless | 10 | 50 | 78.70 |
| 154 6' Cord, Switch Plug | 10 | 50 | 84.85 |
| 155 8' Cord, Switch Plug | 10 | 50 | 97.75 |

EXTENSION CORD SETS





| ARROW-H | & H | -BKA | ANT—S | UNBEAM | PLUGS |
|---------|-----|------|-------|--------|-------|
| | | | | | |







Std.

Pkg. 100


100 100 100



| | | - | | |
|---------|-------------------------|---------------|---------|-------|
| | No. T12SJ | No. | 11/9SJ | |
| Leviton | | | Std. | Price |
| No. | Description | Ctn. | Pkg. | Per C |
| | With Cube End and | All Rubber Co | ord | |
| T 9SJ | 9' Cord, Rubber Cap | 10 | 100 | 36.90 |
| T12SJ | 12' Cord, Rubber Cap | 10 | 100 | 45.50 |
| T15SJ | 15' Cord, Rubber Cap | 10 | 100 | 52.85 |
| | With Push Thru Socket a | and All Rubbe | er Cord | |
| 11/ 9SJ | 9' Cord, Rubber Cap | 10 | 100 | 43.05 |
| 11/12SJ | 12' Cord, Rubber Cap | 10 | 100 | 51.65 |
| 11/15SJ | 15' Cord, Rubber Cap | 10 | 100 | 59.00 |

No. H250 Arrow H & H No. 7761 7762

Sunbeam No.





Price

Per C 17.20 14.75 38.10

35.00 30.00

| 1 | |
|---|---|
| 1 | 1 |
| 9 | |

RUBBER HANDLE SOCKET

With Turn Knob


Rating-250 Watt, 250 Volt

| Takes | Standard Rubber Cord | and La | imp Gi | uard. |
|-------|----------------------|--------|--------|-------|
| Cat. | | | Std. | Price |
| No. | Description | Ctn. | Pkg. | Per C |
| 7799 | Rubber Handle Socket | 10 | 20 | 59.00 |

No. 7799

JOSLYN POLE LINE EQUIPMENT

GALVANIZED MACHINE BOLTS




GALVANIZED EYE BOLTS



| | | Price |
|---------|-----------|-------|
| Size | Std. Pkg. | Per C |
| ½x 6 | 100 | 32.90 |
| 8 | 100 | 34.80 |
| 10 | 100 | 35.15 |
| 12 | 100 | 36.65 |
| 5/8 x 8 | 100 | 44.55 |
| 10 | 50 | 46.20 |
| 12 | 50 | 48.95 |
| 14 | 50 | 51.75 |
| 16 | 50 | 55.25 |
| 18 | 50 | 57.80 |
| | | |

GALVANIZED GUY RODS



| | | | Price |
|--------|-------------|-----------|--------|
| Size | Description | Std. Pkg. | Per C |
| 1/2×6′ | Standard | 10 | 100.10 |
| 5/8×6' | Standard | - 5 | 143.00 |
| 5/8×7' | Standard | 5 | 161.70 |
| 5/8×8' | Standard | 5 | 179.25 |
| 5/8×6′ | Thimble Eye | 5 | 156.60 |
| 5/8×7' | Thimble Eye | 5 | 174.30 |
| 5/8x8' | Thimble Eye | 5 | 192.75 |

WIRE ROPE THIMBLES



Hot Galvanized Price Size Std. Pkg. Per C 1000 9.45 500 250 12.45 17.85

GALVANIZED WASHERS

Square or Round

| C | . 337- | 1 | Dame | nd Wash | |
|-----------|--------|--------|------|-----------|-------|
| Squar | e was | sners | Koui | nd wasne | ers |
| | Std. | Price | | Std. | Price |
| Size | Pkg. | Per C | Size | Pkg. l | Per C |
| 2" x1/8" | 1000 | 3.20 | 3/8" | 5000 | .75 |
| 21/4"x18 | | 4.85 | 1/2" | 2500 | 1.35 |
| 3" x 18 | 200 | 10.20 | 5/8" | 1000 | 2.30 |
| 4" 3" | | 17.70 | 3/4" | 1000 | 3.20 |
| Note: (| On Sq | uare W | | please sp | ecify |
| hole size | desir | ed. | | | |


GALVANIZED POLE STEPS



GLASS INSULATORS



| No. | Description S | td. Pkg. | Price Per M |
|-----|------------------|----------|----------------|
| 9 | Pony | 200 | 124.30 |
| 14 | D. G. D. P. Pony | 144 | 161.25 |
| 19 | D. G. D. P. | 100 | 180.90 |
| | | | |



Porcelain Pin Type Insulators

PINCO

No std. pkg. quantity

| | Line | | | Price |
|-----|---------|---|--------|-------|
| No. | Voltage | Type | Height | Per C |
| 62 | 7,500 | Side groove | 3.62" | 17.45 |
| 63 | 13,500 | Side groove | 3.5" | 38.80 |
| 223 | 7,500 | and top gro Side groove and top gro | e 3" | 20.35 |

STRAIN INSULATORS AND DEAD END CLEVISES





| | | Price |
|------|--------------------|-------|
| No. | Description | Per C |
| 502 | 34x2½x 78 Hole | 31.65 |
| 504 | 3%x2%x18 Hole | 47.50 |
| 506 | 54x3½x¾ Hole | 63.35 |
| 0339 | Small D. E. Clevis | 65.15 |
| 0340 | Large D. E. Clevis | 86.85 |
| | | |

GALVANIZED STEEL PINS




| Std. | pkg. 100, except No. 320-2 | 25. |
|------|-----------------------------|--------|
| Cat. | | Price |
| No. | Description | Per C |
| 200 | ½x9¾—for Wood Arms | 42.35 |
| 202 | 5/8 x 9 3/4 — for Wood Arms | 51.30 |
| 230 | ½x7¾—Lag Screw Type | 40.35 |
| 320 | 34x12½—Flat Base for | |
| | Wood Arm | 167 10 |

WOOD LOCUST PINS AND BRACKETS




| | | | Price |
|-------------|----------------|-----------|-------|
| Size | Description | Std. Pkg. | Per M |
| 1½"x8" | Locust Pins | 250 | 37.50 |
| 1½"x9" | Locust Pins | 250 | 60.00 |
| 11/2"x2"x1 | 0" Oak Bracket | s 250 | 48.75 |
| 116" v2" v1 | 2" Oak Bracket | s 250 | 56 25 |

GALVANIZED DOUBLE ARM BOLTS



GALVANIZED LAG SCREWS

53.30



| | Price |
|-----------|---|
| Std. Pkg. | Per C |
| 1000 | 3.05 |
| 1000 | 4.25 |
| 1000 | 4.70 |
| 500 | 5.15 |
| 500 | 5.40 |
| 500 | 6.00 |
| 500 | 6.90 |
| 500 | 6.90 |
| 500 | 7.55 |
| 500 | 8.15 |
| 500 | 8.75 |
| 250 | 9.45 |
| | 1000 1000 500 500 500 500 500 500 500 |

GALVANIZED FLAT CROSS ARM BRACES

| Price | Price |
|--|---------------------|
| Size · Per C | Size Per C |
| $\frac{7}{32}$ "x1 $\frac{7}{32}$ "x20"25.65 | 1/4"x11/4"x20"28.10 |
| 22"27.80 | 22"30.80 |
| 24"30.20 | 24"33.30 |
| 26"32.40 | 26"35.70 |
| 28"34.80 | 28"36.50 |
| 30"37.20 | 30"39.75 |
| 32"39.65 | 32"41.25 |
| 100 to Standa | rd Package |

GALVANIZED STEEL STRAND



| | | The second second |
|-------------|-------------------|-------------------|
| 1000′ | to std. pkg. | Price |
| Size | App. Strength Per | M Ft. |
| 1/2" | 7400 lbs. | 72.60 |
| 3/8" 5 " | 4250 lbs. | 45.30 |
| 16" | 3200 lbs. | 32.55 |
| 1/4" | 1900 lbs. | 22.40 |
| | | |

GALVANIZED GUY CLAMPS

| 50 to st | d. pkg. | Price |
|----------|--------------------|-------|
| No. | Size | Per C |
| 1031 | 3 Bolt 4" | 49.25 |
| 930 | 3 Bolt 6" Standard | 60.35 |
| 931 | 3 Bolt 6" Heavy | 60.15 |
| 201 | o Doit o licavy | 30.13 |

EVERSTICK EXPANDING ANCHORS



| 100 to | std. pkg. |
|-----------|-----------|
| | Price |
| Size | Per C |
| 8"-2 way | 315.00 |
| 8"-3 way | 279.00 |
| 10"-4 way | 744.00 |
| 8"-cone | 129.00 |
| 0 -00116 | 129.00 |

FLOODLIGHTS - SHOW CASE LIGHTING

THE VARIETY-LITE



A Benjamin Floodlight for general use about the home or business establishment. The porcelain enameled reflector is easily cleaned. Porcelain socket of weatherproof construction. Easily adjustable to any angle. Pearl grey reflector, blue cap and bracket, nickel plated band. Complete with 6 ft. of cord and plug.


No. 1936

Lamp Watts 100 200, 300

Cat. No. 1934 1936 Description 8" diameter reflector 10" diameter reflector

Std. pkg. Each
1 3.25
1 3.55

BENJAMIN "DUO-SERVICE" FLOODLIGHTS



750-1500 Watt

(For the lighting of service stations, roadside inns, etc.). Supplied with 1½" slip fitter.

A "Two-in-one" unit which combines in the same unit a large porcelain enamel diffusing reflector with a beam producing, ALZAK aluminum inner flood lighting projector.

Regularly supplied green outside, white supplied when specified. "SAFLOX" ATTACHMENT—provides for lowering the unit for servicing and relamping.

| 101 001 1 | and a second sec | |
|-----------|--|-------------|
| Cat. No. | . Description | Price, each |
| 5764 | With Medium Spread beam inner projector | 29.70 |
| 5766 | With Wide Spread beam inner projector | 31.05 |
| 27564 | As No. 5764, with "Saflox" attachment | 37.80 |
| 27566 | As No. 5766, with "Saflox" attachment | 39.15 |

BENJAMIN ELLIPTO-LITE FLOODLIGHTS



300-500 watt, and 750-1500 watt. For lighting playgrounds, sports areas, parking lots, etc. A low priced, wide angle, open type porcelain enamel steel reflector, elliptical shape with inner Alzak aluminum reflector.

No. 5771

| | Lamp | | Di | mensio | ns | Price |
|---------|---------------|-----------------|----------|--------|--------|-------|
| Cat. No | . Watts | Bracket | Depth | Width | Height | Each |
| 5771 | 300- 500 | Cross Arm | 143/4" | 20" | 181/4" | 18.90 |
| 5774 | 300- 500 | Slip Fitter | 143/4" | 20" | 181/4" | 20.70 |
| 5971 | 750-1500 | Cross Arm | 143/4" | 217/8" | 213/4" | 19.80 |
| 5975 | 750-1500 | Slip Fitter | 143/4" | 217/8" | 213/4" | 21.60 |
| Deduct | for less inne | er reflector 3. | 00 list. | | | |



SHOWCASE LIGHTING



Sectional construction makes installation easy in any type of show case. Lamp sections come in a variety of lengths, so a combination is obtainable to fit any length of show case. A link section which can be cut and bent to fit permits extension around curved portions of the case. Straight sections are joined electrically and mechanically by simply tightening two machine screws.

LAMP SECTIONS

| Description | No. of Lights | For T10 Lamps Cat. No. | For T6½ Lamps Cat. No. | Price Each |
|------------------|------------------|------------------------------|------------------------|---------------|
| 8½" lamp section | 1 | 4351 | 6351 | 3.00 |
| 12" lamp section | 1 | 4354 | 6354 | 3.60 |
| 16" lamp section | 3 | 4355 | 6355 | 4.20 |
| 22" lamp section | 2 | 4357 | 6357 | 4.80 |
| 30" lamp section | 2 | 4356 | 6356 | 5.40 |
| 30" lamp section | 4 | 4338 | 6338 | 7.20 |
| 34" lamp section | 4 | 4339 | 6339 | 7.80 |

ENTRANCE STEM ASSEMBLY

| Cat. N | | Price, each |
|--------|--|-----------------|
| 4349 | Consists of connecting block (F), 33" of twith bend (E), elbow (D), 33" of tubing | ubing z (C), |
| | floor fitting (B) and outlet box (A) | 4.08 |
| 4350 | Consists of connecting block (F), 33" of t with bend (E), outlet box (A) and floor | ubing |
| | (B) | 2.76 |
| Standa | ard package is 5 assorted of any of above. | |

PARTS LIST AND EXTRA FITTINGS

| Cat. Part | Cat. Part |
|-----------------------------|-----------------------------|
| No. Letter Description Each | No. Letter Description Each |
| 4347 F Con. block | 4368 B Floor fitting60 |
| 4348 H Con. block | 4369 A Outlet box48 |
| 4362 E 33" tube, bend96 | 4346 I Socket T10 |
| 4363 C 33" tube | lamp |
| 4358 G 18" tube | 6346 I Socket T6½ |
| 4364 D Elbow | lamp |
| Standard package is 5. | 5088 |

BENJAMIN "PLAY-AREA" FLOODLIGHTS



750-1500 Watt

For the lighting of recreational areas—football fields, baseball fields, etc.

A large, open type, diffusing porcelain enamel steel reflector with an inner auxiliary reflector of Alzak aluminum. Provides strong illumination on the ground areas to the front and sides of the unit, directs adequate light on vertical surfaces,

No. 5751 light on vertical surfaces, directs some light into the upper areas, and eliminates glare. Finished green outside, white inside. $28\frac{1}{2}$ " long, $17\frac{1}{2}$ " wide, $23\frac{1}{4}$ " high.

| Cat. No | Description | Price, each |
|--------------|---------------------------------|----------------|
| 5751 5752 | Complete with cross arm bracket | 26.10 27.90 |

S & M "Red Cap" Flood - Lites and Reflectors

S & M "Red Cap" Flood-Lites and Reflectors are Efficient—Easily Cleaned—Durable



| Beam Spread—120 Deg. | | Beam Spread-110 Deg. |
|--|---------------|--------------------------------|
| 50 to 1000 Watts | | 150 to 200 Watts |
| Diameter 7" | | Diameter 91/2" |
| AG Marine | | |
| No. 402—open type\$2.95 | For | No. 802—open type\$4.50 |
| No. 403, with clear lens 4.95 | Utility | No. 803, with clear lens 7.40 |
| No. 403, with colored | | No. 803, with colored |
| lens 6.70 | Lite-ing | lens 9.65 |
| | | |
| | 45° | |
| No. 400-AC—open type 2.95 | Inward | No. 800-AC—open type 4.00 |
| No. 401-AC, with clear | for | No. 801-AC, with clear |
| lens 4.95 | | lens 6.90 |
| No. 401-AC, with colored | Signboards | No. 801-AC, with colored |
| lens 6.70 | and | lens 9.15 |
| | Walls | |
| | | |
| | | |
| | | |
| No. 400-DC-open type 2.95 | 90° | No. 800-DC-open type 4.00 |
| No. 401-DC, with clear | for | No. 801-DC, with clear |
| lens 4.95 | Entrances | lens 6.90 |
| No. 401-DC, with colored | and | No. 801-DC, with colored |
| lens 6.70 | Loading Docks | lens 9.15 |
| A STREET OF STREET | 1000 | |
| | | |
| | 1350 | |
| No. 400-OC—open type 2.95 | 135° | No. 800-OC-open type 4.00 |
| No. 401-OC, with clear | Outward | No. 801-OC, with clear |
| lens 4.95 | for | lens 6.90 |
| No. 401-OC, with colored | | No. 801-OC, with colored |
| lens 6.70 | Yards | lens 9.15 |
| | | |
| | | |
| No. 400-SC—open type 2.95 | | No. 800-SC—open type 4.00 |
| No. 401-SC, with clear | Straight | No. 801-SC, with clear |
| lens 4.95 | Сар | lens 6.90 |
| No. 401-SC, with colored | | No. 801-SC, with colored |
| lens 6.70 | General | lens 9.15 |
| No. 424 Color Screen | Overhead | No. 824 Color Screen |
| Holder, with Red, Green, Blue and Am- | I the term | Holder, with Red. |
| ber gelatins | Lite-ing | Green, Blue and Amber gelatins |



S & M Reflectors—"S" Group—for use with all 21/4" Shadeholders



Diam. No. Depth 7½" 9¾" 63" 81/8" SBM8 50-100 1.75 SBM10 150-200 2.30 For Deep Bowl Type with 1/2" conduit fitting use 400-800 Series shown above.



No. Watts Diam. Depth List 100 150 200 12" 14" 16" SLM12 2.75 3.45 SLM14 SLM16

S & M "HOT SPOT"

ber gelatins

For Window Spot-Liteing, Interior Displays, etc. High intensity lighting with low wattage. Uses 100 watt Silver Bowl lamp. No. 4523.95



These Reflectors may be had complete with porcelain sockets and any of the above Nos. 400 and 800 Series two-piece cast aluminum "Red Cap" fittings tapped for 1/2" conduit. Write for Catalog and prices.

S & M "Red Cap" Flood-Lites and Reflectors

Sturdily constructed of pure heavy gauge sheet aluminum and finished by the S & M "ILLUMINOUS PROCESS" for maximum efficiency and durability.



300 or 500 Watts



750 or 1000 Watts




750, 1000 or 1500 Watts

No. 1000 Reflector — projector type for high mounting. 20" O.D. Mogul socket and brass yoke for ½" conduit. 60° beam spread.

Shields for Nos. 900 and 1000 series....4.00

Bracket Type S & M Floodlights are furnished complete with choice of brackets, including U-Bolt type for pipe up to 1¼", clamp type for 1½ to 3" pipe, slip fitter for pipe, pole mounting, for wood crossarms and many others.



There is an S & M layout for every job. Submit your lighting problems to us for lighting layouts and estimates.

No. 1735 Flush Ceiling Fixture—200W—Dome type for low ceilings. Diam. for ceiling opening 16". Overall 18½", depth 11". Complete as shown..................20.00

No. 1935 Flush Ceiling Fixture—300-500 W. Dome type for medium high ceilings. Ceiling opening 18", overall 20¾", depth 14¾". Complete as shown......23.50

No. 1945 Flush Ceiling Fixture—Same as No. 1935 except deep bowl type for high ceilings. Depth 185%". Complete......26.00



750, 100 or 1500 Watts



200, 300 or 500 Watts




LISTED AS STANDARD BY UNDERWRITERS' LABORATORIES

Benjamin Porcelain Enameled Reflectors

BENJAMIN "ECONOMICAL" LINE—A Quality Line at a low price

With Porcelain Sockets-Threaded for 1/2" Conduit



Standard

| Dome Reflectors | | | | |
|-----------------|-------|------|------|-------|
| Size | | | | |
| Lamp | Cat. | | Std. | Price |
| Watts | No. | Dia. | Pkg. | Each |
| 75-100 | 17512 | 12 | 10 | 3.00 |
| 150 | 17514 | 14 | 10 | 3.15 |
| 200 | 17516 | 16 | 10 | 3.65 |
| | | | | |



With Type "N" Necks for Shadeholders Crysteel, porcelain enameled steel finished green outside, white inside. "N" neck fits 2½" standard holders. Standard Dome Reflectors

| Size | | | | |
|--------|-------|------|------|-------|
| Lamp | Cat. | | Std. | Price |
| Watts | No. | Dia. | Pkg. | Each |
| 60-100 | 17312 | 12 | 10 | 1.70 |
| 150 | 17314 | 14 | 10 | 2.00 |
| 200 | 17316 | 16 | 10 | 2.30 |



Shallow Dome Reflectors

| Size | | | | |
|--------|-------|------|------|-------|
| Lamp | Cat. | | Std. | Price |
| Watts | No. | Dia. | Pkg. | Each |
| 75-100 | 17412 | 12 | 10 | 3.00 |
| 150 | 17414 | 14 | 10 | 3.15 |
| 200 | 17416 | 16 | 10 | 3.65 |
| | | | | |



Shallow Dome Reflectors

| | Holder | | | | |
|------|--------|------|------|-------|--|
| Cat. | | Size | Std. | Price | |
| No. | Dia. | Inch | Pkg. | Each | |
| H410 | 10 | 21/4 | 10 | .90 | |
| H412 | 12 | 21/4 | 10 | 1.05 | |
| H414 | 14 | 21/4 | 10 | 1.35 | |
| H416 | 16 | 31/4 | 10 | 1.70 | |



Angle Sign Reflectors Horizontal Type

| Size Lar | np | | Std. | Price |
|----------|----------|-------|------|-------|
| Watts | Cat. No. | Dia. | Pkg. | Each |
| 50-60 | L1821 | 8 | 10 | 2.25 |
| 75-100 | L1822 | 8 | 10 | 2.25 |
| 150 | L1823 | 10 | 10 | 2.55 |
| 200 | L1824 | 125/8 | 10 | 4.75 |
| 300-500 | L1825 | 143/4 | 5 | 5.90 |



Symmetrical Angle Reflectors

| | | Dia. | Std. | Price |
|--------|----------|------|------|-------|
| atts | Cat. No. | In. | Pkg. | Each |
| , 40 | 15040N | 7 | 10 | 1.35 |
| , 60 | 15060N | 8 | 10 | 1.70 |
| , 100 | 15075N | 8 | 10 | 1.70 |
| 0, 200 | 15100N | 10 | 10 | 2.30 |
| | | | | |



Bowl Reflectors

| | | Dia. | Std. | Price |
|--------|----------|------|------|-------|
| Vatts | Cat. No. | In. | Pkg. | Each |
| 5, 40 | 12025N | 5 | 10 | 1.04 |
| 0, 60 | 12060N | 7 | 10 | 1.80 |
| 5, 100 | 12075N | 8 | 10 | 1.90 |
| 50 | 12100N | 9 | 10 | 2.15 |
| 00 | 12200N | 10 | 10 | 2.60 |




Angle Sign Reflectors

Vertical Type

With Porcelain Sockets

| Size Lar | np | | Std. | Price |
|----------|----------|-------|------|-------|
| Watts | Cat. No. | Dia. | Pkg. | Each. |
| 50-60 | E1821 | 8 | 10 | 2.25 |
| 75-100 | E1822 | 8 | 10 | 2.25 |
| 150 | E1823 | 10 | 10 | 2.55 |
| 200 | E1824 | 125/8 | 10 | 4.75 |
| 300-500 | E1825 | 143/4 | 5 | 5.90 |
| | | | | |



Fit any Benjamin "N" neck reflector for 21/4" standard shade holders. Attach to brass shell, porcelain, Benco, or heavy duty metal clad sockets. (G.E., Arrow, H & H, etc.).




GOOSENECKS AND FITTINGS

Cat. No.

5036

5026



Goosenecks are iron, cadmium plated. Supplied with or without wall fitting as listed below.



for Metal

clad sockets

Cat. No. 4382

4383

4384

4385


Description Type "W" for Metal Clad sockets Type "S" for Benco sockets Type "B" for std. Brass shell sockets Type "P" for std. Porcelain sockets

for Benco

sockets

4215

4217



Std. pkg.

10

10

10

for Brass

shell sockets

Price

Each

.24

.24

Size, Inches 30x½"
Tapped ½"



No. 4200

"BENCO" SOCKETS AND SHADEHOLDERS

Benco sockets have highly insul-No. 4215 ated, rugged interiors and strong metal casings. Take Type S Shadeholders listed above, also Nos. 4215 and

for Porcelain

sockets




Description

Without fitting

Wall fitting only

BALL ALIGNERS For mounting direct to 31/4 or 4" boxes, and

allow lighting fixture to hang plumb. Description
For 3¹/₄ or 4" box Std. pkg. Each Cat. No. 3380





STRAIN RELIEF CORD GRIP

For suspending fixture from cord. Fits any socket tapped ½" and takes cord from ¾" to



SHOCK ABSORBING SPRINGS for Benjamin Sockets

| Cat. No. | | | Price Each |
|--------------|---|----|---------------|
| 4679 4673 | For Medium base socket For Mogul base socket | 10 | .12 |

N.B. Benco Sockets, broken carton, carton, std. pkg.; Reflectors, etc.—broken pkg., 1-5 std. pkgs., 5 std. pkgs. asstd.

INDUSTRIAL LIGHTING

BENJAMIN STANDARD LINE

SOCKET REFLECTORS—ONE-PIECE EQUIPMENT


N. E. C. Standard sockets; seamless porcelain enameled steel reflectors. Porcelain sockets have separable fitting tapped ½" standard 34" when specified, or bushed for drop cord.



RLM Dome

| | | SOLLIE TECT | CCCOI | |
|---|--------------------------------------|----------------------------|---------------------------------|--------------------------------------|
| Lamp Watts | Cat. No. | Dia., Inches | Std. Pkg. | Price Each |
| 50, 60 75, 100 150 200 300, 500 | 5640 5641 5642 5643 5644 | 12 12 14 16 18 | 10 10 10 10 10 5 | 3.95 3.95 4.20 4.90 6.35 |
| 750, 1500 | 5645 | 20 | 5 | 8.60 |

RLM Dome Reflector



Shallow Dome





Bowl



metrical Angle



Elliptical Angle

| | Shallow | Dome Re | flector | |
|----------|---------|-----------|---------|-------|
| Lamp | Cat. | Dia., | Std. | Price |
| Watts | No. | Inches | Pkg. | Each |
| 50, 60 | 5437 | 12 | 10 | 3.80 |
| 75, 100 | 5421 | 12 | 10 | 3.95 |
| 150 | 5423 | 14 | 10 | 4.20 |
| 200 | 5425 | 16 | 10 | 4.90 |
| 300, 500 | 5509 | 18 | 5 | 6.35 |
| | Flat C | one Defle | | |

| Plat C | one Kene | Ctor | |
|--------|-------------------------------------|---|--|
| Cat. | Dia., | Std. | Price |
| No. | Inches | Pkg. | Each |
| 5431 | 14 | 10 | 3.95 |
| 5401 | 14 | 10 | 3.95 |
| 5402 | 16 | 10 | 4.20 |
| 5403 | 18 | 10 | 4.90 |
| | Cat. No. 5431 5401 5402 | Cat. Dia., No. Inches 5431 14 5401 14 5402 16 | No. Inches Pkg. 5431 14 10 5401 14 10 5402 16 10 |

| Bowl Reflector | | | | | |
|----------------|------|--------|------|-------|--|
| Lamp | Cat. | Dia., | Std. | Price | |
| Watts | No. | Inches | Pkg. | Each | |
| 50, 60 | 6166 | 7 | 10 | 3.45 | |
| 75, 100 | 6161 | 8 | 10 | 3.70 | |
| 150, 200 | 6169 | 10 | 10 | 4.20 | |
| 300, 500 | 6173 | 12 | 5 | 6.20 | |
| 750, 1500 | 6177 | 16 | 5 | 8.50 | |

| | Symmetrica | al Angle | Reflector | |
|----------|------------|----------|-----------|-------|
| Lamp | Cat. | Dia., | Std. | Price |
| Watts | No. | Inches | Pkg. | Each |
| 50, 100 | 5541 | 8 | 10 | 3.50 |
| 150 | 5542 | 10 | 10 | 4.10 |
| 300, 500 | 5543 | 14 | 5 | 5.90 |
| 750, 150 | 00 5544 | 16 | 5 | 10.10 |

| | Elliptical | Angle Re | flector | |
|-----------|------------|----------|---------|-------|
| Lamp | Cat. | Dia., | Std. | Price |
| Watts | No. | Inches | Pkg. | Each |
| 75, 100 | 5522 | 123/4 | 10 | 4.20 |
| 150 | 5525 | 123/4 | 10 | 5.00 |
| 200 | 5526 | 161/4 | 10 | 5.75 |
| 300, 500 | 5537 | 20 | 5 | 10.40 |
| 750, 1500 | 5538 | 217/8 | 2 | 11.60 |

SHADEHOLDER REFLECTORS



RLM Dome

| Lamp Watts | Cat. No. | Dia., Inches | | Price Each |
|---------------|-------------|-----------------|----|---------------|
| 25, 40 | 14025N | 10 | 10 | 1.50 |
| 50,60 | 14050N | 12 | 10 | 2.25 |
| 75, 100 | 14075N | 12 | 10 | 2.25 |
| 150 | 14100N | 14 | 10 | 2.60 |
| 200 | 14200N | 16 | 10 | 3.10 |

RLM Dome Reflector

Shallow Dome Reflector



Shallow Dome

| Lamp | Cat. | Dia., | | Price |
|---------|--------|--------|----|-------|
| Watts | No. | Inches | | Each |
| 25, 40 | 11050N | 10 | 10 | 1.50 |
| 50, 60 | 11060N | 12 | 10 | 1.70 |
| 75, 100 | 11075N | 12 | 10 | 2.00 |
| 150 | 11100N | 15 | 10 | 2.25 |
| 200 | 11200N | 16 | 10 | 3.10 |

"TURNLOX" TWO-PIECE LIGHTING EQUIPMENT

N. E. C. Standard-reflector and lamp removable as unit by simple quarter turn of reflector. Pendent and angle hoods tapped ½", standard ceiling hoods fit 4"

standard boxes. All of the Benjamin socket reflectors

RLM Dome showing "Turnlox" feature

listed to the left can be equipped with the "Turnlox" feature at an increase of 30 cents each list.

GLASSTEEL DIFFUSERS



No. 9201

"Turnlox" type for very best general lighting. Provide a soft and evenly diffused illumination by means of the opal glass diffusing globe and the white porcelain enameled steel reflector. The "Turnlox" feature makes reflector, lamp and glass globe removable as a complete unit for easy cleaning. Reflectors are interchangeable among any of three styles of hoods. Safety globe holding ring controlled by outside reflector.

| Lamp | Diam. | Pendant | Ceiling | Angle | Std. | Price |
|-----------|-------|----------|----------|-------|------|-------|
| Watts | In. | Type No. | Type No. | | Pkg. | Each |
| 150, 200 | 18 | 7201 | 9201 | 3201 | 4 | 11.15 |
| 300, 500 | 20 | 7202 | 9202 | 3202 | 4 | 15.50 |
| 750, 1000 | 24 | 7203 | 9203 | 3203 | 2 | 22.70 |

Also available with standard hood at correspondingly lower cost

REFLECTOR GUARDS—SHALLOW TYPE



Easily attached to Benjamin reflectors with circular openings and beaded edges by means of clamp lever. Heavy steel wire guard with welded joints. Locking type but padlock not included.

No. 1393 Guard Only

(No. 2570 Padlock 65c each list)

| Diam. | | Depth | Cat. No. | Depth | | Price |
|-------|---------|-------|----------|-------|-----------|-------|
| In. | Shallow | In. | Deep | In. | Std. Pkg. | Each |
| 10 | ******* | | 1383 | 23/4 | 10 | 1.40 |
| 12 | 1387 | 1 | 1386 | 33/4 | 10 | 1.80 |
| 14 | 1389 | 13/4 | 1388 | 5 | 10 | 2.15 |
| 15 | ******* | | 1390 | 63/4 | 10 | 2.40 |
| 16 | 1393 | 11/2 | 1392 | 43/4 | 10 | 2.50 |
| 18 | 1395 | 13/4 | 1394 | 61/4 | 10 | 3.00 |
| 20 | 1397 | 2 | 1396 | 4 | 10 | 3.60 |

MASTER SIGN REFLECTORS



Easily wired and installed-no conduit bends. Inconspicuous - easy to clean. Long straight line cutoff eliminates scallops or shadows. Crysteel porcelain enameled steel reflector, green outside, white inside. With removable fitting, tapped 1/2 in.

| Dimensions, Inches | | | | | | |
|--------------------|----------|---------|---------|---------|------|-------|
| Lamp | | Front | Length- | Overall | Std. | Price |
| Watts | Cat. No. | to Back | wise | Height | Pkg. | Each |
| 100, 150 | 5570 | 91/4" | 141/4" | 85/8" | 9 | 4.30 |
| 150, 200 | 5571 | 10" | 131/4" | 9" | 9 | 5.00 |

DUST-TIGHT AND MOISTURE PROOF UNITS



For installation in flour and feed mills, laundries, engine rooms, cotton warehouses, etc. One piece, weatherproof copper casing tapped ½". Complete with glass globe and gasket.

| Lamp Watts | Cat. No. | Globe | Length | | Price Each |
|---------------|----------|-------|--------|----|---------------|
| 25, 60 | 663 | Clear | 75/8" | 10 | 2.50 |
| 75, 100, 150 | | Clear | 93/4." | 10 | 3.15 |
| 75, 100, 150 | 665O.P. | Opal | 9½" | 10 | 3.75 |







Deep Windows Shallow Windows

Planning Show Window Lighting

Show windows are divided according to size as indicated in the above diagrams. Deep windows require distributing reflectors; shallow windows, semi-concentrating types; very shallow windows, concentrating types. The number of reflectors to use in lighting a window is influenced by a number of variable factors, but in general the following spacing is

| Large cities, bu | siness district | 12" |
|------------------|---|------------|
| Large cities, su | burban district | 12" to 18" |
| | *************************************** | |
| Towns | | 15" to 24" |

Recessing reflectors and wiring them above the ceiling gives the window a neat appearance. Finishing flanges are used to finish off the opening and support the reflector in the correct position. Where ceilings are of plaster, plaster rings are used as a "ground" to plaster to and also as a base for mounting finishing flanges.

Attraction Zone" Lighting

For show windows of average size. This lighting produces excellent show window lighting with the added feature of highlighting the "Attraction Zone," that part of the window below the eye level.



ATTRACTION ZONE REFLECTORS

No. 420 "MASTER" and No. 530 "MONARCH".

> No. 420—For 150-watt lamp. Diameter 85%". Overall height $7\frac{9}{16}$ ".

> No. 530—For 200-watt lamp. Diameter 9¾". Overall height

| Cat. No. | Code Name | Std. Pkg. | Pkg. Wt. | Price, each |
|----------|---------------|-----------|-----------|-------------|
| 420 | MASTER | 10 | 20 lbs. | \$3.75 |
| 530 | MONARCI | H 10 | 28 lbs. | 4.30 |
| | FINIS | HING FLA | NGES | |
| Cat. No. | For | Std. Pkg. | Shpg. Wt. | Price, each |
| | Reflector No. | _ | Std. Pkg. | |
| 10517 - | 420 | 10 | 10 lbs. | \$.50 |
| 14026 | 530 | 10 | 10 lbs. | .60 |
| | PLA | STER RI | NGS | |
| 14027 | 420 | 10 | 10 lbs. | \$.88 |
| 14028 | 530 | 10 | 10 lbs. | .93 |
| | | | | |




FOR DEEP WINDOWS No. 400 "JACK" and No. 500 "KING".

No. 400—For 100- or 150-watt lamp. Width 8½", depth 8". Overall height 8¾". A ¾" socket extension is required with 100-watt lamp.

No. 500—For 200-watt lamp. Width 10", depth 10½". Overall height 10".

| Cat. No. | Code Name | Std. Pkg. | Pkg. Wt. | Price, each |
|----------|---------------|-----------|-----------|-------------|
| 400 | JACK | 10 | 21 lbs. | \$4.30 |
| 500 | KING | 10 | 30 lbs. | 4.80 |
| | FINISI | HING FLA | ANGES | |
| Cat. No. | For | Std. Pkg. | Shpg. Wt. | Price, each |
| | Reflector No. | | Std. Pkg. | |
| 11400 | 400 | 10 | 15 lbs. | \$.821/2 |
| 11500 | 500 | 10- | 22 lbs. | 1.10 |



No. 410 "JILL" and No. 510 "QUEEN".

No. 410—For 100- or 150-watt lamp. Width 93%", depth 9½". Overall height 8½". A 3%" socket extension is required with 100-watt lamp.

No. 510—For 200-watt lamp. Width 10½", depth 10¾". Overall height 10¼".

| Cat. No. | Code Name | Std. Pkg. | Shpg. Wt. Std. Pkg. | Price, each |
|----------------|----------------------|-----------|------------------------|--|
| 410 510 | JILL QUEEN | 10 10 | 25 lbs. 38 lbs. | \$4.30 4.80 |
| | FINISI | HING FLA | ANGES | - |
| Cat. No. | For Reflector No. | Std. Pkg. | Shpg. Wt. Std. Pkg. | Price, each |
| 11410 11510 | 410 510 | 10 10 | 16 lbs. 24 lbs. | \$.82 ¹ / ₂ 1.10 |
| PLASTER RINGS | | | | |
| 14006 14007 | 410 510 | 10 10 | 20 lbs. 24 lbs. | \$1.05 1.37 |



FOR WINDOWS OF AVERAGE SMALL STORE

No. 310 "FAVORITE".

For 100-watt lamp. Diameter 7". Height of reflector 55%".

| Cat. No. | Code Name S | td. Pkg. | Shpg. Wt. Std. Pkg. | Price, each |
|----------|-------------|----------|------------------------|-------------|
| 310 | FAVORITE | 20 | 26 lbs. | \$3.15 |

Interior Floodlights

X-Ray Interior Floodlights can be advantageously used to highlight merchandise displays and counters. This adds emphasis to the display and adds "selling punch" to certain items which are featured. White or colored effects are possible, and the floodlights can be mounted permanently or used as portable units. In addition to No. 33-A illustrated, other X-Ray Interior Floodlights are available in 100- to 500-watt sizes 500-watt sizes.

No. 33-A "FLOOD-RAY" and No. 33-B




Concentrating type for White or Colored lighting.

For 200-watt lamp. Diameter of reflector 10½". Depth, back of socket to front of reflector, 1034". Base has Universal Ad-justment. 33-A with color equipment consisting of color frame and red, blue, green, and amber gelatins. 33-B without color equipment.

| Cat. No. | Description | Std. Pkg. | Shpg. Wt. Std. Pkg. | Price, each |
|----------|------------------|-----------|------------------------|-------------|
| 33-A | With Color Equip | . 1 | 7 lbs. | \$9.25 |
| 33-B | No Color Equip. | | 6 lbs. | 7.50 |

CURTISTRIP - LIGHT STRIP MISC. REFLECTORS

Curti Strip





Listed as Standard by Underwriters Laboratories Standard Finish: Cadmium Plate

CurtiStrip is a standardized wiring channel and raceway that permits almost any assembly. The patented "snap-in" flat cover permits outlets to be placed on any spacing. Its special sturdy construction, small number of parts and extra large wireway are other features which make it possible to wire and assemble CurtiStrip on the bench and to install it like a fixture.

| Cat. | No. | De | scription | | Std. Pkg. | Price, |
|------|----------|-----------|--------------------|---|--------------|--------|
| 1 | CurtiSt | rin and | cover, 10' | loths. | 100' | \$.45 |
| 1A | Channe | l less co | ver, 10' lg | hs. | . 100' | .36 |
| 1B | | | lgths | | | .10 |
| 2 | | | ger (2 pe | | | |
| | | | rackets, ar | | | 1.26 |
| 4 | | | acle 15A-1 | | | |
| | 250V. | | ****************** | *************************************** | 10 | .67 |
| 5 | Recepta | acle with | holder gr | oove | 50 | .64 |
| 5A | Recepts | cle with | out holder | groove | 50 | .64 |
| 6 | | | knockout) | | | |
| | CurtiSt | rip | ***************** | ***************** | 10 | .21 |
| 8 | Porcela | in Angle | e socket fo | or cove re | - | |
| | flectors | | ****************** | | 50 | 1.83 |
| 9 | | | p for hold | | t | |
| | surface | | | ************* | 10 | .06 |
| | | | | | | |

Light Strip

| Cor N | o. Description | Std. | Price, |
|-------|--|------|--------|
| 12 | Service Box for connecting 34" to | Pkg. | each |
| 13 | 1½" conduit to CurtiStrip | 1 | 1.87 |
| 14 | Adjustable Elbow for CurtiStrip (70 | 10 | .45 |
| | to 180°) | 1 | 1.87 |
| 15 | Hanger for mounting CurtiStrip on | | |
| | transom bar or side wall | 10 | .54 |
| 16 | CurtiStrip Coupling | 10 | .31 |
| 18 | Box Adapter for connecting Curti- | | |
| 19 | Strip to 4" octagonal outlet box Nipple Attachment (%" conduit or | 10 | .60 |
| | fittings to CurtiStrip | 10 | .46 |
| 19BX | Attachment (1/2" BX or Green field | | |
| | to CurtiStrip) | 10 | .31 |

Lumiline Light Strip



LightStrip is made of a bright aluminum reflector mounted in CurtiStrip. It is the only standardized lighting channel available from local stocks which may be made to any length, on the job, with outlets as required. In addition to the Lumiline type, illustrated, LightStrip units are made for the 25-watt T-6½ tubular lamp, the 25-watt T-10 tubular lamp, and the 40-watt T-8 or the 75 or 150-watt T-10 tubular lamps.

| Cat. | Lamp Size 40-W "LUKE" assembly 30 or 60-W "LUCY" | Std. | Price, |
|------|--|---------|--------|
| No. | | Pkg. | each |
| 29 | | 10 sets | \$2.10 |
| 03 | assembly | 10 sets | 2.28 |

N.B. Broken Package, Standard Package and over.

TIN SHADES Flat Tin Shades



Green Outside—White Inside For Regular Holders—2¼"

| No. | Size | Std. pkg. | Per C |
|------|------|-----------|-------|
| 2518 | 8" | 25 | 21.60 |
| 2519 | 10" | 25 | 27.60 |
| 2520 | 12" | 25 | 51.60 |

Deep Cone Tin Shades



Green Outside White Inside For Regular Holders—2¼"

| | a communication | | |
|------|-----------------|-----------|-------|
| No. | Size | Std. pkg. | Per C |
| 2530 | 8" | 25 | 27.95 |
| 2531 | 10" | 25 | 32.60 |
| 2551 | 12" | 25 | 60.00 |
| | | | |

N.B. Broken package, std. pkg., 4 std. pkgs. assorted.

HALF TIN SHADES



Green Outside—White Inside For Regular 2¼" Holder 20 to package

No. 2258A, Per C.....32.15 N.B. Bkn. pkg., pkg., 4 std. pkgs. asstd.

Parabola Shades



Threaded to Screw on Socket without use of Holder.

| | 16 | Std. | Price |
|----------|------------------|------|--------|
| No. | | pkg. | each |
| 3974C | Brush Brass | 12 | .45 |
| 3974J | Statuary Bronze | 12 | .45 |
| 27K | Nickel Plate | 12 | .80 |
| N.B. Bro | oken nackage std | nke | & over |

Show Case Reflectors



Screw Clamp Holder

| No. | | Std. pkg. | Price each |
|------|-----------------|--------------|---------------|
| 895G | Green | 12 | .60 |
| 895N | Nickel Plated | 12 | .75 |
| 895B | Statuary Bronze | 12 | .75 |

N.B. Broken package, std. pkg. & over.

Aluminum Window Floods

No. D400 Meets the de-mand for an inexpensive, effiwindow light, cient flood complete with 4 color screens (red, green, amber and wine), cord,

8 to package



No. D400, each......3.60

N.B. Broken package, std. pkg. & over.

SMOOT-HOLMAN LUMINAIRES

Smoot-Holman "Sight Craft" Lighting Equipment in Office, Store, and School for "Better Lighting." Designed with thorough consideration for "The Science of Seeing," they combine maximum efficiency, low first cost, and beauty of design.



No. SH500S THE APOLLO

THE APOLLO

A total indirect—all metal finished porcelain enamel. Finish—Ivory reflector with satin chrome hanger, black busk

| Cat. No. | Diameter | Length |
|-----------|--------------|--------|
| SH200S | 14" | 30" |
| SH500S | 18" | 36" |
| SH1000S | 22" | 48" |
| SH500T24 | 18" | 36" |
| SH1000T24 | 22" | 48" |
| | Lamp | List |
| SH200S | 150/200/300 | 8.00 |
| SH500S | 300/500 | 10.00 |
| SH1000S | 750/1000 | 13.00 |
| SH500T24 | 750/1000 T24 | 14.00 |
| SH1000T24 | 750/1000 T24 | 17.00 |

THE VENUS

An indirect Luminaire with a pleasing Luminous Bowl effect. Finish—Ivory reflector, satin chrome hanger with black husk.

| munger with | Dideit macin | |
|-------------|---------------|--------|
| Cat. No. | Diameter | Length |
| LB200S | 14" | 30" |
| LB500S | 18" | 36" |
| LB1000S | 22" | 48" |
| LB500T24 | 18" | 36" |
| LB1000T24 | 22" | 48" |
| | Lamp | List |
| LB200S | 150/200/300 | 10.00 |
| LB500S | 300/500 | 13.00 |
| LB1000S | 750/1000/1500 | 17.00 |
| LB500T24 | 750/1000 | 16.00 |
| LB1000T24 | 1000 T24 | 20.00 |
| | | |



No. LB500S THE VENUS



No. LL500S THE LUCIFER

THE LUCIFER

An all metal smart, attractive luminous bowl indirect luminaire. Finish—satin aluminum with polish trim.

| CI IIII. | | |
|-----------|---------------|--------|
| Cat. No. | Diameter | Length |
| LL200S | 14" | 30" |
| LL500S | 18" | 36" |
| LL1000S | 22" | 42" |
| LL1500S | 30" | 54" |
| LL500T24 | 18" | 36" |
| LL1000T24 | 22" | 42" |
| LL1500T24 | 30" | 54" |
| | Lamp | List |
| LL200S | 150/200/300 | 9.00 |
| LL500S | 300/500 | 12.00 |
| LL1000S | 750/1000/1500 | 17.50 |
| LL1500S | 750/1000/1500 | 28.00 |
| LL500T24 | 750/1000 T24 | 15.00 |
| LL1000T24 | 1000 T24 | 20.50 |
| LL1500T24 | 1000 T24 | 31.00 |
| | | |

THE AURORA

A modern luminaire of unique design to accommodate either the new silver bowl lamp or the standard Mazda lamp. Finish — Ivory with satin chrome hanger.

| Occurr City Chare | | |
|-------------------|---------------|--------|
| Cat. No. | Diameter | Length |
| AR500S | 20" | 36" |
| AR1000S | 25" | 48" |
| AR500T24 | 20" | 36" |
| AR1000T24 | 25" | 48" |
| | Lamp | List |
| AR500S | 300/500 | 12.00 |
| AR1000S | 750/1000/1500 | 16.00 |
| AR500T24 | 750/1000 T24 | 15.00 |
| AR1000T24 | 1000 T24 | 19.00 |



No. AR500S THE AURORA

Submit your lighting problems to us for layouts and recommendations

SMOOT HOLMAN - GUTH AGLITES




MU500S-THE MERCHANDISER

A luminous bowl direct luminaire for department, drug stores, markets, etc. For brilliant illumination to enhance displays. Finish Ivory with Satin Chrome hangers.

No. Diam. Length Lamp List MU500S 20" 48" 300/500 12.00



No. A1076—Keyless
No. A1077—Pull Chain
Flange, 4¼" diameter. Extends 8½" overall. Furnished in White, Ivory, Black or Green. Complete with Opal



No. A1075

Pull Chain with Convenience Outlet. Flange, 6x4%". Extends 8½" overall. Furnished in White, Ivory, Black, or Green. Complete with Opal Shade.



LM500S THE LUMAX

A highly efficient semi-indirect luminaire with snow white glass bowl provides beauty with a soft, diffusing, pleasing light.

| Cat. | | | | |
|---------|----------|-------|-------------|-------|
| No. | Diam. | Lengt | h Lamp | List |
| Suspens | sion typ | pe | | |
| LM200S | 16" | 30" | 100/150/200 | 11.00 |
| LM500S | 18" | 36" | 300/500 | 15.00 |
| LM1000S | 22" | 42" | 750/1000 | 40.00 |
| Ceiling | type | | | |
| LM200C | 16" | 14" | 100/150/200 | 10.00 |
| LM500C | 18" | 16" | 300/500 | 13.00 |
| | | | | |

GUTH AGLITES



A glass bottom luminous bowl indirect luminaire. Combines good lighting with smartness of design, particularly effective for private offices and specialty shops. Finish Ivory with black husk and satin chrome hanger.

No. Diam. Length Lamp List DC500S 20" 36" 300/500 11.00






Guth One Piece Flange



No. K1164

One Piece Flange Safety Holder. Diameter, 7½". Holder, 4". Furnished in White, Ivory, Black or Green. Has Knockout for Pull Switch.





GENERAL COMMERCIAL LIGHTING



| No. No. Lamp Glass Glass Holder List 45 800 60 8½" 6" 4" 3.05 45 900 75 9" 6½" 4" 3.25 45 1000 100 10" 75%" 4" 3.90 46 1000 A 100 10" 75%" 6" 4.00 46 1200 150 12" 8¼" 6" 4.95 46 1400 200 14" 9¼" 6" 5.90 | | | | | | | |
|--|---------------|-------|-----|-------|-------|-----|------|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Hanger No. | | | | | | List |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 45 | 800 | 60 | 81/2" | 6" | 4" | 3.05 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 45 | 900 | 75 | 9" | 61/2" | 4." | 3.25 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 45 | 1000 | 100 | 10" | | 4" | 3.90 |
| 46 1400 200 14" 9¼" 6" 5.90 | 46 | 1000A | 100 | 10" | | 6" | 4.00 |
| | 46 | 1200 | 150 | 12" | 81/4" | 6" | 4.95 |
| 46M 1600 300 16" 10" 6" 7.85 | 46 | 1400 | 200 | 14" | 91/4" | 6" | 5.90 |
| | 46M | 1600 | 300 | 16" | 10" | 6" | 7.85 |

Add "C" to above number for Chromium finish Hanger.



| Hanger | Glass | Size | Dia. | Depth | Size | List |
|--------|-------|--------|-------|----------|-------|------|
| No. | No. | Lamp | Glass | Glass Ho | older | |
| C34 | 4048 | 60-100 | 8½" | 6" | 4" | 2.85 |
| C34 | 4050 | 100 | 10" | 634" | 4" | 3.70 |
| C36 | 4052 | 150 | 12" | 8" | 6" | 4.85 |
| C36 | 4054 | 200 | 14" | 91/2" | 6" | 5.80 |
| C36 | 4056 | 200 | 16" | 10 3/4" | 6" | 7.15 |


ISCO PURE WHITE GLASS

. . . .

Hangers are finished Statuary Bronze, 3 ft. overall exclusive of glass. Wired with porcelain socket suitable for lamp recommended.

For longer than standard length Hangers add 40c for first foot and 20c per foot for each foot thereafter.

For prices on this Glassware with Chromium Hangers, use prices shown on line listed below.



Hangers are finished chromium, 3 ft. over-all, exclusive of glass. Wired with porcelain socket suitable for lamp recommended.

For longer than standard length Hangers, add 60c for first foot and 30c for each foot thereafter.

For prices on this Glassware with Statuary Bronze Hangers, use prices on line listed above.

All Mogul Type Hangers can be furnished with special Sockets and Switches for use with the new Mazda three light lamps at moderate cost.



| Hang No. | ger Glass No. | Size Lamp | Dia. Glass | Depth Glass | Size Holder | List |
|-------------|------------------|--------------|---------------|----------------|----------------|------|
| 34 | 800 | 60 | 81/2" | 6" | - 4" | 2.25 |
| 34 | 900 | 75 | 9" | 61/2' | 4." | 2.45 |
| 34 | 1000 | 100 | 10" | 75% | 4" | 3,10 |
| 36 | 1000 | A 100 | 10" | 75% | 6" | 3.20 |
| 36 | 1200 | 150 | 12" | 81/4' | 6" | 4.15 |
| 36 | 1400 | 200 | 14" | 91/4' | 6" | 5.10 |
| 36 | 1600 | 200 | 16" | 10" | 6" | 6.45 |

Add "C" to above number for Chromium finish Hanger,



| Hanger No. | Glass No. | Size Lamp | Dia. Glass | Depth Glass Ho | Size lder | List |
|---------------|--------------|--------------|---------------|-------------------|--------------|-------|
| C45 | 4048 | 60-100 | 81/2" | 6" | 4" | 3.65 |
| C45 | 4050 | 100 | 10" | 6 3/4 " | 4" | 4.50 |
| C46 | 4052 | 150 | 12" | 8" | 6" | 5.65 |
| C46 | 4054 | 200 | 14" | 91/2" | 6" | 6.60 |
| C46M | 4056 | 300 | 16" | 10 3/4 " | 6" | 8.55 |
| C48M | 4058 | 500 | 18" | 12" | 8" | 16.05 |
| C48M | 4060 | 1000 | 20" | 13" | 8" | 22.35 |

GENERAL COMMERCIAL LIGHTING



| Hanger No. | Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|---------------|--------------|---------------|----------------|----------------|-------|
| 154 | 701 | 81/2" | 7" | 4" | 4.75 |
| 154 | 702 | 9" | 71/4" | 4" | 5.05 |
| 154 | 703 | 10" | 73/4" | 4" | 5.80 |
| 156 | 703A | 10" | 73/4" | 6" | 6.00 |
| 156 | 704 | 12" | 81/2" | 6" | 7.50 |
| 156 | 705 | 14" | 91/2" | 6" | 8.55 |
| 156M | 706 | 16" | 111/2" | 6" | 11.25 |
| 156M | 707 | 18" | 12" | 6" | 15.45 |



| Hanger No. | Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|---------------|--------------|---------------|----------------|----------------|------|
| 34 | 5508 | 81/2" | 61/2" | 4" | 2.25 |
| 34 | 5509 | 9" | 61/2" | | 2.55 |
| 34 | 5510 | 10" | 73/8" | | 3.30 |
| 36 | 5512 | 12" | 71/2" | | 4.90 |
| 36 | 5514 | 14" | 81/4" | | 5.95 |
| 36 | 5516 | 16" | 93/4" | | 8.05 |

Note: The 700 Line of Units shown here are the Highest quality of "Hyperion" Glass.

Hangers are finished in Chromium. Wired with porcelain socket suitable for lamp recommended. Length 3 feet exclusive of glass.

For Hangers longer than standard length, add 60c for first foot and 30c for each foot thereafter.

For Pull Switch, add \$1.20

RADIANT GLASS

. . . .

Hangers are finished in Statuary Bronze. Wired with porcelain socket suitable for lamp recommended. Length 3 feet exclusive of glass.

For longer than standard length Hangers, add 40c for first foot and 20c for each foot thereafter.

. . . .

All Mogul Type Hangers can be furnished wired with special sockets and switches for use with the new Mazda three light lamps at moderate cost.



| Hanger No. | Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|---------------|--------------|---------------|----------------|----------------|------|
| 50 | 701 | 81/2" | 7" | 4" | 2.45 |
| 50 | 702 | 9" | 71/4" | 4" | 2.75 |
| 50 | 703 - | 10" | 73/4" | 4" | 3.50 |
| 56 | 703A | 10" | 73/4" | 6" | 4.20 |
| 56 | 704 | 12" | 81/2" | 6" | 5.70 |
| 56 | 705 | 14" | 91/2" | 6" | 6.75 |
| 56 | 706 | 16" | 111/2" | 6" | 8.85 |



| Hanger No. | Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|---------------|--------------|---------------|----------------|----------------|------|
| 45 | 5508 | 81/2" | 61/2" | 4" | 3.05 |
| 45 | 5509 | 9" | 61/2" | 4" | 3.35 |
| 45 | 5510 | 10" | 73%" | 4" | 4.10 |
| 46 | 5512 | 12" | 71/2" | 6" | 5.70 |
| 46 | 5514 | 14" | 81/4" | 6" | 6.75 |
| 46M | 5516 | 16" | 9 3/4 " | 6" | 9.45 |

MODERN COMMERCIAL LIGHTING

All Mogul Type Hangers can be furnished with special Sockets and Switches for use with the new Mazda 3-light lamps for moderate cost.




| Han No. | ger Glass No. | Holder Finish | Size Lamp | Dia. Glass | Depth Glass | Size Holder | |
|------------|------------------|------------------|--------------|---------------|----------------|----------------|-------|
| | | Black | Decora | ted | | | |
| 164 | 1708D | Chrome | 100 | 8" | 71/2" | 4" | 4.65 |
| 166 | 1714D | Chrome | 200 | 13" | 9 7/8" | 4" | 11.45 |
| | | Pur | e White | | | | |
| 164 | 1708W | Chrome | 100 | 8" | 71/2" | 4" | 3.70 |
| 166 | 1714W | Chrome | 200 | 13" | 9 7/8" | 6" | 8.95 |



| Hanger Glass No. No. | Hanger Finish | Size Lamp | Dia. Glass | Depth Glass | Size Holde | r Lis |
|-------------------------|------------------|--------------|---------------|----------------|---------------|-------|
| | Black | Decor | rated | | | |
| 4019 1701D | Bronze | 100 | 8" | 81/2" | 4" | 5.35 |
| 4003 1700D | Bronze | 200 | 14" | 12" | 6" | 12.50 |
| | Pur | e Wh | ite | | | |
| 4019 1701W | Bronze | 100 | 8" | 81/2" | 4" | 4.65 |
| 4003 1700W | Bronze | 200 | 14" | 12" | 6" | 10.10 |

| Hange No. | r Glass No. | Holder Finish | | Size | Dia. Glass | Depth Glass | Size Holde | |
|--------------|----------------|------------------|---|------|---------------|----------------|---------------|-------|
| | | Black | D | ecor | ated | | | |
| 184 | 1708D | Chrome | | 100 | 8" | 71/2" | 4" | 5.65 |
| 186 | 1714D | Chrome | | 200 | 13" | 9 7/8" | 6" | 12.45 |
| 186 | | Chrome | | 200 | 10" | 16" | 6" | 13.50 |
| 186M | | Chrome | | 300 | 10" | 16" | 6" | 14.10 |
| 100212 | | Pur | | Whi | te | | | |
| 184 | 1708W | Chrome | | 100 | 8" | 71/2" | 4" | 4.70 |
| 186 | | Chrome | | 200 | 13" | 9 7/8" | 6" | 9.95 |
| 186 | | Chrome | | 200 | 10" | 16" | 6" | 10.75 |
| 186M | | Chrome | | 300 | 10" | 16" | 6" | 11.35 |



No. 25/1708
White Enamel Flange, 5½" wide at base. White modernistic Edsol Glass. Wired with Keyless Socket. Length $11\frac{1}{2}$ ". No. 24/1708 with Chromium Flange.

| Hanger No. | Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|---------------|--------------|---------------|----------------|----------------|------|
| 25 | 1708 | 8" | 71/2" | 4" | 2.60 |
| 24 | 1708 | 8" | 71/2" | 4" | 3.00 |



No. L 1716W

No. LM 1716W

| | 1101 = 111 17 10 11 |
|----------|-------------------------|
| Same as | above, with Mogul Sock- |
| | |
| et. Each | 17.05 |




| Hanger No. | Glass No. | Hanger Finish | Size Lamp | Dia. Glass | Depth Glass | Size Holder | List |
|---------------|--------------|---------------------------|---------------------|--------------------|----------------|----------------|---------------|
| | | Black Bronze Bronze | Decor 100 200 | rated 8" 14" | 8½" 12" | 4" 6" | 4.55 11.70 |
| | | Pur | e Wh | ite | | | |
| 3796 | 1701W | Bronze | 100 | 8" | 81/2" | 4" | 3.85 |
| 3931 | 1700W | Bronze | 200 | 14" | 12" | 6" | 9.30 |

Add "C" to above number for Chromium finish Hanger.

MODERN COMMERCIAL LIGHTING

No. L 1720W

Chrome Plated Hanger and Ring. Pure White Glass with Crystal bottom. Glass 11½" long, 9¼" dia., 6" fitter wired with Edison Base Socket.



Hanger Glass Dia. Depth Size List

Pure White

Black Decorated

1520D 9" 11½" 6" 6.45


1520W 9" 11½" 6" 5.40

Add "C" to above number for Chromium finish Hanger.

The Glassware shown here is of highest quality White Glass with clear, crystal bottom and metal rings. Pure White or with Black Decoration.



No. 25C/3181



| Hanger No. | Glass No. | Size Lamp | | Depth Glass | Size Holder | List |
|---------------|--------------|--------------|---------|----------------|----------------|------|
| | Bl | ack De | ecorate | be | | |
| 56 | 1520D | | 9" | | 6" | 7.25 |
| | | Pure ' | White | | | |
| 56 | 1520W | 200 | Q" | 111/4" | 6" | 6 20 |



| Hanger No. | Glass No. | Size Lamp | Dia. Glass | Depth Glass | Size Holder | List |
|---------------|--------------|--------------|---------------|----------------|----------------|------|
| 56 | 1720 | Pure 200 | 91/4" | 11½" | 6" (| 5.20 |
| 56 | 1720D | Black 200 | Decorate 9¼" | d 11½″ | 6" | 7.25 |
| | | | number | for Chro | omium | |
| menni | Hange | r. | | | | |



| Hange No. | r Glass | Size Lamp | Dia. Glass | Depth Glass | Size Holder | List |
|--------------|---------|--------------|---------------|----------------|----------------|------|
| 36 | 1720 | Pur 200 | 91/4" | 11½" | 6" | 5.40 |
| 36 | 1720D | Black 200 | Decorated 9¼" | 11½" | 6" | 6.45 |

Add "C" to above number for Chromium finish Hanger.

Hangers are 3 ft. overall exclusive of glass. Wired with Porcelain Socket suitable for Lamp recommended.

For longer than standard length Hangers add 40c for first foot and 20c per foot for each foot thereafter.

For Pull Switch. add \$1.20.

POPULAR COMMERCIAL GLASSWARE Radiant Glass Hyper

Pure White Glass



| Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|--------------|---------------|----------------|----------------|------|
| 800 | 81/2" | 6" | 4" | 1.15 |
| 900 | 9" | 61/2" | 4." | 1.35 |
| 1000 | 10" | 75/8" | 4" | 2.00 |
| 1000A | 10" | 75%" | 6" | 2.00 |
| 1200 | 12" | 81/4" | 6" | 2.95 |
| 1400 | 14" | 91/4" | 6" | 3.90 |
| 1600 | 16" | 10" | 6" | 5.25 |
| | | | | |



Decorated Glass

| Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|--------------|---------------|----------------|----------------|------|
| 140. | Glass | Glass | Holder | |
| Black, | Tan or | Green D | ecorated | |
| 1507D | 61/2" | 5 5/8 " | 4" | 2.30 |
| | Amber | Crackled | | |
| 1507C | 6½" | 5 1/8" | 4" | 1.80 |
| | Pure | White | | |
| 1507W | 61/2" | 5 1/8" | 4" | 1.60 |
| | I. | vory | | |
| 1507-I | 61/2" | 5 1/8" | 4" | 1.60 |

C. R. I. AND OPAL BALLS



| | | - | | |
|----------------|-------------|------|--------|------|
| No. C. R. I | No. Opal | Dia. | Fitter | List |
| 201 | 301 | 6" | 31/4" | .96 |
| 202 | 302 | 8" | 4" | 1.50 |
| 203 | 303 | 10" | 4" | 3.48 |
| 204 | 304 | 10" | 5" | 3.48 |
| 205 | 305 | 10" | 6" | 3.48 |
| 206 | 306 | 12" | 6" | 5.31 |
| 207 | 307 | 14" | 6" | 7.77 |
| 208 | 308 | 16" | 6" | 8.86 |
| 209 | 309 | 16" | 8" | 8.86 |



No. 10515 21/4 inch Fitter Shade to match above Bowls 36 to Carton



| Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|--------------|---------------|----------------|----------------|-------|
| 5508 | 8½" | 61/2" | 4" | 1.15 |
| 5509 | 9" | 61/2" | 4" | 1.45 |
| 5510 | 10" | 73/8" | 4" | 2.20 |
| 5512 | 12" | 71/2" | 6" | 3.70 |
| 5514 | 14" | 81/4" | 6" | 4.70 |
| 5516 | 16" | 93/4" | 6" | 6.85 |
| 5518 | 18" | 101/2" | 8" | 11.00 |
| | ladino | at Davida | | |

Indirect Bowls



| No. | Dia. | Fitter | Cart. Quty. | List |
|-------|------|--------|----------------|------|
| 10512 | 12" | 10" | 12 | 3.90 |
| 10514 | 14." | 12" | 6 | 5.25 |
| 10516 | 16" | 14" | 5 | 6.30 |

Half Shades



264—Opal1.05 264-1—Ivory ..1.05 2¼" Fitter. 6¼" long. 60 to Carton.

No. 0697

Green Cased Half Shade as above. White inside, Green outside.....2.30

Crystal Bottom Glass




| Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|--------------|---------------------|----------------|----------------|------|
| 1720D | Black De 91/4" Pure | 111/2" | 6" | 5.25 |


Hyperion Glass



| Glass No. | Dia. Glass | Depth Glass | Size Holder | List |
|--------------|---------------|----------------|----------------|-------|
| 701 | 81/2" | 7" | 4" | 1.15 |
| 702 | 9" | 71/4" | 4" | 1.45 |
| 703 | 10" | 7 3/4 " | 4" | 2.20 |
| 703A | 10" | 73/4" | 6" | 2.20 |
| 704 | 12" | 81/2" | 6" | 3.70 |
| 705 | 14" | 91/2" | 6" | 4.70 |
| 706 | 16" | 11½" | 6" | 6.85 |
| 707 | 18" | 12" | 6" | 11.00 |
| 707A | 18" | 12" | 8" | 11.00 |

Modern Royal Glass





| No. Glass Glass Hol | |
|---------------------|----------|
| Black Decorated | = |
| 1708D 8" 7½" | 4" 2.65 |
| 1714D 13" 9%" | 6" 9.35 |
| 1716D 10" 16" | 6" 10.40 |
| Pure White | |
| 1708W 8" 7½" | 4" 1.80 |
| 1714W 13" 97%" | 6" 6.85 |
| 1716W 10" 16" | 6 7.65 |

STAPLE GLASSWARE

Crackled Balls



No. 3167

| Diameter | 5". 3¼" Fitter. |
|-------------|-----------------|
| Colors of | Amber or White |
| 3167A—Amber | |
| 3167W-White | |

Opal Bell Shades



| No. | Dia. | Fitter | List |
|------|------|--------|------|
| 525S | 6" | 21/4" | .88 |
| 525L | 8" | 21/4" | 1.64 |

Flat Opal Reflectors



Flat Type Nova Glass Reflectors



| No. | Dia. | Fitter | List |
|------|------|--------|------|
| 7006 | 7" | 21/4" | 1.15 |
| 7007 | 8" | 21/4" | 1.35 |
| 7008 | 9" | 21/4" | 1.70 |
| 7009 | 10" | 21/4" | 2.30 |



No. 159151/2-D240

| | | / - | | - | | | |
|-----------|-------|------|-----|-----|-----|------|----|
| Decorated | Shade | with | Bl | ue. | Pir | ık | or |
| Tan Trim. | Diame | eter | 7". | Fit | ter | 21/4 | ". |
| Each | | | | | | | 25 |

Canteen Type Advertising Balls



Flat Sides. White Opal Glass.

| Hanger No. | Glass No. | Dia. Glass | Size Holder | List |
|---------------|--------------|---------------|----------------|-------|
| 543 | 73 | 8" | 31/4" | 5.85 |
| 544 | 74 | 10" | 3 1/4" 4" | 7.15 |
| 544 | 75 | 12" | 4" | 8.75 |
| 546 | 76 | 12" | 6" | 9.50 |
| 546 | 77 | 14" | 6" | 12,10 |
| 546 | 78 | 16" | 6" | 14.75 |

No. 31141/2 2¼" Fitter Shade in Colors of White, Honey or Green 36 to Carton



No. 3721/2 21/4 inch Fitter Shade in Colors of White, Honey or Green 36 to Carton



No. 5818 21/4" Fitter. Shade in colors of Ivory, Amber or Crystal. 36 to Carton Each30

No. 2385

Colors of

Striped or Amber Hexagon Balls



| No. | Stripe | Dia. | Fitter | List |
|-------|--------|------|--------|------|
| 135GL | Green | 6" | 31/4" | 1.35 |
| 135BL | Black | 6" | 31/4" | 1.35 |
| 350 | Amber | 6" | 31/4" | 1.60 |

C. R. I. Bowls



Verdi or Black finish; hinged band, C. R. I. Glass Dish. Keyless Sockets.

| Holder | Glass | Dia. | | |
|--------|-------|-------|-------|-------|
| No. | No. | Glass | Depth | List |
| 907 | 1558 | 8" | 4" | 8.60 |
| 908 | 1559 | 10" | 5" | 11.15 |
| 909 | 1560 | 12" | 6" | 13.75 |
| 910 | 1561 | 14" | 61/2" | 16.30 |
| 911 | 1562 | 16" | 8" | 18.90 |

I. E. S. Glass



No. 15915½D220

Decorated Shade with Blue, Pink or Tan trim. Diameter 7". Fitter 2¼". Each1.35

FIXTURE, LAMP FITTINGS

VASE CAPS



| | Fin | ished I | Brush Br | ass | |
|------|-------|---------|----------|-------|------|
| No. | Dia. | Each | No. | Dia. | Each |
| 3710 | 2" | .10 | 3761 | | .28 |
| 3711 | 21/4" | .12 | 3715 | 4" | .32 |
| 3712 | 21/2" | | 3716 | 41/2" | .38 |
| 3759 | 23/4" | .18 | 3717 | 5" | .46 |
| 3713 | 3" | .18 | | _ | |
| 3760 | 31/4" | | 3763 | 51/2" | .50 |
| 3714 | 31/2" | .24 | 3718 | 6" | .58 |

Benjamin Lamp Clusters





| No. 890 | No. 842 |
|----------------|------------------------|
| No. | |
| 842-Complete w | ith stem and top orna- |
| ment, 73/8" | long1.29 |
| 841—Cluster he | ad only, as No. 842, |
| less stem a | ind ornament |
| 880—Adjustable | cluster head only, as |
| No. 890 | 1.24 |
| 890—Adjustable | cluster with stem and |
| ornament, | 73/4" long1.50 |

Cluster Heads-Candle Adapters





No. 3674

Female Thread. Knob not included.



Fixture Stems

| No. | |
|-------------------|----|
| 12865—1/4" Male | |
| 12862—3/8" Female | |
| Unfinished | .2 |
| B.B. or Bronze | .4 |
| Ball Lamp Adapter | |



Threaded to fit a standard Brass Shell Socket. Unfinished or colors of Browntone, French Gray, Gold Polychrome or Ivory and Colors.

Blank Backs



| | | 1 State of the last of the las | |
|-------|------------|--|----|
| No. | 1360-41/2" | Diame | te |
| Unfir | nished | | .2 |
| Brus | h Brass | | .2 |




Brass Ceiling Collars No. 2109 No. 2110 No. 2111 31/4" fitter 4" fitter 6" fitter Finish ea. Finish Finish Unf. Unf. Unf. .80 B.B. .54 B.B. .54 B.B. 1.20 Colors .58 Colors .58 Copper .52 Bronze 1.20 Copper .52 Chrome .88

Note-Colors: Black, Green, Brownstone or Ivory.

| No. | Cast | Iron | Ceiling | Collars | |
|---------|--------|------|---------|---------|-----|
| 1000—31 | 4" Fit | ter. | | | .60 |
| 1001—4" | Fit | ter. | | | .90 |

Finish: Black or Green Adjustable Portable Cluster



No. 3514 Portable Cluster. Two-Light. Adjustable Type. Brush Brass Finish....... .92

Adjustable Vase Adapter



No. 450

Faries Flexible Arms



| Length | Each | Length | Eaci |
|--------|------|-------------|--------|
| 9" | 1.00 | 18" | 1.80 |
| 12" | 1.20 | 24" | 2.40 |
| 15" | 1.45 | Brush Brass | Finish |
| | | G | |

Cast Iron Holders



No. 1323 Blank Unf. .33 B.B. .60

No. 1323½ ¾" Slip Unf. .38 B.B. .64 Unfinished or Finished Brush Brass



218" Diameter; 5%" Deep Brush Brass Finish

| No. | |
|-------------------|---------|
| 3312-1/2" Female | .20 |
| 33121/2—1/2" Male | .20 |
| 14 10 | |

Portable Clusters



No. 3627 No. 3646 Two-Light Portable Clusters Adjustable Type with Adjustable Stem No. 3708-Each 71/8" Long with flange

Clamp-On Holders

Shade Holders



No.

3488

3389

4122

4123





For Brass and Porcelain Sockets. Fitter Each No. Fitter Each 2½" brass .16 3½" brass .26 2½" porc. .22 3½" porc. .32 4" brass .48 1264 6" brass 1265 .58 4" porc. .52 2738 6" porc. 2787

Harp Holders

| No. 3976 | No. 3940 |
|---------------------|---------------|
| No. | Each |
| 3940—To slip 1/8" p | ipe15 |
| 3976-With Std. So | cket Thread33 |
| | |

FIXTURE PARTS





No. 1115

1/8" Female Coupling

No. 1206

1/8"M.x1/8"M Candle Hickey

Ball Ornaments

1154-8/32

1156-6/32

Each


.03

.03






| 3 | Feet to 1 | Length | |
|------|------------|----------|---------|
| No. | Pip | e Size | per ft. |
| 3500 | | 1/8" | .22 |
| 3503 | | 1/4" | .24 |
| 3504 | | 3/8" | .26 |
| 3506 | | 1/2" | .36 |
| Regi | ular Fixtu | re Chain | |
| (Act | ual size a | s shown) | |



| No. 11347 Brush Brass Finish. 10 yds. to Bundle Per yard |
|--|
| No. 11347B Statuary Bronze Finish. 10 yds. to Bundle. |
| Per yard .27 No. 11347C—Chrome .90 |
| Dome Chain |
| No. 11651—Brush Brass Finish. 5 yds to Bundle. |




| No. 11M %" Male Loop Each05 |
|-----------------------------|
| No. 13M |
| %" Male Loop |
| Brush Brass |



IXL Chain Pliers For spreading or closing Chain Links

| В | racket Ca | os |
|------|---------------------|--------|
| | No. 1230 | |
| Each | %"x8/32" | .061/2 |
| | No. 1228 3%"x1%" | 10 |
| Each | 78 A 1/8" | .061/2 |





| Iron Hickies | |
|-------------------------------------|---|
| Open Both Ends | |
| 1/8" x 3/8" 1/4" x 3/8" 3/8" x 3/8" | ì |
| Each | ١ |
| | |
| Blind One End 1/8"x1/2" 1/4"x1/2" | |
| 1/8" X 1/2" 1/4" X 1/2" 3/8" X 1/2" | |
| Each17 | |




Iron Extensions 3%" Male x 3%" Female Malleable Iron. Perfect Threads. Each10



No. 1352 Swivel Joints 1/8" Male x 1/8" Female Each14



3/8" Male Studs Malleable Iron Perfect Threads 1/8" and 1/4"





1/8" and 3/8" Iron Locknuts 1000 to Carton



1/8" Brass Running Thread Nipples




| No. | Each | No. |
|-----------|--------|-------|
| 1159 1/2" | .02 | 1168 |
| 160- 5%" | .021/2 | 1204 |
| 161- 34" | .03 | 1282 |
| 162- 7/8" | .031/2 | 1275 |
| 163—1" | .04 | 1277 |
| 165-14" | .05 | 1280- |
| | | |



THE MONTEREY SERIES

The polished walnut spindle on the 3-light and 5-light enhance the beauty of these fixtures which are suitable for Spanish or Monterey type architecture. Available in rusty iron or bone white with polished brass trim, the glassware is frosted with a polished brass flare.





No. 863

FOR THE BEDROOM

Glassware Ivory Iridescent with gold



No. 8501-1-Light

No. 8511-1-Light FOR THE HALL

Spread 7 inches; length overall 36".

| List | each | 7.00 |
|------|------|------|
| | | |

FOR THE KITCHEN

No. 25/1408—With White enamel flange. 5½ inches wide base. White or Ivory Edsol glass. Glass with black, green or tan stripes also available.

No. 24/1408-With Chrome flange.

| Hanger No. | Glass No. | Dia. Glass | Depth Glass | |
|---------------|--------------|---------------|----------------|------|
| 25 | 1408 White | 81/2" | 63/4" | 1.60 |
| 24 | 1408 White | 81/2" | 63/4" | 1.90 |
| 25 | 1408 Ivory | 81/2" | 63/4" | 1.60 |
| 24 | 1408 Ivory | 81/2" | 63/4" | 1.90 |



No. 25/1408

Hanger *White Type No. Glass Socket 26CP 264W Pull Glass 264W Finish Each Chrome 1.90 26CK 264W Keyless Chrome 1.70 26WP 264W Keyless Chrome 1.70 26WK 264W Keyless W. E. 1.50 *For Ivory glass substitute "I" for "W." 1.70 1.70



FOR OUTSIDE ENTRANCE



No. 26CP/264W KITCHEN OR BATH

FOR THE LIVING ROOM



Pendant finished Ivory and Colors. Ivory glassware decorated. Bird in colors of maroon, orange or blue, green leaves. Length overall 36".

Diameter of glass 91/2".



No. 410/52050

HANG-UP AND CLAMP-ON LAMPS



Combination of universal joint and flexible elbow makes lamp adjustable to any angle. Folds compactly for traveling. Patented rubber clamp in base. Finishes, Apple Green, Mahogany, Ivory, or Romany Red. Each.. 1.55

HOOK ON BED LAMP




Each

A fine Bed Lamp for the home. 9" Shade, adjustable bracket. English Bronze finish.

....3.25

HOOK ON BED LAMP



8" Texolite Shade Extends 4¼" from bed. Adjustable, with pull chain socket. Finishes, Ivory, Blue, Green, Orchid, Pink or Walnut.

Hook-On Bed Lamp

Adjustable with pull chain socket. Finish: Walnut or Ivory. No. 515, each



HOOK ON BED LAMP




No. 415 Bronze Ivory Each 1.25

CLAMP-ON LAMP

No. 511

Spot light clamp on be adjusted to any angle. Furnished in Bronze, Ivory.

List1.25



SEWING MACHINE LAMP



No. 150 Nickel finish Rubber zip cord furnished with lamp.

Each1.90

READ-O-LITE BOOK LAMP

A very useful reading light. Finishes: Old Gold, Statuary Bronze, Green, or Ivory.

No. 3981.25

No. R281



No. R211

LA SALLE WALLAMPS

This new line of Wallamps, created by La Salle, reaches new heights of beauty and efficiency. All La Salle Wallamps are equipped with the La Salle Plastic Diffusers, providing greater lighting efficiency with lower surface brightness. There is Wallamp for every need, and the diversity of colors makes possible a harmonious decorative scheme in every room. 10" shades designed for 100 watt lamps.

| snade | s designed for 100 watt la | amps. | | |
|--------------|--------------------------------------|---------------------------|---|----------------------|
| Cat. | | 1 | | List |
| No. | Description | Shade | Finishes | Each |
| R211 | Colonial Cast Wallamp | Parchment | Ivory, Ant. Brown | 2.75 |
| R241 | Cast Forged Wallamp | Parchment | Ant. Ivory, Ant. Brown | 2.75 |
| R251 | Kitchen Lite Wallamp | Parchment | Black and White Ivory and Red Ivory and Green | 2.75 |
| R271 | Maple Wallamp | Parchment | Maple and Copper Walnut and Brass | 2 25 |
| R281 R331 | Glass Font Wallamp Mirror Wallamp | Parchment Pleated Silk | Bone White | 3.25 3.75 3.75 |
| R151 | No-Bowl Wallamp | Parchment | Ivory, Brown | 1.65 |





No. R251 No. R241





No. R271 No R331



THE GUARDSMAN



glare. Guards against eve strain. eye strain.
Developed as a desk lamp for executive desk or home use. Style, eye appeal and quality are all embodied in this lamp. It supplies adequate and pro-

Guards against

No. 2242

adequate and protected illumination. Height $17\frac{1}{2}$, shade 13", base 6". Finished Normandie Bronze and Gold. No. 2242......11.00

Emeralite Lamps



No. 8734AC With famous Emeralite Daylight Screen

For roll-top desks. This is a very popular Emeralite. Has adjustable arm and heavily weighted base 8 inches in diameter. List13.00

> No. G8752 (Not illustrated)

As above, with base as No. 8734B on bottom of page.

Finished Statuary Bronze.

List14.00

Emeralite Lamp



No. 8752HN

With famous Emeralite Daylight Screen. For flat top desk or table. Height to top of shade, 18"; green glass shade is adjustable and finished Statuary Bronze.

List11.00

Emeralite Lamps B8752



No. BP8752 (Not illustrated) As above, with plain base. Finished Statuary Bronze. List14.00

THE WHITE KNIGHT



No. 34

The White Knight is equipped with a luminaire made of celestialite triplelayer glass—a cased glass that filters out harmful lightrays and gives efficient restful light-the closest to daylight it is possible to produce. Finished in bronze and gold with chromium trim. Height 17"; shade 141/4"; base 7". No. 34.....

Desk Lamp No. 543P

perfect lamp for A perfect lamp for business men, students and offices. Finished in Statuary Bronze or Chromium plated. Height overall 14". Adjustable shade. Cast metal base 7" long, 4" wide. Shade 8½" long, 4" wide. Pen holder mounted on base.

No. 543P, Bronze 4.25

No. 543P, Chrome 5.50



THE ELECTRO CHIEF

A modern lamp providing white glareless light. Height overall 18". Diameter shade 13", weighted base 63/4". Finish, plated Statuary Bronze.

No. 5407.50






Lamp. Clamps to edge of desk. Horizontal arm extension. Metal shade. Statuary Bronze.

List11.00

No. 1993 Metal shade but no arm extension. Statuary Bronze only. List9.50



Faries Adjustable Portable No. 3266

Height 48". Flexible Arm 9". The Stem on this Portable is stationary. Flexible Arm is adjustable and Shade Swivels on Socket so that light can be thrown in any direction. Heavy weighted base — diameter 9". Wired with 9 feet Cord, Key Socket and two-piece Plug. No. 32667.75



Flexible Arm Desk Lamp

Maximum height 26". Plain tubing stem with 9" flexible arm. Adjustable arm with swivel shade. Light can be adjusted to the state of the justed to any position. Extends 16" in any direction. Wired with 9 feet of cord. Weighted base. Statuary Bronze finish. No. 153X5.25

Piano or Writing Desk Lamp



Decorated Statuary Bronze For perfect illumination. Joint at each end of stem. Adjusts easily, looks well at all positions.

Weighted base felt covered No. 84.75



Faries Adjustable Swinging Bracket

No. 3971 -

Length to end of nozzle 11". Furnished with $4\frac{1}{2}$ " canopy, Parabola Shade and hickey. Will

swing horizontally in any direction and is adjustable in two places vertically. Two finishes-Brush Brass or Nickel. Wired with key socket.

DECORATIVE LAMPS



Adjustable Desk Lamp

Finished in Bronze or Chromium. Height overall 9". Base 4x7". Shade 8" in width and is adjustable. Pull socket......1.35



No. 431


Adjustable Desk Lamp. Pen groove in base. Hgt. 12". Base 4"x7". Shade 8". Colors: Bronze or Green. List1.35



Adjustable Desk

No. 432

Lamp. Pen groove in base. Hgt. 11" Base 4"x7" Metal Shade 5".



No. 420 Modern Flexible Arm Desk Lamp. Pull socket. Height 15". Shades 8" long. Heavy cast base 6"x4½". Bronze or Green......1.65



I. E. S. Converter

300 watt lamp. Complete as shown with 10" I. E. S. glass. Complete with 12' cord. No. 1234 ..



No. 2335

Executive Desk Lamp. Finished in bronze. Height 121/2". List2.75



No. 2095 Adjustable

Desk Lamp with nonremovable Shade. Finished in Bronze. Height 10". List1.50



No. 2425 Adjustable Goose-

neck Desk Lamp, fin-ished in statuary bronze and equipped with removable ashtray. Height 15" List2.00



No. 2225 Plymouth Snuffer

Lamp. Base and snuffer finished in

Statuary Bronze hammered effect. Height 12".

List1.50

No. 2345

Statuary Bronze. Height 13". List



Desk Lamp with scratch pad and pen holder; ad-justable. Finished



No. 395

A sturdy flexible Arm Desk Lamp. 12" flexible arm. Finishes: Walnut, bronze, green, old gold, mahogany.

Rubber cord. No. 3951.45



SUPER LAMP No. 02

Modified model, 6 feet of approved cord and toggle socket. Always recognized as "standard," now offered at a price that makes it a great leader.

Finish: Bronze. No. 02 _____2.25



DECORATED SUPER LAMP No. 2

Stands, hangs, Stands, hangs, clamps anywhere, any position. Decorated embossed oak - leaf design. Diameter of base 4½", shade 6". Finish: English Bronze Bronze.


No. 22.75



No. 2405

Beacon Radio Lamp. Intermediate bulb furnished with this lamp. Height 9".

List1.50





LIGHTOLIER I. E. S. "BETTER SIGHT" LAMPS




REFLECTOR and BRIDGE LAMPS



PRYNE FANS - FLUSH LIGHTS - HOUSE NUMBERS

PRYNE WALL TYPE KITCHEN FANS



No. 202 10" For 2-Story houses 10¼"x10¼"x12" high for 8" round stacks

No. 109-Pacific Breeze Model

Pryne and Co. have long pioneered the kitchen ventilation fan. These side wall models have outside shutters controlled by switch lever.

| Cat. No. Description | List |
|---|-------|
| 106-10"-RO-12" sq. 6" deep, with switch and louvres | 32.00 |
| 109—Same as 106 but reversible 9" deep | 35.00 |
| 140—12" R.O. 14" sq. 6" deep, 1000 cfm, at 1700 rpm | 39.00 |

PRYNE CEILING TYPE KITCHEN FANS



No. 201 10"
For 1-Story
houses
10½"x10½"x7½"
high for 4"x10½"
duct

| Cat. | No. Description | List |
|------|---|-------|
| 201- | -1-Story, enclosed motor, plug recept, auto, louvres | |
| | | 29.00 |
| 202- | -2-Story, specifications same as 201. | 29.00 |
| 204- | -Bathroom fan 8", no louvres, splice lead, oil lubrica- | |
| | tion | 15.00 |
| 221- | -12"—Same specifications as 201 but delivers 1000 | |
| | cfm. at 1700 rpm. R.O. 123/4", square 10" duct | 36.00 |
| 222- | 10" 0 0. | 36.00 |

PRYANCO CONCEALED (FLUSH LIGHT) ILLUMINATION



No. 100



No. 156C (chrome) side wall



No. 155C (chrome) side wall



No. 152C (chrome)



| IN O. | Description | Dimensio | ons | LIST |
|-------|----------------|------------------------------------|--|-------|
| | , - | R. O. (| Over All | |
| | | inches | inches | |
| 100 | 1-100W Mazda | 9x 9x81/4 | 11x11 | 4.25 |
| 100C | 1-100W Mazda | 9x 9x8 ¹ / ₄ | 11x11 | 5.50 |
| 103 | 2- 75W Mazda | 7½x21x7½ | | 6.00 |
| 152C | 2-60W Lumaline | 71/8x21x41/4 81/2x | 22x11/2 drop | 10.25 |
| 153C | 2-100W Mazda | 71/8x21x6 81/2x | c22x11/2 drop | 9.00 |
| 154C | 1-100W Mazda | 101/2" Round 12 | 1/8 x 1 1/2 drop | 7.25 |
| 155C | 1-100W Mazda | | 8x4 ¹ / ₄ x3 ³ / ₄ | 4.50 |
| 156C | 2-100W Mazda | 211/ | 2x4 ¹ / ₄ x3 ³ / ₄ | 6.75 |
| | | | | |

Note—No. 154C also available in 6" diameter with gasket for showers.



No. 153C (chrome)

ILLUMINATED HOUSE NUMBERS



No. 405—House Number "Midget" surface type. Verdi green or old iron finishes. Size 7"x4½"......1.55



No. 432—Flush type. Straight lines. Old iron or aluminum finish. 11"x334" overall. 914"x3" R. O......3.00



No. 410—Surface type Cast Aluminum. Verdi green or old iron finishes. Size 9"x4¾" _______2.05

No. 420—House Number "Modernistic" surface type. Verdi green or old iron finishes. Size 10½"x7"..2.50

All house numbers are furnished with digits. Specify numbers required

Note—Although Robbins & Meyers Fans only are illustrated the same models in Century are available at the same prices ROBBINS & MYERS DESK FANS



No. 1404-12" Robbins & Myers Junior Fans provide 3 sizes of quality fans at competitive prices 110-120V 60 cycle A.C.



No. 1204-12" Robbins & Myers Standard Fans New Capacitator type motors give greater efficiency More air delivery and less wattage

| 1 | 3 | 1 |
|---|---|----------|
| | | |
| T | | 1 |
| 6 | | b |

No. 1224-12"

| No. | | Description | Speed | Watts | C.F.M. | List |
|------|-----|----------------------|-------|-------|--------|-------|
| 914 | 8" | Non oscillating | 1 | 35 | 425 | 3.95 |
| 1014 | 10" | Oscillating | 1 | 41 | 610 | 9.95 |
| 1404 | 12" | Oscillating | 2 | 48 | 850 | 17.95 |
| 1204 | 12" | Standard oscillating | 3 | 35 | 1100 | 27.50 |
| 1604 | 16" | Standard oscillating | 3 | 59 | 1740 | 35.00 |
| 5404 | 10" | Deluxe oscillating | 1 | 40 | 625 | 15.95 |
| 1504 | 12" | Deluxe oscillating | 3 | 35 | 1100 | 29.95 |
| 1704 | 16" | Deluxe oscillating | 3 | 59 | 1740 | 37.50 |

Robbins & Myers Deluxe Fans feature the Quiet Type blade and new capacitator motors, giving less noise, more air delivery and reduced operating costs.

ROBBINS & MYERS EXHAUST AND VENTILATING FANS



No. 6304


No. 6304-12" 6 blades Drawn steel frame, fully enclosed motor. Electrically reversible. Operates either horizontally or vertically. Ring size: ID tically. Ring size: ID, 1334"; OD, 16". 110-120 volt, 60 cycle, A.C.



No. 5033

No. 5033-8" 4 Blade

Enclosed motor Ring ID 8½" Ring OD 10" 110-120 volt, 60 cycle A.C.



No. 6354-16"

6 blades—drawn steel frame, fully enclosed motor, electrically reversible, operates horizontally or vertically. Ring size ID 1734" OD 20". 110-120 volt, 60 cycle A.C.


Cat. No. Description 5033 6304 6354

Available also in special cycles and special voltages

ROBBINS & MYERS CEILING FANS



No. 5704CN-36"





No. 5804CN-52"

High powered and symmetrical in design, readily adapted for lighting units. The bearings are oilless type. Finish black enamel and walnut blades. 110-120 volts, 60 cycle A.C.


| No. | Description | | List |
|------------------|----------------------------|----------------------|-------|
| 5704CN 5804CN | 36" 2 speed 52" 3 speed | 3500 cu. ft. per min | 40.00 |

ROBBINS & MYERS AIR CIRCULATORS





Pryne-Edwards DOOR CHIMES Mello-Chimes



No. 305 with Peacock Guard


TRANSFORMERS — Transformers are NOT included with chimes. No. 299 requires 16 volt transformer (List 1.75 each) — all others 24 volt transformer (List 2.75 each).

"PRYANCO" DOOR CHIMES

A thrill for the visitor, and a source of never-ending pride and satisfaction to the owner. Rich, melodious tones sound a gentle and harmonious alarm to announce the arrival of the guest. Callers do not soon forget so distinctive and pleasant a greeting.

Two Tube Magnetic Sets (299, 301 and 302) have no motor. They play only 2 notes from the front door and (except 299) I note from the rear door. Wrought guard, antique ivory. No. 302T has a dummy center tube for appearance only.

Nos. 303 and 305 all have extra terminals for remote button control, dinner calls, servants, etc. Each of these also has a tone control feature for soft or loud signals. On these numbers guards are optional—Specify streamlined, peacock, or formal guard when ordering.



Wrought Guard as on No. 299



PRYANCO DOOR CHIMES

| Cat. No. | Туре | Tubes | Notes | Description | Size | List |
|---|----------|-------|-------|-------------------------|---------|-------|
| 299 | Magnetic | 2 | 2 | Front door only | 7 x42" | 5.00 |
| 301 | Magnetic | 2 | 2 | 2 front, 1 rear | 7½x42" | 6.00 |
| 302 | Magnetic | 2 | 2 | 2 front, 1 rear | 7½x53½" | 9.50 |
| 302T | Magnetic | 3 | 2 | 2 front, 1 rear | 7½x53½" | 12.00 |
| 303 | Motor | 3 | 4 | 4 front, 1 rear, 1 side | 9 x52" | 34.00 |
| 305 | Motor | 4 | 8 | 8 front, 1 rear, 1 side | 9 x60" | 40.00 |
| Note: Motor types are now available for surface mounting. | | | | | | |

EDWARDS BAR TYPE AND TUBULAR CHIMES

To meet the demand for a quality chime signal of the tone bar type, Edwards has developed the Duochime—entirely different from others on the market. It has two different tone bars which are struck alternately in a succession of



No. 578
Size 55%"x41/4" Overall
For Front Door Only

harmony notes, more pleasing to the ear and more audible. No special transformers, push buttons, or wiring circuits are required. It operates on any good doorbell transformer, 8 to 10 volts, or on battery.

Attractively designed, it is beautifully finished in ivory enamel with French gold tone bars and is an artistic addition to any interior.

| Cat. No. | Description | List |
|----------|--------------------------------------|------|
| 575 | For front and rear door | 6.30 |
| | Same size as No. 575—front door only | 5.10 |
| 578 | For front door only | 3,45 |



No. 575

Size 67/8" x55/8" Overall For Front and Rear Door

Edwards also make high quality tube chimes. The standard shield is dull black with embossed musical motif in French gold. Furnished with transformer.



| No. | Description | | List |
|-----|-----------------|-----------|-------|
| 540 | Double purpose | 38½" long | 10.00 |
| 542 | Single purpose | 38½" long | 8.75 |
| 570 | Standard 2 tone | 50" long | 19.00 |
| 571 | Standard 1 tone | 50" long | 26.00 |

MELLO-CHIMES

Mello-chimes add charm and a dignified atmosphere to home or office, and at small cost. Finished egg shell ivory with French Gold sound bar.

| No | . Description List |
|----|---------------------------------|
| G | Single tenor note1.00 |
| Н | Single, rich baritone note1.95 |
| J | Double harmony, tenor and bari- |
| | tone 3 75 |



Model "G" Model "H"

Model "J"

Flashlights - EVEREADY - Batteries



No. 71-Assortment


| Cat. | | Total List |
|------|--|------------|
| No. | Display Pkg. Contents | Value |
| 71— | 6 No. 2671 Black, 2-cell | |
| 251 | ing | 5.70 |
| 751— | -6 No. 7251 Black and (2-cell Focusing | Copper, |




| Cat. | No. | | Unit | List |
|------|-------|-----------------|--------|------|
| No. | Cells | Description | Pkg. 1 | Each |
| 915 | 1 | Penlight Cell | 12 | .05 |
| 935 | 1 | Baby Tubular | 12 | .10 |
| 950 | 1 | Regular | 48 | .10 |
| 705 | 3 | Regular Tubular | 12 | .30 |
| 790 | 2 | Regular Tubular | 12 | .20 |
| | | | | |



No. 21-Penlight Assortment Total List Cat. No. Display Pkg. Contents Value 21—8 No. 210 Chromium Penlight.....3.92 5—6 Gold, 6 Black No. 215 Pocket Spots



Note-All flashlight cases are





2671

3251

3254

3351

3354

7251

8251

8257

8351

supplied without batteries. Cat. No. Cells 2663 2222332

| • | |
|----------------------------|------|
| Description | Unit |
| Description | Pkg. |
| Chrome Baby Focusing | 1 |
| Black Focusing Spotlight | 1 |
| Black Industrial Focusing | 1 |
| Rubber Case Waterproof | 1 |
| Black Industrial | 1 |
| Rubber Case Waterproof | 1 |
| Black and Copper Focusing | 1 |
| Chrome Automatic Spotlight | 1 |
| Khaki Boy Scout Focusing | 1 |
| Chrome Automatic Spotlight | 1 |
| | |





No. 409 Lantern Battery

No. 102

Lens Assortment for Eveready flash-lights. Consists of 30 spotlight lenses and 6 searchlight lenses.






2645

Eveready Batteries Unit

Type Dry Cell Dry Cell "B" Layerbilt Voltage No. .45 16 25 .35 386 45 Railroad Lantern 409 Hot Shot



No. 215 Pocket Spotlight 2 finishes—black or gold. Width 2", length 2½", ½% thick. Uses 2 No. 915 batteries. No. 21569



No. 3801

New Improved Headlight Lantern

Uses No. 950 cells No. 3801—3 cell2.95 3802—5 cell4.50

List

Each

.95

.95

1.85

2.05

2.25

2.45

1.15

1.15

1.35

.65

UNIVERSAL PERCOLATORS

Universal Percolators are recognized as the standard by which all others are judged. They can be depended upon to make perfect coffee every time. Combined with beautiful designs are such features as Universal Patented Pump and Spreader Plate, Aluminum Interior Fittings, Safety Fuse Plug and long life nichrome wire heating unit. Heavy, seamless copper bodies are finished in nontarnishing chrome.

CHEVALIER PATTERN



Modern and attractive diamond luster chromium. Walnut handles

No. 866

This matched line includes also waffle irons, toaster, urn set, sandwich toaster

| and set, | and built food stiver. | |
|----------|------------------------|------|
| No. |] | List |
| 866 6 | cup | 7.95 |
| | cup | |

NORMANDIE PATTERN



No. 730704 Set

A percolator set of luxurious grace that adds an air of distinction to any table setting. Dripless spout, black bakelite handle and feet. Sugar bowl and creamer chrome plate inside and out. Tray 9½x16

| No. | | List |
|--------|---------------------|------|
| 7307 7 | cup percolator only | 6.95 |
| 730704 | Set complete1 | 2.95 |

MISSION PATTERN

Brilliant non-tarnishing chromium, black handle, insulated fibre feet



No. 706

A serviceable percolator for daily use. Straight lined body relieved by decorated beads at top and bottom.

| No. | | | p and bottom. | List |
|-----|---|-----|---------------|------|
| 706 | 6 | cup | •••••• | 5.95 |

MODERN PATTERN



A strikingly beautiful model with graceful flaring lines and harmonious spout and handle. Hinged cover

This modish percolator embodies the latest principles of approved design. Metal parts of non-tarnishing chromium. 7626 6 cup9.95

WALNUT HILL PATTERN





Nontarnishing chromium, solid walnut handle

No. W8506

This matched line includes also a toaster, sandwich toaster and waffle iron.

| No. | | List |
|-------|-------|------|
| W8506 | 6 cup | 5.50 |

PURITAN PATTERN





No. 7273 No. List 7273 7276 6 cup6.95 7279 72711 11 cup

UTILITY PATTERN



Designed to combine low cost and high quality

Although low in price, these percolators include all the Universal features. Chrome

| No. | 0115 | *************************************** | List |
|-----|------|---|------|
| | | *************************************** | |

MODIFIED HIGHBOY



Here is a really fine Highboy percolator at a popular price. In workmanship and material it has no superior. Hinged cover, copper base, chromium plated, black handle, fibre feet.

| No. | | | | Lis |
|-------|---|-----|---|-----|
| 79467 | 7 | cup | *************************************** | 8.9 |

ALUMINUM PERCOLATORS

The only 14 cup percolator made. Heavy guage aluminum body, highly polished



This commodious percolator is ideal for large families, clubs, tea rooms or wherever good coffee in large quantities is demanded. Standard Universal features. Avaliable also in 6 cup size

| TIVELL | abi | c ars | o in o cup size. | |
|--------|-----|-------|------------------|-----|
| No. | | | L | ist |
| 9676 | 6 | cup | 5 | .50 |
| | | | 6 | |

URN SETS ... KETTLES

UNIVERSAL Electric Urn Sets are the recognized leaders of the field. Masterful designs-made of the finest materials.

UNIVERSAL CONTINENTAL PATTERN




No. 7131104

An urn set of inherent smartness and grace. Brilliant, non-tarnishing chromium with ivory finished pendant handles and feet. Dripless spout. Tray 13 x 20 inches. 11 cup capacity. 400 watts.

7131104 complete27.50

SUNBEAM COFFEE MASTER with Automatic Stove



No. C3

UNIVERSAL MILK BOTTLE WARMER



No. 7930

The Universal Milk and Liquid Food Warmer can be used as a bottle warmer, water heater, or double boiler. Sturdily constructed. Chromium plated black handles and feet. Capacity of bottle, 8 oz.; food warmer, 10 oz.; container, 24 oz.

 UNIVERSAL CHEVALIER PATTERN



No. 81804

Chevalier pattern motif of brilliant chromium with solid walnut handles to match the Chevalier waffle iron, percolator, toaster, and sandwich toaster. Walnut finish metal tray size 16¼ x 6¾ inches. 8 cup capacity. 400 watts.

No. **81804** complete**16.50**

SUNBEAM COFFEE MASTER SERVICE SET

Vacuum Principle—Unbreakable,
Beautiful

The Sunbeam Coffee Master Service set includes an 8-cup server with brew top and patented filter rod, special automatic high heat table stove, creamer, sugar bowl and tray. All chrome plated.

| | | List |
|-----|--------------------------|--------|
| C4 | Service set complete | .17.95 |
| C3 | Coffee master with stove | .11.75 |
| C5 | 8-cup coffee server | . 4.95 |
| C7 | 1½-cup coffee server | 2.50 |
| C8 | Sugar bowl | 2.50 |
| C9 | Creamer | 2.50 |
| C14 | Automatic stove | . 3.50 |
| C15 | Brewing unit | . 3.25 |
| C16 | Tray | . 2.00 |
| C17 | Tray set | . 6.25 |
| | | |

UNIVERSAL HOT WATER KETTLE TEA KETTLE



No. 9263


Universal Kettles provide hot water any time, anywhere, and in a hurry too. Tea kettle finished in diamond luster chromium. Hot water kettle of highly polished aluminum. Both have black handles and knobs.

| 9263 | 3 qt.—1000 watt 8. | 50 |
|------|------------------------------|----|
| | $2\frac{1}{2}$ pts.—400 watt | |



Streamlined contours and modern simplicity distinguish this different urn set. Brilliant chromium plate with black pendant handles and feet. Tray 17" long, 13¾" wide. Sugar bowl and creamer chrome plated inside and out. 9 cup capacity. 380 watts.

No. 7119904 complete21.95



No. C4 Set Complete

UNIVERSAL EGG COOKER



No. 7931

The Universal Egg Cooker, fully automatic, is finished in brilliant chromium with black handles and knob. Fibre feet. When eggs are ready to serve warning bell sounds. For A.C. current only. 400 watts.

| 7931 | 6.95 |
|------|------|
| No. | |

Why Genuine SILEX is Best



Silex, with 30 years experience behind them, are the pioneers in the glass coffee maker field. They use only genuine Pyrex glass. All electric models have patented "quick cooling" stoves. Chrome plated metal parts will not rust. Filter is held firmly in position by tension of chrome plated small spring. All lower bowls have "non drip" pouring lips. All electric models can easily and quickly be converted into automatic units by means of Silex automatic cover control. Lower bowls can be used as tea makers by use of "Strainex" patented tea strainer.



There is no substitute for "GENUINE SILEX"

SILEX JR.

"K" style glass-molded handle Furnished with table mat

Silex Jr. Plain Electric Models with electric stove

| Cat. No. | Size | Red | Black |
|----------|-------|------|-------|
| EC2 | 2 cup | 4.95 | 4.75 |
| EC4 | 4 cup | 4.95 | 4.75 |
| EC6 | 6 сир | 5.25 | 4.95 |
| EC8 | 8 cup | 5.25 | 4.95 |

(Add "R" or "B" to signify Red or Black)

Silex Jr. Plain Kitchen Models

without electric stove

| Size | Red | Black |
|-------|-------------------------|--|
| 2 cup | 2.95 | 2.75 |
| 4 cup | 2.95 | 2.75 |
| 6 cup | 3.25 | 2.95 |
| 8 cup | 3.25 | 2.95 |
| | 2 cup 4 cup 6 cup | 2 cup 2.95 4 cup 2.95 6 cup 3.25 |

(Add "R" or "B" to signify Red or Black)



PINEHURST

"K" style glass. Moldex collar and table mat. Chrome plated cover, handle, and decorated shell. Tea stopper included. Switch cord set.



LIDO—Plain

LIDO—Decorated

"P" style glass. Moldex cover, handle, neck collar, table mat and stove base in red or black finish. Chrome stove with switch cord set.

Lido Plain Electric Models

| Cat. No. | Size | Red | Black |
|----------|-----------|----------------|--------|
| LI-6 | 6 cup | 7.25 | 6.95 |
| LI-8 | 8 cup | 7.25 | 6.95 |
| LI-12 | 12 cup | 7.25 | 6.95 |
| (Add "R" | or "B" to | signify Red or | Black) |

Lido Plain Kitchen Models

| GP62 | 6 cup | 4.25 | 3.95 |
|--------|----------------|---------------|--------|
| GP82 | 8 cup | 4.25 | 3.95 |
| GP12 | 12 cup | 4.25 | 3.95 |
| (Add " | R" or "B" to s | ignify Red or | Black) |

Lido Decorated Electric Models

| LE62 | 6 cup | 9.95 |
|------|--------|------|
| LE82 | 8 cup | 9.95 |
| LE12 | 12 cup | 9.95 |

Pinehurst Electric Models with "quick cooling" electric stoves

| _ | | |
|------|-------|------|
| HE62 | 6 cup | 6.95 |
| HE82 | 8 cup | 6.95 |

SILEX JR.—Decorated

"K" style glass. Molded handle, decorated shell and stove. Furnished with table

| Cat. No. | Size | Red | Black |
|-----------------|--------------|--------|--------|
| ED8—Electric | 8 cup | 6.45 | 5.95 |
| D8—Gas | 8 cup | 3.50 | 3.25 |
| (Add "R" or "B" | ' to signify | Red or | Black) |

"P" style glass. Moldex collar and table mat in black finish. Chrome cover, handle and decorated shell. Tea stopper included.

Coronado Electric Models

| Cat. No. | Size | List |
|----------|-------|------|
| KE4C | 4 cup | 5.75 |
| KE6C | 6 cup | 5.95 |
| KE8C | 8 cup | 5.95 |



CORONADO

"K" style glass. Moldex neck collar and table mat in black finish. Chrome plated cover, handle, and "quick cooling" stove, with switch cord set.

There is Only One Genuine SILEX Glass Coffee Maker



YOSEMITE MODEL SILEX

> Black Red

With the New "Any Heet" control. Fully automatic-Now you can brew the coffee -or keep it warm-without removing the

upper bowl.
No. YE8B (black) 8 cup complete.......6.95
No. YE8R (red) 8 cup complete.......7.45



SILEX "ANY-HEET CONTROL" Plug and

Cord Set

This sensational Silex development converts

your present Silex into an automatic model. Dial settings range from "High Heat" in brewing coffee to "Low Heat" for keeping coffee warm, "OFF" position to shut off heat entirely. 6 ft. cord. A.C.

No. AHC 6 ft. cord set......1.50



BUFFET SERVICE SET

Range bodies of satin finish stainless steel, tops and flanged cups of chrome plated brass. Flared feet and handles of black moldex. 2 unit model (as shown) has one brewing, one warming unit. Dimensions, $5\frac{1}{2}$ " x $13\frac{1}{2}$ " x $5\frac{1}{4}$ ". Glassware same as Pinehurst models. Total capacity Cat. No. BS2

19.95



SILEX PARTS LISTING

| No. | Description | List |
|---------|-------------------------|------|
| LK2-LK4 | 2 or 4 cup upper glass | .95 |
| LK6 | 6 cup lower glass | 1.25 |
| LK8 | 8 cup lower glass | 1.25 |
| UK2-UK4 | 2 or 4 cup upper glass | 1.25 |
| UK6 | 6 cup upper glass | 1.50 |
| UK8 | 8 cup upper glass | 1.50 |
| LP4 | | |
| LP6 | 4 cup Lido lower | 1.55 |
| LP8 | 6 cup Lido lower | 1.75 |
| | 8 cup Lido lower | 2.15 |
| LP12 | 12 cup Lido lower | 2.15 |
| UP4 | 4 cup Lido upper | 1.90 |
| UP6 | 6 cup Lido upper | 2.15 |
| UP8 | 8 cup Lido upper | 2.35 |
| UP12 | 12 cup Lido upper | 2.35 |
| E26 | Heater element (spider) | 2.00 |
| EK6 | Heating element | 1.25 |
| DCP | Spring drainer | .40 |
| SOP | Spring only | .30 |
| PT | Porcelain top | .20 |
| PP | Rubber Dlug (ctopped) | |
| | Rubber Plug (stepped) | .20 |



COFFEE SERVICE

Consists of Silex Jr. decorated model, No. ED8, with Moldex sugar, creamer, and 16" round "Snack Tray" in red or black

| Cat. No. | | Black |
|--------------------------------------|------|-------|
| ETS 8-Cup Size GTS—as above, without | 9.25 | 8.45 |
| electric stove | 6.30 | 5.75 |

(Add "R" or "B" to signify Red or Black)





SILEX JR.—Plain

Silex "quick cooling" electric stoves automatically time period of infusion. 550W,

115 volt. No. Description List SJ4 4 cup plain stove 2.00 SJ6 SJ8 6 cup plain stove 2.00 8 cup plain stove 8 cup Deluxe stove 2.00 SJ8HR as above, Red



STRAINEX

Converts Silex Coffee Maker lower bowl into a self-straining tea maker, enabling use of either loose tea or tea bags. It "Strains As It Pours." Easily snaps into bowl neck; chrome plated; fits all sizes. TS2 As above less strainer....

| PCT | Rubber Plug (hard flange) | .25 |
|------|-------------------------------|------|
| HJB | Molded Handle Red | 1.00 |
| | Molded Handle Black | .85 |
| MTR | Molded Tray Red | .65 |
| | Molded Tray Black | .50 |
| SR10 | 10 stringless cl'th strainers | .25 |
| SR20 | 20 stringless cl'th strainers | .50 |
| SR90 | 90 stringless cl'th | |
| | | 1.95 |
| SRD | 12 pkgs. strainers, 3 each | 1.20 |

Automatic - TOASTERS - Non-Automatic

UNIVERSAL Toasters are styled to please the eye-made only of the finest materials finished in brilliant non-tarnishing chromium.

CHEVALIER



No. 8612

GRECIAN



HEPPLE WHITE



No. 7712

OLD ENGLISH



No. 7812



No. W8312

| No. 8612 | DESCRIPTION Chevalier Pattern. Chrome finish with heavy walnut knob to match the other Chevalier appliances—percolator-urn set, waffle iron, sandwich toaster, etc | List |
|-------------|--|-------|
| | Turn Easy Toaster, popularly priced, simple design. Chrome with black knobs and feet | .2.95 |
| | Combines the beauty of design of the Hepple White era with the practical features of today. Metal parts of gleaming chromium; knobs, handles and feet of durable heat proof ivory casein | |
| | Classic Old English in design. Non-tarnishing chrome with knobs and feet of ivory casein | |
| | Decorated with the Walnut Hill motif of chrome and walnut. A member of the matched line which also includes percolator, waffle iron and sandwich toaster | |

UNIVERSAL BELL SIGNAL AUTOMATIC



Diamond Luster Chromium Bakelite Handles and Feet

No. 7122

Automatic adjustable heat control automatically rings the bell when toast is ready at the same time switching current from toasting heat to low serving heat. Keeps toast warm until rack is manually released.

No. 7122

SUNBEAM AUTOMATIC



No. T6X

The famous Sunbeam 2-slice SILENT fully automatic toaster with crystal clear, 5 compartment buffet tray wrapped in glistening cellophane beautifully printed in attractive colors. Every slice is toasted uniformly.

No. T6X

UNIVERSAL MODERNE AUTOMATIC





No. 7822

Fully automatic—cannot burn—when the toast is ready it is removed entirely from the oven so there is no chance of it being burned. The bread rack automatically tips out and down on hinge. Diamond luster chromium, black bakelite handles, soft rubber feet. No.

782212.95

SAMSON TOASTER



Toast turns automatically when door is lowered. Chevron design. Complete with cord set, bakelite connector and rubber plug cap.

298


ELECTRAHOT TOASTER



Electrahot Matched Toaster. Chrome plated. Enclosed oven type; genuine walnut handles. Heavy insulated concealed feet. Nickel-chrome element wound over India cut mica.

No. 365

ELECTRAHOT TOASTER



A double size turn easy Toaster. Chrome finish with walnut handles of Electrahot matched design. Will toast 4 slices of bread at one time, or by turning switch, 2 slices only may be toasted.

No. 316

SANDWICH TOASTERS & SUPPER SETS

UNIVERSAL WALNUT HILL PATTERN



No. W8960


Universal sandwich toaster designed to match the other items of the Walnut Hill line. Chromium finish, walnut handles, fibre feet. Aluminum grids 10½ x 5½". W8960



Universal combination sandwich toaster and waffle iron smartly styled in the Moderne motif. Chrome plated. Black handles and feet. Also available in complete supper set including tray, glass dish, cutting block, knife and sandwich toaster similar to No. 88360. Grid size 10½ x 5½".

7760 Sandwich toaster with waffle

grids 10.95 Supper set complete 18.95 87760



No. 370

Electrahot Matched Combination Sandwich Toaster and Waffle Iron—has all the features of No. 368, plus removable grids. Grids size 85%" x 53%".

No.

370

UNIVERSAL CHEVALIER PATTERN SUPPER SET




No. 88360

Universal Supper Set includes Chevalier pattern combination sandwich toaster, waffle maker and griddle; a specially designed acid resisting walnut tray that will not warp, size 24½ x 15½ inches; cutting knife 7" stainless steel blade, ivory grained handle; 5 compartment crystal clear dish 6½ x 14½ inches; walnut cutting block 4¾ x 14¼ inches. The supper set fits into every lively, informal gathering and provides the hostess an unfailing means of catering to the various tastes of her guests. Cooking plates are 101/8 x 55/8 inches. No.

8360 88360

Electrahot Matched Sandwich Toaster.



Chrome plated, modernistic design, with genuine walnut handles. Toasts 2 slices of bread; grills bacon without curling; fries ham, eggs, chops, hot cakes, etc. Grids size 85%" x 5½".

No. 368 -----4.95

Black

and

Chrome Walnut Tray



NO. T2 SUNBEAM TOASTER SET

America's most efficient automatic toaster combined with the smart, distinctive buffet set. A smartly styled, distinctive toaster set, consisting of toaster, four crystal buffet plates, two 2-compartment appetizer dishes, walnut tray and cutting block. The twoslice toaster has a patented dual thermostatic principle, absolutely silent, which makes it the most perfect toasting toaster ever made. Adjust for light or dark toast, then every slice is toasted just exactly right. No.

Electrahot Combination Sandwich Toaster and Waffle Iron




No. 527S

Stylish in appearance yet designed to sell at a low price. Stamped steel sandwich grids. A practical waffle iron. Grid size 85%" x 5½".

527S complete6.25

> UNIVERSAL BUFFET FOOD SERVER



No. 7990

This Universal appliance makes it possible to serve foods at their best. Consists of 3 heat resisting removable glass containers, capacity 3 pints each. Body and covers of brass, chromium plated. Walnut handles and feet. 1934" long, 1034" wide, 61/4" high.

No.

799019.95

WAFFLE IRONS

UNIVERSAL Waffle Irons have the same graceful designs and diamond luster non-tarnishing chromium finish which characterizes the entire Universal line. All models have such features as improved expansion hinge, concealed connection between grids, overhanging rim on grids to prevent damage from overflowing batter, general sturdy construction, heat indicator on non-automatic models, signal light and lever control on automatic models.

UNIVERSAL WALNUT HILL PATTERN



No. W804

Simple and graceful in appearance, mirror like chromium plated body, solid walnut handles and feet. This matched line also includes percolator, toaster and sandwich toaster. Non-automatic only. No. W8045.50

UNIVERSAL COLONIAL PATTERN



No. 7424—Automatic

A paneled waffle maker of modern low design. Diamond luster chromium, black handles and feet, 7½-inch aluminum grids. Available in either automatic or non-automatic.

No. 7404 Non-Automatic6.50

SAMSON WAFFLE IRON



No. 1131X

A full size, sturdily built, attractively designed waffle iron to meet the need for a completely priced number. Chromium finish, black handles. No. 1131X3.95

UNIVERSAL CHEVALIER PATTERN



No. 8104

A member of the Chevalier Pattern Matched Line, which includes percolator, urn set, toaster, sandwich toaster and set, and buffet food server. Non-tarnishing chromium finish with solid walnut handles. Thoroughly insulated. Reliable heat indicator. 7½-in. aluminum die cast grids.
No. 8104 Non-Automatic6.95

UNIVERSAL EMPIRE LOWBOY PATTERN



No. 7124-Automatic

A waffle maker that meets the growing demand for simplicity. Smooth, mirror like, non-tarnishing chrome surface with black handles and feet. 71/2-inch die cast aluminum grids with overlapping rims.

ELECTRAHOT WAFFLE IRON



No. 375

Electrahot Matched Waffle Irons. Modernistic, walnut handles, full size silver finish cast aluminum grids. No sticking. Heavy concealed feet. The attractive indicator in top is something new in design. No. 375 7-in. standard size grids......4.95

UNIVERSAL MODERNE PATTERN



No. 7704

A waffle maker in striking new design. Brilliant chromium finish with black handles and feet. Available in either nonautomatic or full automatic.

UNIVERSAL CHEVALIER PATTERN



No. 8124-Automatic

The Chevalier pattern, with its bright chrome finish and walnut handles, is available also in this automatic model, which eliminates the guess-work from waffle baking. Lever control to regulate light, medium or dark, as desired. Signal light indicates when ready to serve.

No. 8124 Automatic9.95

DOMINION WAFFLE IRON



No. 590

Dominion Matched Design Twin Waffle Iron. No more waiting—two delicious full plate-size waffles can be baked at one time. Special combination cord sets permit the irons to be used together or independently. 6-in. cast aluminum grids. No. 5907.95

IRONS - SOLDERING IRONS

UNIVERSAL IRONS AUTOMATIC



No. 7183

Streamlined lightweight automatic Universal iron. Fingertip control. Air cooled. Natural grip bakelite handle, permanently attached trouble proof cord. 3½ lb. 1000 watts. A.C. only.

No.



No. 7736

Streamlined full weight automatic Universal iron. Fingertip control. Mahogan-ized handle. 6 lb. 700 watts. A.C. only.

7736



No. 7043

Universal Tourist Iron. Wrinkleproof, non-automatic boudoir or travel iron. Has standard Universal features. Weight 3½ lbs., length 6½". 330 watts. A.C. or D.C.

No. 7043

3.50

DURABILT TRAVEL IRON



No. 181

Durabilt folding travel iron. Full sized sole plate-full sized locking handle that folds away. Suede felt tourist case—when packed only 6½x9 inches and 1 inch thick. Weight 2½ lbs. 375 watts. A.C. or D.C.

......4.45

UNIVERSAL ELECTRIC irons are available in both automatic and non-automatic types, in both regular 6 lb. and lightweight 31/2 lb. sizes. High grade, long life nichrome wire units wound on mica insure trouble free operation. Beveled edges to iron under buttons, tapering point to iron between pleats, round heel (to iron backward easily). Non-skid heel rest. Mirror-like sole plate. Brilliant nontarnishing chromium finish. Black handles. Equipped with 6 foot cords.

SUNBEAM IRONMASTER **Dual Automatic**



No. A1

SUNBEAM IRONMASTER

The streamlined Modern Beauty Ironmaster, with patented dual automatic heat control, thumb tip regulator in handle, heats faster, irons faster, easier, better. 3¾ lbs. 1000 watts. 110-120 volt. A.C. only. No.

A1

Until Dec. 31, 1937:

1.00 trade-in allowance for an old ironmaking the net list......7.95

A SPECIAL OFFER SUNBEAM CLOTHES SPRAYER



For a limited time only this marvelous new clothes sprayer-regularly listing at \$3.50—can be combined with the purchase of an Al Ironmaster at an additional price of only......1.00


UNIVERSAL IRONS NON AUTOMATIC

No. 7770



Non Automatic Standard Universal Iron —a sturdy household iron with all Universal features. Weight 6¾ lbs. 580 watts. A.C. or D.C. No. 7770

No. 7703



Non automatic Samson iron. Chrome finish—complete with cord. 6 lb. 600 watts. A.C. or D.C. 1.98

VULCAN SOLDER IRONS



| Mercury Type | | | | | |
|--------------|----------|--------------|-------|--|--|
| No. | Tip | Watts | Each | | |
| 1 | 1/2 | 50 | 1.60 | | |
| 2 3 | 116 | 80 | 2.60 | | |
| 3 | 1 | 140 | 4.60 | | |
| | Vulcan S | crewtip Type | | | |
| 10 | 7 16 | 44 | 3.75 | | |
| 20 | 7 16 | 50 | 5.00 | | |
| 30 | 1/2 | 60 | 6.25 | | |
| 40 | 1/2 | 90 | 7.00 | | |
| 50 | 7/8 | 130 | 8.00 | | |
| 60 | 1 | 175 | 9.25 | | |
| 70 | 11/8 | 220 | 10.75 | | |
| | , 0 | | 20110 | | |

SHAVEMASTER-HAIR DRYERS-VIBRATORS-EXTRACTORS

SUNBEAM SHAVEMASTER



The Sunbeam Shavemaster-New in prin-The Sunbeam Shavemaster—New in principle — The only Dry-Shaver with a powerful, self-starting, brush type universal motor. Substantial, dependable—No skill required — Forward and backward, sideways, or in circles — No weeks of "patient" practice. Shavemaster shaves beards close and clean. The makers of "Mixmaster" score again with the Shavemaster. master.

ELECTRAHOT CORN POPPER

GILBERT HAIR DRYERS



No. A93

A dainty, ivory finished hairdryer that blows hot air only. Quiet, induction type, non-radio interfering motor. Size 8"x53/4" x3½". 105-120 volts A.C., 60 cycle only.

No. A934.25



No. B94

Hot or or cold hairdryer controlled by togole switch. Compact and powerful. Has innumerable uses in the home for drying purposes. Ivory finish. Size 5"x 7½". 105-120 volts A.C. or D.C.

No. B945.95

GILBERT VIBRATORS



No. 0 Vibrator

A new vibratory massage machine that imparts Swedish Massage Strokes thru fingers. Chrome plated universal motor. 110-120V A.C. or D.C. Size 6"x4"x31/2".

No. 05.95

No. B87 Vibrator

A powerful Vibrator—universal motor, with toggle switch. Ivory finish. Size 7½"x3"x6¼". 110-120V A.C. or D.C.

No. B874.95

GILBERT JUICE EXTRACTORS



No. 211-Nickel Plated

Generous size-pops 2 quarts in 5 min-

utes. Furnished without cord. Each....1.95

No. B124

Juniorette Juice Extractor. Finished in white enamel. Cream color extractor bowl. Strainer and cup included. Universal motor-Toggle switch. 110-120V A.C. or D.C. Size 7"x71/2"x51/2".

No. B1245.95



No. B123

Electric Juice Extractor. Finished chromium with black base and ivory juice extractor bowl. Universal motor with toggle switch, 110-120V A.C. or D.C. Size 7"x

No. B1239.95

GILBERT JUICE EXTRACTORS



Soda Fountain Juice Extractor. Strong, sturdy, dependable. Modern in design. Chrome body, black base, removable ivory bowl. Universal motor, toggle switch—110-120V A.C. or D.C. Size 7"x 11½".

No. B12817.95

HEATING PADS - CURLING IRONS - HEALTH AID LAMPS

UNIVERSAL Heating Pads have many features not found in ordinary heating pads. Three-heat pads have 4 thermostats which positively hold any one of three heats, 185°, 150°, or 115° F. Controlled by 3-heat cord switch. Best quality asbestos wound units. Full size 12 x 15 inches. Made in conformance with underwriters specifications. Waterproofed rubberized covers. 65 watts.



No. 9846

SUNBEAM



No. 9920



No. 9400 (old 9940)



No. 9930

SAMSON HEATING PAD

THREE HEATS



No. H581

| No. | Description | List |
|------|--|------|
| 9846 | 3 speed—green eiderdown cover | 3.95 |
| 9920 | Deluxe 3 heat-blanket cloth cover in green or blue | 5.50 |
| 9400 | The approved Hospital pad—the finest pad made | 6.95 |
| 9930 | Deluxe 3 heat-soft eiderdown cover-pearl gray | 6.50 |
| 9944 | Deluxe 3 heat—orchid eiderdown cover | 6.50 |
| 9946 | Deluxe 3 heat—pearl gray eiderdown cover | 6.50 |
| H581 | Sunbeam 3 heat wet-proof pad—lavender cover | 7.95 |
| 522 | Samson 3 heat double thermostat-green camels hair | r |
| | cover | 1 08 |

UNIVERSAL Curling Irons heat quickly and evenly. Strong spring clamps—tapering points.



No. 9505



No. 7801


No. 7502 Nichrome wire unit-rod and clamp of brilliant chromium. Cool hand. Lavender color. 18 watts.

7502 (7522)1.75

Nickel plated rod and clamp. Grey enameled handle. Permanently attached cord. 18 watts.

95051.00

Detachable swivel connector. Rod and clamp of brilliant chromium. Lavender handle with green trim. 25 watts.



No. 138 Gooseneck adjustable table model for heat treatments. 8½" aluminum reflector. Complete with lamp.


138 Extra Lamps Clear. 260 watt..... 136R Ruby. 260 watt.....



Scientifically designed reflector. 7" diameter. Complete with lamp. No. 337

338 Adjustable table model. Same reflector as above......3.95

SAMSON ULTRA VIOLET SUN LAMP



No.

Automatic Sun Lamp .. 19.95

140A Bulb only for Sun Lamp....3.95



HAMMOND DESK CLOCKS ARE EQUIPPED WITH ALARM—AT NO EXTRA COST!



The "MODERN FIREFLY"

Illuminated dial. Case—moulded plastic. Colors—Ivory and Gold or Black and Chrome. 3" dial.
Size—5¼" high, 4½" wide, 2½" deep.

List4.50

The "GRENADIER"



Easel type. Chrome plated black stripe across base. Dial 41/4" metal. Sliver plated 2 tone satin finish. Size—5½" high, 4¾" wide.

The "CATHAY" a petite alarm




Case-moulded plastic-ivory color. Dial 31/8" metal. Black numerals and hands on ivory background. Gold feet.

Size-411" high, 37%" wide, 15%" deep.

List2.95

The "PARKWAY"



For those who prefer a round Kitchen Clock. An unusual value—good looking, too. 434" Dial. Chrome plated bezel. Case colors—Ivory, Green or Red. 678" diam-

The "HAMPTON"



All metal case, chromium plated. Large dial, $6\frac{1}{2}$ " in diameter has a fourth hand which makes one revolution each three minutes. Suitable for office or modern kitchen. Size 73%", diameter 23%" deep.

List4.50

The "STEWARDESS"



An attractive Kitchen Clock—smart, stylish. Cast case finished in Ivory, Green, Red or Black. Chrome plated bezel and fluted side bands. Legible white dial 5½" x45%". Case size 5½"x6¾".

List4.50

The "TRIPOLI"



Calendar Clock. Case—selected striped mahogany faced with fine burl. Light strip inlays. Dial $3\frac{1}{2}$ " metal. Silver plated satin finish 2 tone effect. Size $5\frac{1}{4}$ " high, $6\frac{1}{2}$ " wide, 3" deep. List7.95

The "EDGEMONT"



Easel type metal. Bright chrome finish. Dial $4x4\frac{1}{2}$ " metal satin finish silver plated. Size $4\frac{1}{2}$ " high, $5\frac{1}{4}$ " wide.

The "ASBURY"



Easel type. Moulded plastic. Colors—Ivory and Gold or Black and Chrome. Dial 3½" satin finish. Size 5½" high, 5" wide.

List3.95

The "EMPRESS"



Narrow chrome case mounted on black Bakelite base, silver plated hand-spun dial on a blue mirror field. Beveled edge crystal. Electric alarm. Size: Height 41/8", width 51/4".

List

The "COURTIER"



Easel type alarm, faced with carefully selected small figured Butt Walnut and inlays of light wood. Brushed silver plated ring on etched white silver plated field carries black numerals—3½ "dial. Size: Height 55%", width 4½.".

The "DIPLOMAT"



Case—Highly figured Maple Burl face, Mahogany top and sides. Fine marquetry inlays of Walnut, Maple and Ebony. Dial 3½" brushed silver plated. Size: 5¾" high, 5" wide, 2½" deep.

SYNCHRONOUS - A Hammond Synchronous Clock always registers the correct time if the second hand is in motion. There is no possibility of the clock being slow due to current interruptions. You can have confidence in a Hammond Clock.

The "SOVEREIGN"



Rich walnut case with a special facing of small figured Claro Butt Walnut. Antique brass finished top ornament and feet. Dial —5" metal satin finish silver plated. Size: Height 9½", width 7¾", depth 3¼".

List9.95

The "SENTINEL" Bichronous (Non-Stop) Wall or Commercial Model



Plug it into a convenient outlet and you will always have correct time by Hammond. Current interruptions won't faze it. Does not need a step-ladder as an accessory. Case size 18" square. 14" dial, visibility 150 feet. Furnished in Walnut. A beautiful and efficient clock.

List30.00

The "REGENT"



Easel type of lustrous genuine White Onyx. Hand-spun gold plated 43%" track dial. Hour markings in white. Revolving second disk to match. Size: 53%" square. List9.75

The "AURORA"



With illuminated dial case—fine Burl Maple face with Mahogany top and sides or Oriental wood faced with Walnut top and sides. Light strip inlays on face and top. Dial 3½". Size: Height 5½", width 4½", depth 2½".

List

The "CHANCELLOR"



For Mantel, Bookcase or Radio

Case faced with center-matched Stump Walnut. Light strip inlays on front and sides. Dial 5" metal silver plated, 2 tone satin finish. Size: Height 85%", width 75%", depth 3½".

List _____9.95

NESCO ROASTER



Roastmaster

NESCO BROILER-GRIDDLE





No. 3011 in use as griddle



No. 5011

NESCO CASSEROLE

2 quart size Recipe Book included

Economy Casserole

UNIVERSAL ROASTER



Automatic Oven Roaster

No. 9985. Efficient, economical and compact. Aluminum cooking well, 8 quart capacity, size 15½"x11"x35%". Furnished with 3 aluminum insert pans, 1 of 4 qt. capacity with bail and 2 of 1¼ qt. capacity with cover and detachable handle. Chrome plated cover, black handle. Body of dark gray gun metal enamel. 1000 watt. 110-120V, A.C. only.

No. 998519.95

NESCO ONE-LIFT PAN SET



One-Lift Pan Set

NESCO CASSEROLE



No. 4011 Casserole with No. 50004 Steamer

De Luxe Casserole

Steam Cooker

NESCO ROASTER



Economy Model

No. 9622. Has an 11 quart capacity. Automatic signal light dial from 150° to 550°. Porcelain enamel, removable cooking well. Stainless steel cover. 1000 watt, 110-120V, A.C. only. 2014" long, 14" wide, 111/2" high.

No. 962216.50

Junior Roastmaster

No. 9532. 6 qt. "Off" position on dial. Patented browning regulator. Stainless Steel cover. 735 watt, 110-120V, A.C. only. 15¾" long, 11¾" wide, 9¾" high......15.50

UNIVERSAL OVEN COOKER



No. 9604

A thoroughly practical cooking ensemble that will do everything within its capacity that the oven of an electric range will do. Cooks either standing or on side. Economical. Sage green with black top. Two heats, 125 and 500 watts. Cooking well 10"x634", overall height 13½".

No. 9604 complete......11.50

UNIVERSAL CASSEROLE



Capacity 3 quarts. Equipped with 2 aluminum containers, one 1 quart and one 1 pint, round grid and 2 pan lifters. Inside diameter 6¾", outside 9". Ivory enamel with green enamel band. 2 heats, 100 and 325 watts.

No. 99677.50

UNIVERSAL HOT PLATES

UNIVERSAL HOT PLATES



6" cooking top Chrome plated stand

No. 9586

6" diameter Nickel plated stand and legs

Fibre feet



No. 7952

2 burner-3 heat switches Finish white enamel Cooking top 81/2"x181/8"

| No. | Wattage | List |
|------|--------------|------|
| 9586 | 550 | 2.95 |
| 795 | 400 | 3.95 |
| 7962 | 1200-600-300 | 5.95 |
| 797 | 550-300 | 6.50 |
| 7952 | 1000-500-250 | 9.95 |



4½" cooking top Chrome plated stand



No. 7962

Single burner—3 heat Finish white enamel Cooking top 85%" square

SAMSON SINGLE BURNER HOT PLATES



No. 216 Type Burners Open Armor Unit

Armor Unit

Steel Rock

Steel Rock

No.

315

216

209

109

109C



No.

Watts

660

850

850-425-212

850-425-21:

850-425-212



| . 315 | | No. 109C | |
|-------|--------|----------|------|
| | Fin | ish | List |
| | Body | Legs | |
| | black | chrome | 1.98 |
| | black | chrome | 2.98 |
| 2 | black | chrome | 3.98 |
| 2 | black | chrome | 4.98 |
| 2 | chrome | black | 5.98 |

ELECTRAHOT HOTPLATE



No. 239-Single Heat

Chromium plated, one burner, 660 watt. Complete with 6ft. silk cord, contact plug and plug cap.


| List | | 1. | 6 | 5 |
|------|---|----|---|---|
| | *************************************** | | | |

SAMSON TWO BURNER HOT PLATES



No. 111-Steel Rock Units

Black body with chrome legs. 990-660-330 W on one burner, 660W on other......8.98 No. 110-Same as above except 2 heat. 990 and 660W......6.98



No. 111C-Steel Rock Units

990-660-330W on one burner, 660W on other Chrome body with ebony legs 10.98



No. 211-Armor Unit Type

No. 211-2 burner 4 heat, 1650 watt. 250-500-990 on left, 660W on right. Black body with chrome legs......6.98

No. 210-Same as above except 2 burner 2 heat-660W and 990W......4.98

PORTABLE AIR HEATERS

UNIVERSAL FAN HEATERS



No. 7983

Small and compact. Chrome plated guard. 235 cu. ft. per min. Height 934", width 11½", depth 4½". 1320 watts, 115 volts.

| No. | Color | List |
|------|--------------|------|
| 798 | Green-Gray | 8.95 |
| 7981 | Ivory Enamel | 8.95 |
| 7983 | Black Enamel | 8.95 |

WESIX PORTABLE CENT-A-WATT HEATER



Ideal for bathroom, dressing room, breakfast nook or other small rooms.

| No. | Watts | | List |
|---------|-------|--------------------|-------|
| RCS11/4 | 1250 | No switch | 9.95 |
| RCS11/2 | | Single heat switch | 12.95 |
| RCS2 | 2000 | 3 heat switch | 21.00 |

SUNBEAM FAN HEATER

Quick heat
Silent
Requires
oiling but
once a year



Induction type motor. Chrome plated grill front. On and off switch. Bronze finish.

| No | . 1. | Fan | Heater | .9.95 |
|----|------|-----|--------|-------|
|----|------|-----|--------|-------|

UNIVERSAL PORTABLE AIR HEATERS



No. 7827



No. 9527



No. 7927A

UNIVERSAL PORTABLE AIR HEATERS

for small rooms or for use as auxiliary heaters

| No. | Watts | Diameter Bowl | Finish | List |
|-------|-------|---------------|----------------|------|
| 7827 | 800 | 14" chrome | Black enameled | 5.95 |
| 9527 | 625 | 12½" copper | Mahogany | 4.95 |
| 7927A | 1000 | 14" chrome | Black enameled | 6.95 |

ELECTRAHOT PORTABLE HEATER



No. 162

10½" chrome plated reflector. Permanently attached 660-watt element. Heavy cast base and back of reflector finished in apple green.

| No. | 162 | 2.25 |
|-----|-----|------|
|-----|-----|------|



Glo Log Heaters

GLO LOG HEATERS

A practical and attractive Fireplace Electric Heater. Complete with stand and switch.


| Watts | Length | Depth | List |
|-------|--------|-------|-------|
| 2000 | 14" | 8" | 32.00 |
| 2000 | 15" | 9" | 37.00 |
| 2000 | 16" | 9" | 42.00 |
| 3000 | 20" | 11" | 55.00 |

ARMSTRONG ELECTRIC HEATERS




No. 514-Armstrong Heater

WESIX AIR & WATER HEATERS



No. 30 RCE Nickel Finish



No. 15 FU WESIX BATHROOM HEATERS

Available in 10 colors—green, rose, orchid, black, brown, white, yellow, ivory, fawn and chromium. Nos. 18 FU and 20 FU have 3 heat switches.

14.50 15.75 18.00 20.25 27.00

Wall Opening
18¹/₄x 8¹/₄x4
18¹/₄x 8¹/₄x4
18¹/₄x 8¹/₄x4
18¹/₄x 8¹/₄x4
18¹/₂x12¹/₄x4

115 or 230 volt. Specify which.

Watts 1000 1250

1500 1800 2000

18FU 20FU

AUTOMATIC PORTABLE HEATERS

| No. | Watts | Volts | Dimensions | List |
|--------|-------|------------|-----------------|--------|
| 20RCE | 2000 | 115 or 230 | 30x20x18 | 40.00 |
| 25RCE | 2500 | 230 | 30x20x18 | 44.00 |
| 30RCE | 3000 | 230 | 35x24x18 | 49.50 |
| 40RCE | 4000 | 230 | 45x30x18 | 57.00 |
| 50RCE | 5000 | 230 | 55x36x18 | 71.50 |
| K30RCE | 3000 | 230 | Kitchen Heater | 34.90 |
| 100 | | | For Stat Bre ad | d 100% |



No. B15FSE "Bath-A-Matic" Automatic bath room Heater

> Chrome Finish

| No. | Description | | Wall Opening | | | List |
|--------|-------------|-------|--------------|--------|-------|-------|
| | Watts | Volts | Width | Height | Depth | |
| B15FSE | 1500 | 115 | 91/2 | 201/4 | 41/2 | 29.50 |
| B20FSE | 2000 | 230 | 141/4 | 201/ | 414 | 39 50 |



No. OC-32-30-STT

Table Top Model

WESIX AUTOMATIC WATER HEATERS

| | Standa | rd Stor | age Type | |
|----------|---------|----------|------------|-------|
| No. | Gallons | Watts | Dimensions | Lis |
| 3-32-30 | 32 | 3000 | 66x23 | 69.5 |
| OC-32-30 | 32 | 3000 | 72x251/6 | 85.5 |
| OC-42-30 | 42 | 3000 | 72x271/2 | 96.0 |
| OC-52-30 | 52 | 3000 | 72x291/2 | 104.0 |
| | Tab | la Ton l | W-1-1- | |

| Tab | le Top | Models | |
|------------------|-----------|-----------------|-------|
| OC-32-30-STT-Out | side Circ | ulation | |
| 30 | | 36x231/4 x231/4 | 92.50 |
| S-32-30-STT-Imme | rsion Tv | pe | |
| 30 | 2000 | | 86.50 |
| Tall | Square | Models | |

No. OC-30-30-SO Tall Square Model



AUTOMATIC FLUSH WALL TYPE HEATERS

Standard finish is dark Statuary Bronze. Voltage 230 except No. 20 FSE which is

| also a | vailabl | e in 115 volt. | | |
|--------|---------|----------------------|-------------|-------|
| No. | Watts | Wall Opening | Overall | List |
| 20FSE | 2000 | 141/4 x201/4 x41/2 | 16 8 x22 % | 53.50 |
| 25FSE | 2500 | 191/8 x 201/4 x 41/2 | 21½x225% | 56.50 |
| 30FSE | 3000 | 22% x201/4 x41/2 | 2418 x225/8 | 62.00 |
| 40FSE | 4000 | 28% x20 1/4 x4 1/2 | 31 x22% | 68.00 |
| 50FSE | 5000 | 351/6 x 201/4 x 41/6 | 377 x225% | 87.50 |

Larger sizes available.



| OC-52-30 | 52 | 3000 | $72 \times 29 \frac{1}{2}$ | 104.00 |
|-------------|------|-------------|----------------------------|--------|
| | Tal | ole Top I | Models | |
| OC-32-30-ST | T-Ou | tside Circu | lation | |
| | 30 | 3000 | 36x231/4x231/4 | 92.50 |
| S-32-30-STT | -Imm | ersion Type | e | |
| | 30 | 5000 | 36x231/4 x231/4 | 86.50 |
| | | | | |

OC-30-30SQ OC-40-30SQ SS-30-40SQ SS-40-40SQ 1500-2500



No. OC-32-30 Standard Storage Tank



No. 3B Mixmaster

SUNBEAM AUTOMATIC MIXMASTERS

with Automatic Power Control

Streamlined Beauty

10 Full Power Speeds

Full-Mix Beaters

Leak-proof Oiling System for Better Bearings

Non-Radio Interfering

ATTACHMENTS FOR MIXMASTER Note: Only one power outlet is necessary

Description

E-Juicer Attach. (green bowl)......2.75

EB-Juicer attach. (white bowl)......2.75 FW5—Food Chopper, less Power Unit ______3.50 PU6—Power Unit only......3.00 CO-Can Opener2.00

KS2-Knife Sharpener3.50 DM—Drink Mixer2.50 PS—Pea Sheller1.75 SS-Slicer and Shredder.....5.75 GD-Grater Disc1.00

IB-Ice Crusher disc (for shredder)..1.25 VP-Potato Peeler4.50 CA—Colander4.50 1C-Freezer Attachment3.50 BC—Bean Slicer2.00 77M—Large Special Aluminum Bowl..1.95 Large Glass Mixing Bowl, green or white)1.20 Small Glass Mixing Bowl (green or

Juice Extractor Bowl (green or

white) _____1.40

The Mixmaster is so well known that it scarcely requires an introduction. Today it is the fastest selling food mixer made—the most powerful mixer on all speeds.

Now available in rich ivory enamel and jade green (standard Mixmaster colors) or in jet black and pure white—a choice of colors to blend harmoniously with all the newest color schemes.

| No | D . | |
|----|---|-------|
| 3 | Automatic Mixmaster, ivory, with Juice Extractor and 2 jade green bowls | 24.50 |
| 4 | Automatic Mixmaster, as above, without Juice Extractor | 21.75 |
| | Automatic Mixmaster, with Juice Extractor, black and white | 24.50 |
| 4B | Automatic Mixmaster, as above, without Juice Extractor | 21 75 |

Cat. No.





Bean Slicer



Knife Sharpener





Slicer & Shredder



Food Chopper

Collander



Buffer



Can Opener



Drink Mixer



Potato Peeler



Freezer Unit

UNIVERSAL MIXER

Powerful Air Cooled Non-Radio Interfering Motor



No. 872

Three-speed, tilt-back motor easily portable, light weight and evenly balanced. Stainless beaters easily detachable. Large bowl revolves automatically. Available in ivory enamel with chromium plated platform or white enamel with black enamel platform and base.

| No. | | |
|------|---|-------|
| 862 | White, with juicer | 22.50 |
| 872 | Ivory, with juicer | 22.50 |
| 8611 | Juicer attach. (white) | 3.00 |
| 8711 | Juicer attach. (ivory) | 3.00 |
| 8603 | Slicer, Shredder and Grater attach. (white) | 3.50 |
| 8703 | Slicer, Shredder and Grater attach. (ivory) | 3.50 |

GILBERT DRINK MIXER



No. 2

Practical home size fountain mixer for mixing malted milk or any other type of drink perfectly. Includes glass mixing cup. Finished in white enamel. Equipped with famous Gilbert Universal motor with toggle switch. Operates on 110 volts, A.C. or D.C., 60 cycles or less. Has approved rubber cord and plug cap. Size 5½"x4"x11½".

| List | 5.5 | 0 |
|------|-----|---|
|------|-----|---|

UNIVERSAL VACUUM CLEANERS



Specially designed rotary brush Extra powerful suction Sturdy ball bearing motor with new design of nozzle and fan case Chromium plated handle and hard-Rubber pistol type handle grip Adjustable nozzle

Tilting device Dust proof bag 25 ft. cord

UNIVERSAL HAND CLEANER



No. 125 \$13.50

For cleaning the interior of automobiles, and for use in homes, apartments and stores.

Lightweight, effective and handy. 20 ft. cord.

CLEANER ATTACHMENTS

- 1. 8 ft. covered hose
- 30" extension tube
- 3. 7" drapery nozzle
- 4. Utility brush
- 5. Radiator tool
- Blower connector
- De-mother
- Can deodorant No.
- 411 Attachments for No. 440,
- complete\$8.00 Attachments 1 to 5 only....\$7.00 For Nos. 440 or 490



Two-speed, air cooled, ball bearing motor Oilless bearing motor driven brush Streamlined headlight Pedalever nozzle adjustment Pedalock tilting device and handle stop Rubber pistol type handle grip Dust proof bag Non radio interfering 25 ft. rubber cord

UNIVERSAL CLEANER with LAMP



No. 490 (495)



No. 901 Attachments

No. 490 (495) \$39.95

Has all the features of the No. 395 plus electric headlight. Four wheel carriage. Ball bearing motor. 25 ft. rubber cord.



UNIVERSAL FLOOR

Powerful--Easy to use No greasing or oiling Finger type switch control Brush of tough Tampico bristle Black japanned Duco finish Rigidly constructed. Furnished complete with sheepskin mop

—1 lb. paste wax and 1 lb. liquid wax.

No. 710\$29.50



UNIVERSAL WASHERS & IRONERS



No. 470—French Gray without Pump No. 670—French Gray with Pump UNIVERSAL COMBINATION

WASHER and DRYER

Has all the features of the Universal wringer type washers plus the advantages of the dryer. Safety Switch, also rinsing attachment. Absolutely safe. Dries full load in less than 3 minutes. Self emptying.

| 210. | | |
|------|----------------------|--------|
| 1680 | White. 8# size | 139.95 |
| 1760 | Jade green. 9# size. | |
| | Deluxe | 169.95 |



No. 1680-White

MODERN HOME LAUNDRY EQUIPMENT

-as serviceable as it is beautiful

Features of UNIVERSAL Wringer Type
Washers

Patented triple vane agitator. 1 piece porcelain enameled tub. No vibration tub covers. Safety type wringers. Silent, direct drive transmission. Extra size improved motor. Requires no oiling. Safety switch—protects motor.

WRINGER TYPE WASHERS

| | | Tub | | |
|------|---|------|-----------------|-------|
| No. | Color | Size | | List |
| 470 | Gray | | without pump | |
| | | | | |
| 670 | Gray | | with pump | 09.95 |
| 488 | White | 6# | Similar to 588— | |
| | | | no switch | 69.95 |
| 688 | White | 6# | Similar to 788— | |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 0 11 | no switch | 70 05 |
| E00 | White | 6# | | 19.93 |
| 300 | vviiite | 0# | Safety switch — | |
| | | | Deluxe, no pump | 79.95 |
| 788 | White | 6# | Safety switch — | |
| | | | Deluxe, with | |
| | | | pump | 89 95 |
| 288 | White | 8# | Safety switch— | 05.50 |
| 200 | vv III te | 0# | | 00.05 |
| 000 | 7771 *. | 0 11 | no pump | 89.95 |
| 388 | White | 8# | Safety switch — | |
| | | | with pump | 99.85 |
| 988 | White | 8# | Safety switch — | |
| | | - 11 | Deluxe, no pump | 00 05 |
| 1100 | White | 9# | Safety switch— | 33.33 |
| 1100 | vviiite | 0# | | |
| | | | Deluxe, with | |
| | | | pump1 | 09.95 |
| | | | | |

Complete Washer and Ironer Catalog Available on Request



No. 988—White without Pump No. 1188—White with Pump




No. 588—White without Pump No. 788—White with Pump

UNIVERSAL IRONERS

Automatic

Features—Free open end; Feather touch control; Full floating chromium plated shoe; Completely enclosed mechanism; Pressing stop pin; Heat switch; Emergency hand lever; Rubber casters for easy rolling; Total wattage 1275; motor 125W; Shoe 1150W; Shoe surface 43/4" x 26"; Overall height 36".

| No. | |
|------|-----------------------------------|
| 2985 | Light gray and white enamel |
| | finish. Porc. enameled table |
| | top104.95 |
| 2931 | Gray and white, without table top |



No. 2985-Gray and White

No

UNIVERSAL ELECTRIC RANGES



No. 5346—THE CANTON

Popular Priced Campaign Model. Equipment—4 surface units, open coils, 1-85/8" 1800W, 3-61/2" 1200W, 2 oven units, 1-2250 W for baking, 1-2000W for broiling. Storage drawer. Dimensions—floor space: 40 x 26\%"; height, 40\%"; cooking top, 40 x 24\"; 36" from floor. Oven 10 x 16 x 14\". Storage drawer 21 x 16\% x 7\". Max load



No. 5846—THE HARTLAND

with Warming Drawer

Equipment—4 surface units, 1-85%", 1800 W, 3-6½", each 1200W; 2 oven units, baking 2250W, broiling 2000W, warming drawer 350 W. Dimensions—floor space, 40 x 265%"; height overall, 41½"; cooking top, 40 x 24"; 36" from floor; oven, 19 x 16 x 14"; warming drawer, 21 x 16" x 7". Max. load 10,660W.

Open coils147.00 Chromolox168.50



No. 5946—THE SUFFIELD

For over twenty years Universal Electric Ranges have been used all over the civilized world.

A few of the features which have made Universal Ranges the outstanding elec-

All White Porcelain Enamel Large, well insulated Ovens Automatic Oven Control Balanced Oven Heat Grill Vents in Splasher Panel Dual Hinge Spring Lock Oven Signal Light Long Life Switches Appliance Outlet

Chromolox enclosed Units, as well as Lamp, Clock, Condiment Set, and Economy Cooker are optional features.



No. 3046-THE AUGUSTA

Console type with 2 large side storage compartments. Equipment — 4 surface units, 1-85%" 1800W, 3-6½" 1200W each; 2 oven units, baking 2250W, broiling 2000 W; 2 side compartments. Dimensions: W; 2 side compartments. Difficultions. Responses. Place of the cooking top, 40 x 23¾"; 36" from floor. Oven, 19 x 16 x 14". Side closets, 29¾ x 22¾ x 10". Max. load 10,310W.

3046 Chromolox181.00

THE SUFFIELD

This model has additional warming draw-In is model has additional warming drawer, economy cooker and lamp. Equipment —3 surface units, 1-85%" 1800W, 2-6½" each 1200W; cooker, 660W; 2 oven units, baking 2250W, broiling 2000W; warming drawer 350W. Dimensions—floor space, 40 x 26%"; height overall, 4½"; cooking top, 40 x 24"; 36" from floor; oven, 19 x 16 top, 40 x 24"; 38" from floor; oven, 19 x 16 top, 40 x 24"; warming drawer 21 x 16½ x 7" x 14"; warming drawer, 21 x 16½ x 7". Max. load 10,780W.

THE SIMSBURY

A full size range for small space. Equipment—4 surface units: 1-85%" 1800W, 3-6½" each 1200W; 2 oven units, baking 2250W, broiling 2000W. Dimensions—floor space, 27 x 20"; height overall, 4034"; cooking top, 23% x 20"; 36" from floor; oven, 19 x 16 x 14"; drawer, 20½ x 16½ x 534". Max. load 10,310W.

374 Open units

118.25

Open units118.25



No. 3246—THE GREENWICH
With Double Oven, Storage Drawer, and
Economy Cooker. 3 surface units: 1-85%"
1800W, 2-61/2" each 1200W, and cooker
600W. Each oven: baking 2250W, broiling 2000W. Floor space, 40 x 263/4";
height overall, 41/2"; cooking top, 40 x
24"; 36" from floor; ovens, 19 x 16 x 14";
drawer, 201/2 x 161/2 x 7". Max. load 14,680
3246 Cooker, open units, no lamp.234.50
3146 As above, 1 oven & warmer....186.75 As above, 1 oven & warmer....186.75 Chromolox units, no lamp.....251.50 3146 As above, 1 oven & warmer....202.75



No. 9446-THE BERKSHIRE

No. 9446—THE BERKSHIRE
This model has an extra large fire box.
Equipment—4 surface units: 1-85%" 1800
W, 3-6½" each 1200W; 2 oven units,
baking 2250W, broiling 2000W; fire box.
Dimensions—floor space, 37¾ x 31";
height overall, 535%"; cooking top electric
22¾ x 22", coal 22 x 15¾"; 36" from floor;
firebox, 15¾ x 8 x 7"; oven, 19 x 16 x 14".
Max. load 10,310W.
9446 With open coils

With open coils.....246.40 Chromolox



No. 374—THE SIMSBURY

The PROGRESS Vacuum Cleaner



THE "PROGRESS"—MODEL 9
Illustrating use in cleaning upholstery

THE MACHINE OF 101 USES

Here are some of the many tasks which can be performed SAFER, EASIER and BETTER with the Progress. (An illustrated instruction booklet is included with each cleaner.)

- 1. Cleaning Rugs and Carpets. The patented Progress Nozzle, combined with "Cyclone Suction," gets the dirt and lint in a manner that will astonish you.
- 2. Cleans Bare Floors and does it thoroughly—with ease.
- 3. Cleans Upholstery. See illustration at left.
- 4. Cleans under Low Furniture.
- 5. Cleans Kitchen Floors, Linoleums.
- 6. Shampooing Rugs and Carpets.
- 7. Waxing and Polishing Floors.
- 8. Cleans high and low Mouldings.
- 9. Dusting Book Shelves, Radio, etc.
- 10. Cleans Drapes and Curtains.
- 11. Cleaning Screens, Mattresses, Baby Cribs, Picture Frames, Window Sills, Automobile Interiors, Spraying Paint, Demothing—these are just a few of the tasks made easy with the Progress.

Description: Cylinder of non-metallic composition with walnut finish, mounted on 3 soft rubber wheels—(a swivel wheel in front assures easy handling). ¼ H. P. Black and Decker rubber mounted motor, 480 watts, drives 3 fan suction unit; 110 volt AC or DC; machine equipped with convenient toggle switch; chrome plated front cover and trimmings; positive "germ trap" between dust bag and motor prevents redistribution of germs and dust; water lift, 42-44 inches.

The Progress is MORE than just a vacuum cleaner—it traps the dust—it traps the germs. If the dust and germs that emerge through the bag of the ordinary vacuum cleaner were visible to the eye, you would lose no time in changing to a Progress—the Modern Vacuum Cleaner. The Progress is

SAFE—it is really a home purification unit. An amazing sanitary filter pad not only prevents even the tiniest particles of dust from passing out of the cleaner, but it also removes germs—germs that cause colds, sore throats, tuberculosis, and many other ills.

Attachments included with the cleaner include: 1—Carpet Nozzle; 2—Felt polishing pad; 3—Upholstery nozzle; 4—Radiator tool; 5—Wonder brush; 6—Floor brush; 7—Sprayer; 8—Moth-proofing unit; 9—Curved half of wand; 10—Straight half of wand; 11—Patented germ trap; 12—Hose.


Garment Bag

Made of heavy DuPont material 60 inches long, with 42 inch zipper, transparent windows and pen flashlight.

| Model 9 Progress Cleaner, list | .79.95 |
|----------------------------------|--------|
| Rug Shampoo, 8 oz. bottle, list | 75 |
| Wax, liquid, 1 pint, list | 75 |
| Moth Crystals, 1 pound can, list | 75 |
| | .12.50 |



FIREPLACE FURNISHINGS




No. 144 "Y" Group

Consists of three fold screen, 30" high; center panel 26" wide; side folds 13" wide; andiron 18" high; and fireset (shovel, tongs and poker) 27" high. Finished bright Colonial Brass.


Set complete 29.65, Andiron 9.75, Fire set 9.75, Screen 13.15

No. 971-The Lawrence Group


This attractive group consists of 3 fold Screen, 30" high; Fire Set (shovel, tongs and poker), 28" high; and Andiron




Set, 18" high. Finished: Antique Brass or Swedish Iron. Set complete 25.50, Andirons 9.35, Fire set 8.65, Screen 9.75.




No. 202—A well made Screen 30" high. 4 folds (12" folds). Finished: Antique Brass or Swedish Iron......10.15






No. 646—The Monterey Group Consists of 3 fold Screen, 30" high; Fire Set, 28" high, and Andiron Set 14½" high. A really distinctive group, very reasonably priced. Finished: Antique Brass or Swedish Iron. Set complete 17.25, Andirons 6.65, Fire set 6.15, Screen 7.15



No. 266 "D" Group
Consists of three fold screen, 30" high; center panel 26" wide; side
folds 13" wide; andiron 20" high; and fireset (shovel, tongs and
poker) 28" high. Finished bright Colonial Brass.
Set complete 39.75 Andiron 10.95 Fire set 14.75 Screen 14.95

Mazda - LAMPS - Non Mazda



LUMILINE LAMP

STANDARD LAMPS FOR 110, 115 and 120-Volt Circuits


| | | | Std. | |
|----------------------|---------------------------------------|---------------|--------------|--------------|
| Watt | s Bulb | List Price | Pkg. Qty. | Base |
| 6 | S6 clear | .15 | 120 | Cand. |
| 10 | S11§ | .20 | 120 | Inter. |
| 10 10 | S14 clear S14 colored [†] | .15 | 120 120 | Med. Med. |
| 15 | ~ | .15 | 120 | Med. |
| 15 | A17 F10 F. T., cle | ar | 120 | med. |
| | white, ivory | .25 | 60 | Cand. |
| 25 | A19 | .15 | 120 | Med. |
| 25 | A19 colored‡ A19 day, clea | .20 r .30 | 120 120 | Med. Med. |
| 25 25 25 25 | G18½ white | .30 | 120 | Med. |
| 25 | G18½ F. T | 20 | 120 | 37. 1 |
| 25 | ivory G25 white | .30 .35 | 120 60 | Med. Med. |
| 25 | G25 F. T., | | | |
| 25 | ivory F15 F. T., cle | .35 | 60 | Med. |
| | white, ivory | .15 | 120 | Med. |
| 25 25 | T6½ clear T10 clear | .35 | 60 | Inter. |
| 25 25 | T10 clear | .25 | 60 60 | Med. Med. |
| | | | | |
| 30 | T8 clear Lumiline | .95 | 24 | Disc |
| 30 | T8 col. | | | |
| | Lumiline | 1.05 | 24 | Disc |
| 40 | A19 | .15 | 120 | Med. |
| 40 40 | G25 white G25 F. T., | .35 | 60 | Med. |
| | ivory | .35 | 60 | Med. |
| 40 40 | T8 clear T8 white | .90 1.05 | 24 24 | Med. Med. |
| 40 | T8 clear | 1.05 | 24 | Med. |
| 40 | Lumiline | .85 | 24 | Disc |
| 40 | T8 col. Lumiline | .95 | 24 | Disc |
| 50 | A19 Rough | | | |
| | Service | .30 | 120 | Med. |
| 50 50 | A19 day, clear P19 vibration | .35 | 120 120 | Med. |
| | | | | Med. |
| 60 60 | A21 A21 day | .15 .30 | 120 120 | Med. Med. |
| 60 | T8 clear | | 120 | wied. |
| 60 | Lumiline T8 col. | .95 | 24 | Disc |
| 00 | Lumiline | 1.05 | 24 | Disc |
| 7.5 | A21 I.F. | .20 | 60 | Med. |
| 75 | A21 clear | .25 | 60 | Med. |
| 75 | A21 day, I.F. | 35 | 60 | Med. |
| 100 | A23 I.F. | .20 | 60 | Med. |
| 100 100 | A23 clear A23 day I. F. | .25 | 60 60 | Med. Med. |
| 150 | A25 I.F. | | | |
| 150 | A25 clear | .25 | 60 60 | Med. Med. |
| 150 | A25 day, clea | .25 r .50 | 60 | Med. |
| 150 | A25 day, I. F | 55 | 60 | Med. |


| | | 200 | Std. | |
|-------|---------------|---------|-------|--------|
| *** | - 11 B | List | Pkg. | _ |
| Watts | | | Qty. | Base |
| 200 | PS30 clear | .35 | 24 | Med |
| 200 | PS30 I.F. | .35 | 24 | Med |
| 200 | PS30 W.B. | .40 | 24 | Med |
| 200 | PS30 day, cl. | .80 | 24 | Med. |
| 200 | PS30 day, I.I | F85 | 24 | Med |
| 300 | PS35 clear | .60 | 24 | Std. |
| 300 | r SSS clear | .00 | 24 | { Med. |
| 300 | PS35 I.F. | .65 | 24 | s Std. |
| 300 | 1 555 1.F. | .05 | 24 | Med. |
| Light | Center is | the sa: | me as | 200W |
| lamp. | | | | |
| 300 | PS35 clear | .75 | 24 | Mog |
| 300 | PS35 I. F. | .80 | 24 | Mog |
| 300 | PS35 W. B. | .80 | 24 | Mog |
| 300 | PS35 day, | | | |
| | clear | 1.20 | 24 | Mog |
| 300 | PS35 day, | | | J |
| | I.F. | 1.30 | 24 | Mog |
| 500 | PS40 clear | 1.40 | 12 | Mog |
| 500 | PS40 I. F. | 1.50 | 12 | Mog. |
| 500 | PS40 W. B. | 1.50 | 12 | Mog. |
| 500 | PS40 day, cl. | 2.15 | 12 | Mog. |
| 500 | PS40 day,I.F | | 12 | Mog. |
| | | | | |
| 750 | PS52 clear | 3.75 | 6 | Mog. |
| 750 | PS52 W. B. | 3.95 | 6 | Mog. |
| 1000 | PS52 clear | 4.00 | 6 | Mog. |
| 1000 | PS52 W. B. | 4.20 | 6 | Mog. |
| 1500 | PS52 clear | 5.75 | 6 | Mog. |
| 1500 | PS52 W. B. | 5.95 | 6 | Mog. |
| M | ERCURY V | APOR | LAN | IPS |
| 250 | T9-tipped | | | |
| | 1 TPPOG | | | |

| 250 | T9-tipped | | | |
|-------|--------------|--------|----------|---------|
| | clear | 7.50 | 12 | Med. |
| 400 | T16, clear | 12.50 | 6 | Mog. |
| LA | MPS FOR H | HIGH | VOLT | AGE |
| Servi | ce-220, 230, | 240, 2 | 250, 260 | Volts |
| 25 | A19 | .26 | 120 | Med. |
| 50 | A21 | .26 | 120 | Med. |
| 100 | A23 | .38 | 60 | Med. |
| 200 | PS30 clear | .85 | 24 | Med. |
| 300 | PS35 clear | 1.25 | 24 | Mog. |
| 500 | PS40 clear | 2.15 | 12 | Mog. |
| 750 | PS52 clear | 4.25 | 6 | Mog. |
| 1000 | PS52 clear | 4.75 | 6 | Mog. |
| TYP | E D LAMP | S FOR | 2 110. | 115 and |
| | | Circui | | |

| TYP | E D LAMPS | S FOR | 110, | 115 and |
|------|--------------|----------|------|---------|
| | | Circuits | | |
| 71/2 | G11 outside | | | |
| | wh. and red | .10 | 60 | Med. |
| 15 | A15 I. F. | .10 | 60 | Med |
| 30 | G19 white ar | nd | | |
| | colors | .10 | 60 | Med. |
| 60 | A19 I. F. | .10 | 60 | Med. |
| Spot | light and F1 | oodlight | T.a | mns for |

Spotlight and Floodlight Lamps for 110-115-120-volt service, for any position except within 45 degrees of vertically base up. 250 G30 clear Spot 1.50 24 Med. 250 G30 clear Flood 1.50 24 Med. 400 G30 clear Spot 2.65 24 Med. 500 G40 clear Flood 2.90 12 Mog.





§Mazda Lamp No. 46 is recommended for AC radios requiring a 6.3V lamp.

| | AUTOM | OTIVE | LAMPS | |
|------|-------------------|------------|--|-------|
| | | | | List |
| No. | ‡Base | Volts | Cp. | Price |
| 63 | S. C. | 6-8 | 3 | .07 |
| 1000 | D. S. | 6-8 | $\left\{\begin{array}{c} 32\\32\end{array}\right\}$ | .19 |
| 1110 | D. C. | 6-8 | $\left\{\begin{array}{c} 21\\ 21\end{array}\right\}$ | .19 |
| 1116 | D. C. | 6-8 | \ \ 32 \ \ 21 \ \ | .19 |
| 1129 | S. C. | 6-8 6-8 | 21 | .19 |
| 2320 | D. C. Prefocus | 6-8 | $\left\{\begin{array}{c} 32\\21\end{array}\right\}$ | .30 |
| 2330 | D. C. Prefocus | 6-8 | $\left\{\begin{array}{c} 32\\32\end{array}\right\}$ | .30 |

| | Two Filar | | | |
|--|-----------|------|------|----------------------------|
| Watts | Bulb | List | Oty. | Base |
| 60 | A23 I.F. | .60 | 60 | Med. |
| $ \begin{array}{c} 50 \\ 100 \\ 150 \end{array} $ | PS25 I.F. | .50 | 60 | fed. or Mog. pecify) |
| $\left. \begin{array}{c} 100 \\ 200 \\ 300 \end{array} \right\}$ | G30 I.F. | .65 | 24 | Mog. |
| $\left.\begin{array}{c} 200\\ 300\\ 500 \end{array}\right\}$ | PS35 I.F. | 1.75 | 24 | Mog. |
| | | | | |

CONTRACTS

Non Mazda (Jewell) lamps are sold outright—no contract is necessary.

G. E. Mazda lamps earn discounts


G. E. Mazda lamps earn discounts when purchased in lots of 5.00 list or standard packages.

Companies purchasing large quantities based on yearly requirements for their own use should buy under contract at new liberalized discounts.

Dealers purchasing Mazda lamps for resale must obtain them under contract, discount based on estimated yearly sales.
Write for complete information.

| INCANDESCENT SU | JPPLY CC |). « « « | « « | « Catalog No. 23 | 3, 1938 |
|---------------------------------------|----------|------------------------|--------|---------------------------|---------|
| A | | II.ID.TV | | Emily Knobs | 22 |
| A B C Fittings, Etc. | 14 | INDEX | | Entrance Cable (AEIC) | 12 |
| Acid Core Solder | 23 | | | Entrance Fittings | 8 |
| Adapters, Socket | 30 | Carriage Bolts | | Entrance Switches | 16, 17 |
| A E I C Cable, Etc | 12 | Casseroles | | Erickson Couplings | 4 |
| A G Switches | 16, 17 | Chain Firster | | Eveready | 71 |
| Aglites, Guth | 53 | Chain Socket | | Everstick Anchors | 44 |
| Air HeatersAnchor Rods, Etc | 80, 8/ | Chain, Socket | | Exit Lights | 19 |
| Anchors, Diamond | 44 | Chimes, Door | | Expansion BoltsEye Bolts | 9 |
| Andirons, Etc | | Clampipe | | | |
| Annunciators, Etc. | 20 | Clamps, Fuse Clip | | F | æ |
| Annunciator Wire | | Clamps, Ground | | Fans | 68, 69 |
| Appliances: | 68-92 | Clamps, Guy | | Faries Portables | 64 |
| Armstrong Heaters | | Cleaners, Vacuum | | Federal Bushings | 22. |
| Century Fans | 60 | Cleats, Porc. | | Fire Screens, Sets | 93 |
| Dominion | 78 | Clips, Test | | Fish Steel | 21 |
| Durabilt Iron | | Clocks, Hammond | 82, 83 | Fittings, AEIC | 12 |
| Electrahot | | Clocks, Time | 28 | Fittings, Flex | 14 |
| Eveready | | Clusters, Plug | 60 | Fittings, Hartman | 5, 15 |
| Gilbert | 80 | Conduit, A B C | 14 | Fittings, Steeltube | 5 |
| Glo-Log Heaters | 86 | Conduit, Boxes | 10, 11 | Fixture Connectors | 14 |
| Hammond Clocks | 82. 83 | Conduit, Benders | 4 | Fixture Parts | 60, 61 |
| Mello Chimes | 70 | Conduit, Bushings | 4 | Fixture Studs | 4, 61 |
| Nesco Roasters | | Conduit, Clamps | 15 | Fixture Wire | 13 |
| Progress Cleaners | | Conduit, Couplings | 4 | Fixtures, Built-In | 68 |
| Pryne | 68. 70 | Conduit, Flexible | 14 | Fixtures, Commercial | 52-59 |
| Robbins and Myers | | Conduit, Locknuts | 4 | Fixtures, Guth | 53 |
| Samson | | Conduit, Nipples | 4 | Fixtures, Residential | 62 |
| Silex | | Conduit, Rigid Iron | 4 | Fixtures, Smoot Holman | 52, 53 |
| Serv-U-Phones | | Conduit, Thinwall | | Flasher Buttons | 29 |
| Sunbeam | | Condulet Fittings | | Flashlights | /1 |
| Universal | 72-91 | Connectors, Box | | Flashlight Lamps | 94 |
| Vulcan Irons | 79 | Connectors, Cord | | Flexible Arms | |
| Wesix Heaters | | Connectors, Fixture | | Flexiteel | |
| Arms, Flexible | 60 | Connectors, S. T. | 5 | Floodlights Window | 45-47 |
| Arrow Devices | 30-43 | Connectors, Solderless | 15 | Floor Poyce | |
| Attachment Plugs | | Connectors, Wire | | Floor BoxesFloor Lamps | |
| В | | Control, Motor | | Flush Call, Edwards | |
| Baby Knife Switches | | Copper Ground Strip | | Friction Tape | 22 |
| Bar Solder | 23 | Cord, Heater | | Fuse Clip Clamps | 10 |
| Batteries, Eveready | 71 | Cord, Kitchen Unit | | Fuse Puller | |
| Bells | 26 | Cord, Lamp | | Fuses, Percolator | 28 |
| Bell Wire | 13 | Cord Sets | | Fuses | 18 |
| Benco Sockets | 48 | Cord, Tirex | | Fuse Reducers | 18 |
| Benders | | Corn Poppers | | Fusetrons (Therm-A-Trips) | |
| Benjamin Floodlights | 45 | Couplings, Erickson | | G | |
| Benjamin Horns | 26 | | | Gacor Lamps | 63 |
| Benjamin Reflectors | 48, 49 | Couplings, Steeltube | 10 11 | Gaynor Bells | |
| Bits, Electrician | 21 | Crossarm Braces | | Gilbert Appliances | |
| Bolts, Diamond | 9 | Crouse Hinds Condulets | | Glass Insulators | |
| Bolts, Pole Line Hdwe | 44 | Crowfeet | | Glassware | |
| Bottle Warmer | 73 | Curling Irons | | Glo-Log | |
| Box Connectors | 14 | Curtiss, Xray | | Goosenecks | |
| Box Hangers | | Cutout Cans | | Greenlee Tools | |
| Boxes, Concrete | | Cutler Hammer Control | | Greist Lamps | |
| Boxes, Cutout | | Cutler Hammer Panels | | Ground Bushings | |
| Boxes, Exit | | Cutler Hammer Plugs | | Ground Clamps | |
| Boxes, Floor | | Cutler Hammer Switches | 16, 17 | Guards, Lamp | |
| Boxes, Gang | | Cutouts, Porc. | | Guth, Aglites | |
| Boxes, Outlet | | D | | Gutter | |
| Boxes, Switch | | Despard (Bryant IL) | 38 | Guy Clamps, Etc | |
| Boxes, T & B Junction | | Desk Lamps | | Н | |
| Braces, Crossarm | | Diamond Specialties | | H & H Devices | 30-43 |
| Brass Shell Sockets | | Dimmers | | Hack Saw Blades | |
| Brackets, Wood | | Dominion Appliances | | Hair Dryers | |
| Bryant Devices | | Dolphs Varnish | | Hammer Drives | |
| Built-In Fixtures | | Door Chimes | | Hammond Clocks | 82, 83 |
| Burglar Alarms | | Door Openers, Springs | | Handy Boxes, Covers | |
| Bushings, Conduit | | Drills, Van Dorn | 21 | Hangers, Box | 11 |
| Bushings, Federal Bushings, Ground | | Drink Mixers | | Hanger Iron | 4 |
| Buttons, Flasher | | Dryers, Hair | | Hardware, Pole Line | 44 |
| Buttons, Push | | Dryvins, Hammer Drives | | Hartman Fittings | 5, 15 |
| Buzzers | | E | | Heater Cord | |
| B X Conduit, Fittings | | Eagle Devices | 20 | Heater Plugs | |
| C C | | Eagle Lamps | | Heater Switches | |
| Cable, A B C BX | 14 | Edwards Chines | | Heaters | |
| Cable, Lead | | Edwards Material | | Heating Pads | |
| Cable, Lead Cable, Service Ent | | Egg Cooker | | Hickeys, Benders | 4. 5 |
| Cable, Tirex | | Elbows, Conduit | | Hickeys, Fixture | 61 |
| Cable, Weatherproof | | Elbows, Entrance | | Holders, Fixture | 60 |
| Cans, Pull | 10 | Electrahot Appliances | | Horns | 26 |
| Capped Elbows | | Electricians' Bits | | Hot Plates | 85 |
| - I | 0 | | | House Numbers, Pryne | 68 |
| Caps, Entrance | | Elements, Eagle | | Hubbellock Devices | |

| Indenter Tool | | Paranite Cord Sets | 21 | Stove Wire | 13 | |
|---|---|---|--|--|---|----|
| | 5 | Parts, Fixture60 | | Strain Insulators | | |
| | | Percolators, Metal | 72 | Strand, Steel | | |
| Insulated StaplesInsulating Varnish | | | | Straps, Steeltube | | |
| | | Pin-It-Up Lamps | | Straps, Pipe | | |
| Insulators, Emily | | Pins, Joslyn | | | | |
| Insulators, Glass | | Pipe Straps | | Strip, Copper Ground | | |
| Insulators, Porcelain2 | | Plates, Flush | | Studs, Fixture | | |
| Insulators, Radio | | Plug Clusters | | Sunkist Extractors | | |
| Iron Wire, Galv | | Plug Cutouts | | Sunlamps | | |
| Irons, Household | | Plug, Fuses | | Switch Boxes | | |
| Irons, Soldering | | Plugs, Attachment | | Switches, Canopy | | |
| Ironers, Universal | 90 | Plugs, Heater | | Switches, Ceiling | | |
| J | | Plugs, Yaxley | | Switches, Cord | | |
| Joslyn Hardware | | Plumbers' Safety Tape | | Switches, Ex. Op16 | | |
| Juice Extractors, Gilbert | 80 | Pole Line Hardware | . 44 | Switches, Heater | | |
| | | Porcelain Insulators | 2, 44 | Switches, Knife | | |
| Kitchen Units | | Porcelain Sockets | | Switches, Levolier | . 40 | ı |
| Knife Switches | | Portables6 | | Switches, Push | . 32 | l, |
| Knobs, Porcelain | 22 | Porter Loom Locks | | Switches, Time | | |
| Knockout Cutters | 21 | Progress Cleaners | . 92 | Switches, Tumbler32 | 2, 33 | J |
| Knockout Seals | 4 | Pryne Chimes | . 70 | T | | |
| Kwikchange, Leviton | 39 | Pryne Fans | . 68 | Tape, Fish | . 21 | |
| L | | Pull Cans | . 19 | Tape, Friction | | |
| Lakin Hickeys | 4 | Push Buttons | 27 | Tape, P & B | | |
| | | R | | Tape, Plumber's | | |
| Lamp Cord | | R I Balls | 50 | Tape, Rubber | 23 | |
| Lamp Guards | | Radio Antenna Wire | 13 | Telephones | 20 | |
| Lamps, Flashlight | | Radio Insulators | | Telephone Wire | - 40 | |
| Lamps, Floor | | | | Terry Ground Clamps | - 14 | |
| Lamps, Mazda | | Radio Outlets, Yaxley | 30 | Terry Ground Clamps | | |
| Lamps, Table, IES, Etc | | Ranges, Universal | 91 | Test Clips | . 23 | |
| Lamps, Therapeutic | | Range or Stove Wire | . 13 | Testers, Voltage | . 21 | |
| Lead Covered Cable | | Receptacles, Flush34 | 4, 35 | Therm-A-Trips | . 18 | |
| Leviton Kwikchange | | Receptacles, Pilot Light | . 36 | Thimbles, Guy | . 44 | |
| Leviton Miscellaneous | 30-43 | Receptacles, Porcelain | . 31 | Thinwall Fittings | - 5 | |
| Levolier Switches | 40 | Receptacles, Sign | . 41 | Thread, Running | 61 | |
| Lighting Units | | Reducers, Condulet | . 8 | Time Switches | . 28 | |
| Links, Fuse | | Reducer Socket | 30 | Tin Shades | . 51 | |
| Locknuts | | Reducing Washers | 4 | Tirex Cords | 13 | |
| Loom | | Reflectors, Benjamin48 | 8 40 | Toasters76 | 77 | |
| Loom Boxes | | Reflectors, Tin | 51 | Toggle Bolts | , , | |
| | | Reflectors, X-Ray50 | 0 51 | Tools | 21 | |
| Loom Fasteners | | Renewable Fuses | 10 | Transformers: | 27 | l, |
| Loom Wire | | Resin Core Solder | . 10 | Trouble Lamps | 21 | |
| Loxon Guards | | Ringe Entension | 23 | Trough Motor | . 41 | |
| Lugs, Solder | | Rings, Extension | 10 | Trough, Meter | . 19 | |
| Lumiline Lamps | | Roasters, Nesco, Etc. | . 84 | Trumbull Switches16 | 0, 1/ | |
| Lumiline Sockets | 30 | Robbins & Myers Fans | 19 | Tubes, Porcelain | . 22 | |
| Lungen Buzzers | 26 | Rods, Anchor | . 44 | Twistlock Devices | . 35 | |
| M | | Rosettes, Porcelain | 31 | U U | | |
| Machine Bolts | 44 | Rubber Tape | . 23 | Unions, Erickson | - 4 | ı |
| Machine Screws | | Running Thread | . 61 | Units, Lighting5 | 2-59 | ı |
| | | S | | Universal Cleaners | . 89 | Į, |
| | 20 | | | Universal Fuses | . 28 | |
| Magnetic Switches | | S & M Floods, Etc46 | 5, 47 | Chiversal Puses | 04 | |
| Magnetic Switches | 23 | S & M Floods, Etc46 Sandwich Toasters | 5, 47 77 | Universal Ranges | . 91 | |
| Magnetic Switches | 23 27 | Sandwich Toasters | . 77 | Universal Ranges | . 23 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps | 23 27 94 | Sandwich Toasters | . 77 | Universal Ranges | . 23 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes | 23 27 94 70 | Sandwich Toasters | . 77 . 9 . 14 | Universal Ranges | . 23 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough | 23 27 94 70 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag | . 77 . 9 . 14 . 44 | Universal Ranges | . 23 . 90 . 30 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails | 23 27 94 70 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag Screws, Machine | . 77 . 9 . 14 . 44 | Universal Ranges | . 23 . 90 . 30 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers | 23 27 94 70 19 14 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag Screws, Machine Screws, Switch Plate | . 77 . 9 . 14 . 44 . 9 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets | . 23 . 90 . 30 . 73 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold 2 | 23 27 94 70 19 14 88 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag Screws, Machine Screws, Switch Plate Screws, Wood | . 77 . 9 . 14 . 44 . 9 . 37 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners | . 23 . 90 . 30 . 73 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable | 23 27 94 70 19 14 88 !4, 25 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors. Screws, Lag Screws, Machine Screws, Switch Plate Screws, Wood Seals, Knockout | . 77 . 9 . 14 . 44 . 9 . 37 . 9 | Universal Ranges Universal Test Clips Universal Washers Uno Shade Holders Urn Sets V Vacuum Cleaners Vapor Proof Fittings | . 23 . 90 . 30 . 73 0, 92 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control | 23 27 94 70 19 14 88 !4, 25 13 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag Screws, Machine Screws, Switch Plate Screws, Wood Seals, Knockout Service Entrance Cable | . 77 . 9 . 14 . 44 . 9 . 37 . 9 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights | . 23 . 90 . 30 . 73 0, 92 . 8 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable | 23 27 94 70 19 14 88 !4, 25 13 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag Screws, Machine Screws, Switch Plate Screws, Wood Seals, Knockout Service Entrance Cable Serv-U-Phones | . 77 . 9 . 14 . 44 . 9 . 37 . 9 . 4 . 12 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps | . 23 . 90 . 30 . 73 0, 92 . 45 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N | 23 27 94 70 19 14 88 4, 25 13 20 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans | 23 - 90 - 30 - 73 - 73 - 8 - 45 - 60 - 8 69 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs | 23 27 94 70 19 14 88 13 20 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 - 48 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators | 23 90 30 73 9, 92 8 45 60 8, 69 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N | 23 27 94 70 19 14 88 13 20 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 - 48 - 60 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers | 23 90 30 73 9, 92 8 45 60 8, 69 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs | 23 27 94 70 19 14 88 25 13 20 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag Screws, Machine Screws, Switch Plate Screws, Wood Seals, Knockout Service Entrance Cable Serv-U-Phones Shadeholders, Arrow Shadeholders, Benjamin Shadeholders, P & A Shades, Opal | - 77 - 9 - 14 - 44 - 9 - 37 - 37 - 4 - 12 - 28 - 30 - 48 - 60 - 59 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W | 23 90 30 73 73 9, 92 45 60 8, 69 21 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. | 23 27 94 70 19 14 88 25 13 20 19 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | . 77 . 9 . 14 . 44 . 9 . 37 . 2 . 28 . 30 . 48 . 60 . 59 . 51 | Universal Ranges Universal Test Clips Universal Washers Uno Shade Holders Urn Sets V Vacuum Cleaners Vapor Proof Fittings Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons | 23 90 30 73 9, 92 8 45 60 8, 69 21 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase | 23 27 94 70 19 14 88 13 25 13 20 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | 77 9 14 44 9 37 9 4 12 28 30 48 60 59 51 80 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing | 23 90 30 73 73 9, 92 8 45 60 8, 69 21 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit | 23 27 94 70 19 19 14 88 25 20 20 19 22 19 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | 77 9 14 44 9 37 9 4 12 28 30 48 60 59 51 80 9 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware | 23 - 90 - 30 - 73 0, 92 - 8 - 45 - 60 3, 69 - 21 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman | 23 27 94 70 19 14 88 4, 25 13 20 19 22 14 84 4 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | 77 9 14 44 9 37 9 4 12 28 30 48 60 59 51 80 9 45 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons Washers, Reducing Washers, Hardware Washers, Universal | 233 - 90 - 30 - 73 - 73 - 73 - 8 - 45 - 60 - 88 - 80 - 21 - 78 - 44 - 44 - 44 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit | 23 27 94 70 19 14 88 4, 25 13 20 19 22 14 84 4 4 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag Screws, Machine Screws, Switch Plate Screws, Wood Seals, Knockout Service Entrance Cable Serv-U-Phones Shadeholders, Arrow Shadeholders, Benjamin Shadeholders, P & A. Shades, Opal Shades, Tin Shavemaster Shields, Expansion Showcase Fittings Sign Receptacles | - 77 - 9 - 14 - 9 - 37 - 9 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 41 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix | . 23 . 90 . 30 . 73 . 73 . 80 . 45 . 60 . 80 . 21 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Conduit Nipples, Conduit Non-Metallic Conduit Non-Metallic Cable | 23 27 94 70 19 14 88 20 19 22 19 24 14 84 4 4 4 14 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors Screws, Lag Screws, Machine Screws, Switch Plate Screws, Wood Seals, Knockout Service Entrance Cable Serv-U-Phones Shadeholders, Arrow Shadeholders, Benjamin Shadeholders, P & A. Shades, Opal Shades, Tin Shavemaster Shields, Expansion Showcase Fittings Sign Receptacles | - 77 - 9 - 14 - 9 - 37 - 9 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 41 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix. Weatherproof Wire | . 23 . 90 . 30 . 73 . 73 . 80 . 45 . 60 . 21 . 78 . 44 . 90 . 87 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses | 23 27 94 70 19 14 88 20 19 20 19 22 14 84 4 4 5 114 18 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 41 - 26 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix. Weatherproof Wire | . 23 . 90 . 30 . 73 . 73 . 80 . 45 . 60 . 21 . 78 . 44 . 90 . 87 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Conduit Nipples, Conduit Non-Metallic Conduit Non-Metallic Cable | 23 27 94 70 19 14 88 20 19 20 19 22 14 84 4 4 5 114 18 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 45 - 41 - 26 - 475 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals | 23, 90 30, 73 73, 92 8, 45 60 8, 69 8, 80 121 78 8, 44 14 14 15 15 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Cohle Non-Renewable Fuses Numbers, House | 23 27 94 70 19 14 88 25 13 20 19 22 14 84 4 5 14 14 18 68 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 41 - 28 - 30 - 48 - 28 - 30 - 44 - 28 - 30 - 48 - 40 - 50 - 50 - 50 - 60 - 75 - 75 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters | 233 90 30 30 73 73 75 8 45 8 60 8 75 8 75 8 75 8 75 8 75 8 75 8 75 8 7 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Conduit Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape | 23 27 94 70 19 14 88 4, 25 13 20 19 22 14 88 4 4 4 5 14 18 68 23 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | 77 9 14 44 9 37 9 4 12 28 30 48 60 59 51 80 9 41 26 47 47 59 41 42 43 44 45 47 47 47 48 48 48 49 40 40 40 40 40 40 40 40 40 40 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester | 23 90 30 73 9, 92 8 45 60 80 21 78 44 90 12 15 15 15 17 17 18 19 19 19 19 19 19 19 19 19 19 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door | 23 27 94 70 19 14 18 13 20 19 12 14 14 14 14 18 68 23 27 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 9 - 37 - 9 - 12 - 28 - 30 - 48 - 60 - 51 - 80 - 9 - 41 - 80 - 45 - 41 - 26 - 47 - 53 - 44 - 9 - 44 - 9 - 12 - 28 - 30 - 48 - 58 - 48 - 58 - 48 - 58 - 58 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wire, Antenna | 23 90 30 73 73 7, 92 45 60 60 80 21 78 44 90 12 15 87 12 13 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes 1 | 23 27 94 70 19 14 18 13 20 19 22 14 84 4 4 5 14 18 68 23 27 0, 11 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 12 - 28 - 30 - 48 - 59 - 45 - 41 - 26 - 47, 75 - 30 - 41 - 26 - 37 - 4 - 51 - 60 - 75 - 75 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix. Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors | 23 90 30 73 30 92 84 45 65 87 12 15 87 11 13 13 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes 1 Outlets, Miscellaneous | 23 27 94 19 19 14 88 25 13 20 19 22 14 84 4 5 14 18 68 23 14 18 68 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 42 - 30 - 48 - 51 - 80 - 51 - 80 - 9 - 45 - 41 - 26 - 47,75 - 53 - 29 - 44 - 44 - 59 - 44 - 59 - 48 - 59 - 48 - 49 - 48 - 58 - | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors Wire, Insulated | 23 90 30 73 30 73 92 45 69 87 87 12 15 87 21 13 13 14 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio | 23 27 94 19 19 14 88 25 13 20 19 22 14 84 4 5 14 18 68 23 14 18 68 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 45 - 41 - 26 - 47, 75 - 37 - 9 - 48 - 28 - 30 - 48 - 60 - 59 - 41 - 28 - 30 - 41 - | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone | 23 90 30 30 9, 92 45 60 80 21 78 44 44 44 49 15 15 15 11 13 14 14 14 14 14 14 14 14 14 15 16 16 16 16 16 16 16 16 16 16 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio | 23 27 94 70 19 14 18 13 20 19 12 14 14 14 14 14 18 68 23 27 0, 11 34 36 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 41 - 27 - 28 - 30 - 48 - 30 - 48 - 60 - 59 - 41 - 28 - 41 - 28 - 41 - 41 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone. Wire, Loom | 23 90 30 30 30 9 9 9 15 16 16 16 17 18 19 19 19 19 19 19 19 19 19 19 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Conduit Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape | 23 27 94 70 19 14 18 13 20 19 12 14 14 14 14 14 18 68 23 27 0, 11 34 36 23 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 9 - 37 - 9 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 41 - 26 - 47 - 5 - 41 - 26 - 47 - 5 - 41 - 44 - 9 - 30 - 48 - 49 - | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone. Wire, Loom Wire Solder | . 23 . 90 . 73 . 73 . 9, 92 . 8 . 45 . 60 . 87 . 21 . 78 . 44 . 90 . 87 . 115 . 121 . 13 . 14 . 14 . 14 . 14 . 14 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape Pacific Breeze Fans. | 23 27 94 70 19 14 18 13 20 19 22 14 84 4 5 14 18 68 23 36 23 36 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 12 - 28 - 30 - 48 - 59 - 45 - 41 - 26 - 47 - 75 - 30 - 48 - 59 - 41 - 26 - 41 - 26 - 30 - 41 - 4 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Reducing Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wire, Antenna Wire, Connectors Wire, Iron Telephone Wire, Loom Wire Solder Wireholders | . 23 . 90 . 73 . 73 . 9, 92 . 8 . 45 . 60 . 87 . 21 . 78 . 4 . 44 . 90 . 87 . 115 . 121 . 13 . 14 . 14 . 14 . 14 . 14 . 14 . 14 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape Pacific Breeze Fans. | 23 27 94 70 19 14 18 13 20 19 22 14 84 4 5 14 18 68 23 36 23 36 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | 77 9 14 44 9 37 9 4 12 28 30 48 60 51 80 9 45 41 26 47 55 41 27 48 48 49 48 48 49 49 40 40 40 40 40 40 40 40 40 40 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix. Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors Wire, Iron Telephone. Wire, Loom Wire Solder Wireholders Wiremold 24 | 233 900 733 73 845 85 85 85 85 85 85 85 85 85 85 85 85 85 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape Pacific Breeze Fans Pancake Boxes | 23 27 94 70 19 14 18 20 19 22 14 4 5 14 18 68 23 27 0, 11 34 36 23 68 10 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 45 - 41 - 26 - 75 - 41 - 29 - 45 - 40 - 19 - 45 - 40 - 19 - 40 - 19 - 40 - 50 - 50 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone. Wire, Loom Wire Solder Wireholders Wiremold Wood Brackets, Etc. | 23, 90, 92, 8, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Conduit Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape Pacific Breeze Fans. Pancake Boxes Panel Boards | 23 27 29 19 14 18 18 13 20 19 22 14 84 4 5 14 18 68 23 27 0, 11 34 36 23 68 23 10 18 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 9 - 37 - 12 - 28 - 30 - 48 - 59 - 51 - 80 - 9 - 45 - 41 - 26 - 47 - 53 - 48 - 30 - 48 - 30 - 49 - 31 - 40 - 50 - 5 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone. Wire, Loom Wire Solder Wireholders Wiremold Wood Brackets, Etc. | 23, 90, 92, 8, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Conduit Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape Pacific Breeze Fans Pancake Boxes Panelettes | 23 27 94 70 19 14 18 13 20 19 12 14 14 14 14 14 18 68 23 27 0, 11 34 36 23 68 10 18 18 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | 77 9 14 44 9 37 9 12 28 30 48 60 9 41 26 41 26 47 53 40 40 19 10 10 10 10 10 10 10 10 10 10 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone Wire, Loom Wire Solder Wireholders Wiremold Wood Brackets, Etc. Wood Screws | 23, 90, 92, 8, 60, 60, 60, 8, 60, 21, 13, 14, 14, 14, 14, 14, 14, 14, 14, 14, 19, 19, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape Pacific Breeze Fans Pancake Boxes Panel Boards Panelettes Paraflex | 23 27 94 70 19 14 18 13 20 19 22 19 22 14 84 4 4 14 18 68 23 27 0, 11 34 36 23 68 10 18 18 18 18 18 18 18 18 18 18 18 18 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | 77 9 14 44 9 37 9 4 12 28 30 48 60 51 80 9 45 47 53 48 60 51 48 60 51 48 60 60 60 75 75 75 75 75 75 75 75 75 75 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone Wire, Loom Wire Solder Wireholders Wiremold Wood Brackets, Etc. Wood Screws | 23, 90, 92, 8, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape Pacific Breeze Fans Pancake Boxes Panel Boards Paragon Switches | 23 27 94 70 19 14 18 13 20 19 22 14 84 4 5 14 18 68 23 14 18 68 23 36 23 68 10 18 18 18 18 31 32 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 4 - 12 - 28 - 30 - 48 - 60 - 59 - 51 - 80 - 9 - 45 - 41 - 26 - 75 - 48 - 30 - 48 - 30 - 45 - 41 - 28 - 30 - 45 - 40 - 51 - 51 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wigginton Tester Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone Wire, Loom Wire Solder Wireholders Wiremold Wood Brackets, Etc. Wood Screws X X-Ray Material V | 233 - 90 - 73 - 73 - 8 - 45 - 45 - 44 - 90 - 87 - 12 - 13 - 14 - 14 - 14 - 14 - 23 - 22 - 25 - 44 - 90 - 51 - 15 - 15 - 15 - 15 - 15 - 15 - 1 | |
| Magnetic Switches Manson Tape Matting, Burglar Alarm Mazda Lamps Mello Chimes Meter Sockets, Trough Milonite Nails Mixers Molding, Wiremold Motion Picture Cable Motor Control Multibreakers N Nailit Knobs Nails, Milonite Nesco Roasters, Etc. Nipples, Chase Nipples, Conduit Nipples, Hartman Non-Metallic Conduit Non-Metallic Cable Non-Renewable Fuses Numbers, House O Okonite Tape Openers, Door Outlet Boxes Outlets, Miscellaneous Outlets, Miscellaneous Outlets, Radio P P & B Paint, Tape Pacific Breeze Fans Pancake Boxes Panel Boards Panelettes Paraflex | 23 27 94 70 19 14 18 13 20 19 22 14 4 15 14 18 68 23 27 0, 11 34 36 23 18 18 18 18 18 18 18 18 18 23 27 11 34 36 | Sandwich Toasters Screw Anchors Screw-On Fixture Connectors | - 77 - 9 - 14 - 44 - 9 - 37 - 9 - 12 - 28 - 30 - 48 - 60 - 51 - 80 - 45 - 41 - 26 - 47, 75 - 30 - 48 - 30 - 49 - 31 - 40 - 30 - 40 - 30 - 40 - 30 - 40 - 30 - 40 - 40 | Universal Ranges Universal Test Clips. Universal Washers Uno Shade Holders. Urn Sets V Vacuum Cleaners Vapor Proof Fittings. Variety Lights Vase Caps Ventilating Fans Vibrators Voltage Testers W Waffle Irons. Washers, Reducing Washers, Hardware Washers, Universal Water Heaters, Wesix Weatherproof Wire Wedgeon Terminals Wesix Heaters Wire, Antenna Wire, Connectors Wire, Insulated Wire, Iron Telephone Wire, Loom Wire Solder Wireholders Wiremold Wood Brackets, Etc. Wood Screws | 23, 90 30, 92 30, 92 45 46, 69 21 78 87 12 13 14 14 14 23 22 24 90 51 14 14 14 14 14 14 14 14 14 1 | |



ALLOWABLE CURRENT CARRYING CAPACITIES OF WIRES AND CONDUIT SIZES

| | Area in | No. and | Weight | per M' | Approx | Ampere Ca | arrying | Capacity | | | Num | ber of W | ires in 1 | Conduit | | | |
|------|-----------|-----------|---------|--------|--------|-----------|---------|----------|------|------|------|-----------------|-----------|---------|------|------|------|
| Wire | Circula | r Size of | Bare | wof. | O. D | | of Insu | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| Size | Mils | Strands | (Solid) | Solid | R. C. | Rubber | V. C. | Other | | |) | <i>A</i> inimum | Conduit | Size | | | |
| 18 | 1,624 | 1040 | 4.9 | 16 | .103 | 3 | **** | 6 | | | | | | | | | |
| 16 | 2,583 | 1051 | 7.8 | 20 | .113 | 6 | •••• | 10 | | | | | | | | | |
| 14 | 4,107 | 1064 | 12.4 | 25 | .190 | 15 | 18 | 20 | 1/2 | 1/2 | 1/2 | 1/2 | 3/4 | 3/4 | 3/4 | 1 | 1 |
| 12 | 6,530 | 1081 | 19.7 | 35 | .206 | 20 | 25 | 30 | 1/2 | 1/2 | 1/2 | 3/4 | 3/4 | 1 | 1 | 1 | 11/2 |
| 10 | 10,380 | 1102 | 31.4 | 53 | .229 | 25 | 30 | 35 | 1/2 | 3/4 | 3/4 | 3/4 | 1 | 1 | 11/4 | 11/4 | 11/2 |
| 8 | 16,510 | 1128 | 49.9 | 75 | .280 | 35 | 40 | 50 | 1/2 | 3/4 | 1 | 1 | 11/4 | 11/4 | 11/4 | 11/4 | 11/2 |
| 6 | 26,250 | 7—.062 | 79.5 | 112 | .384 | 50 | 60 | 70 | 1/2 | 1 | 11/4 | 11/4 | 11/2 | 11/2 | 2 | 2 | 2 |
| 4 | 41,740 | 7—.078 | 126.4 | 164 | .450 | 70 | 85 | 90 | 3/4 | 11/4 | 11/4 | 11/2 | 2 | 2 | 2 | 2 | 21/2 |
| 3 | 52,630 | 7—.087 | 159.0 | | 480 | 80 | 95 | 100 | 3/4 | 11/4 | 11/4 | 11/2 | 2 | 2 | 2 | 21/2 | 21/2 |
| 2 | 66,370 | 7—.098 | 200.9 | 260 | .501 | 90 | 110 | 125 | 3/4 | 11/4 | 11/2 | 11/2 | 2 | 2 | 21/2 | 21/2 | 21/2 |
| . 1 | 83,690 | 19067 | 253.3 | 316 | .590 | 100 | 120 | 150 | 3/4 | 11/2 | 11/2 | 2 | 2 | 21/2 | 21/2 | 3 | 3 |
| 0 | 105,500 | 19—.076 | 319.5 | 407 | .622 | 125 | 150 | 200 | 1 | 11/2 | 2 | 2 | 21/2 | 21/2 | 3 | 3 | 3 |
| 00 | 133,100 | 19084 | 402.8 | 502 | .667 | 150 | 180 | 225 | 1 | 2 | 2 | 21/2 | 21/2 | 3 | 3 | 3 | 31/2 |
| 000 | 167,800 | 19094 | 507.9 | 629 | .730 | 175 | 210 | 275 | 1 | 2 | 2 | 21/2 | 3 | 3 | 3 | 31/2 | 31/2 |
| 0000 | 211,600 | 19106 | 640.5 | 767 | .777 | 225 | 270 | 325 | 11/4 | 2 | 21/2 | 21/2 | 3 | 3 | 31/2 | 31/2 | 4 |
| | 250,000 | 37083 | | | .855 | 250 | 300 | 350 | 11/4 | 21/2 | 21/2 | 3 | 3 | 31/2 | | | |
| | 300,000 | 37090 | | | .910 | 275 | 330 | 400 | 11/4 | 21/2 | 3 | 3 | 31/2 | 31/2 | | | |
| | 350,000 | 37098 | | | .970 | 300 | 360 | 450 | 11/4 | 21/2 | 3 | 31/2 | 31/2 | 4 | | | |
| | 400,000 | 37104 | | | 1.020 | 325 | 390 | 500 | 11/4 | 3 | 3 | 31/2 | 4 | 4 | | | |
| | 500,000 | 37117 | | | 1.094 | 400 | 480 | 600 | 11/2 | 3 | 3 | 31/2 | 4 | 41/2 | | | |
| | 600,000 | 61100 | | | 1.210 | 450 | 540 | 680 | 2 | 3 | 31/2 | 4 | 41/2 | 5 | | | |
| | 700,000 | 61108 | | | 1.280 | 500 | 600 | 760 | 2 | 31/2 | 31/2 | 41/2 | -7- | | | | |
| | 750,000 | 61111 | | | 1.320 | 525 | 630 | 800 | 2 | 31/2 | 31/2 | 41/2 | | | | | |
| | 800,000 | 61115 | | | 1.340 | 550 | 660 | 840 | 2 | 31/2 | 4 | 41/2 | | | | | |
| | 900,000 | 61—.122 | | | 1.410 | 600 | 720 | 920 | 2 | 31/2 | 4 | 41/2 | | | | | |
| | 1,000,000 | 61—.128 | | | 1.470 | 650 | 780 | 1,000 | 2 | 4 | 4 | 5 | | | | | |

WIRING DATA FOR MOTORS

SINGLE PHASE—110 VOLT

| H. P. of Motor | Full Load Amp. | Capacity of S.T. Fused Switch | Minimum Size R. C. Wire Am. Gauge or Cir. Mils | |
|----------------------|----------------------|--|---|------|
| 1/6 | 3.34 | 30 | 14 | 1/2 |
| 1/4 | 4.8 | 30 | 14 | 1/2 |
| 1/2 | 7 | 30 | 14 | 1/2 |
| 3/4 | 9.4 | 30 | 14 | 1/2 |
| 1 | 11 | 60 | 14 | 1/2 |
| 11/2 | 15.2 | 60 | 12 | 1/2 |
| 1½ 2 3 5 | 20 | 100 | 10 | 3/4 |
| 3 | 28 | 100 | 8 | 3/4 |
| 5 | 46 | 200 | 4 | 11/4 |
| 71/2 | 68 | 200 | 2 | 11/4 |
| 10 | 86 | 400 | 0 | 11/2 |
| | | | | |

SINGLE PHASE—220 VOLT

| H. P. of Motor | Full Load Amp. | Capacity of S.T. Fused | Minimum Size R. C. Wire Am. Gauge or Cir. Mils | |
|---|----------------------|------------------------------|---|-------------------------|
| 1/6 | 1.67 | 30 | 14 | 1/2 |
| 1/4 | 2.4 | 30 | 14 | 1/2 |
| 1/2 | 3.5 | 30 | 14 | 1/2 |
| 3/4 | 4.7 | 30 | 14 | 1/2 |
| 1 1 1 1 1 2 2 3 5 5 5 5 5 5 5 6 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5.5 7.6 10 | 30 30 30 30 60 | 14 14 14 14 | 72 1/2 1/2 1/2 |
| 5 | 23 | 60 | 8 | 3/4 |
| 7½ | 34 | 100 | 6 | 1 |
| 10 | 43 | 100 | 4 | 1 1 1/4 |

THREE PHASE—220 VOLT

| H. P. of Motor | Full Load Amp. | Capacity of S.T. Fused Switch | Minimum Size Rubber Covered Wire | Minimum Size Conduit Inches |
|---|---|---|---|--|
| 14 11/2 2 3 5 7/2 10 | 1.2 2.5 2.8 3.3 4.7 6.0 9 15 22 27 38 | 30 30 30 30 30 30 30 30 60 60 100 | 14 14 14 14 14 14 12 8 8 | 1 1 1 1 1 |
| 20 25 30 35 40 50 60 75 100 125 150 175 200 | 52 64 77 91 101 125 149 180 246 310 360 425 480 | 200 200 200 400 400 400 | 4 3 1 0 0 0 0000 0000 400,000 400,000 600,000 800,000 900,000 | 1¼ 1¼ 1½ 2 2 2 2½ 2½ 3 3 3¼ 4 |

A copy of the National Electrical Code Regulations of the National Board of Fire Underwriters for Electric Wiring and Apparatus, will be sent to you free of charge on request with your order.

THREE PHASE—440 VOLT

| H. P. of Motor | Full Load Amp. | Capacity of S.T. Fused Switch | | m Minimum Size Conduit Inches |
|--|---|--|---|---|
| 14 14 14 14 14 14 2 3 3 5 7 10 15 20 25 30 33 40 50 60 75 100 125 15 100 125 15 100 175 100 100 100 100 100 100 100 10 | 0.6 1.3 1.4 1.7 2.4 3.0 4.5 7.5 11 14 19 26 32 39 46.5 51 63 75 90 123 155 180 212 240 | | 14 14 14 14 14 14 14 14 12 10 8 6 6 6 4 4 3 1 0 0000 0000 0000 0000 0000 0000 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |

IF YOU DID NOT FIND what you were looking for in this catalog, write and ask us about it. We will be glad to supplement information in this catalog with manufacturers' catalogs.